

**AI 95° EVEN 30" TIP SPACING**

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
psi gpm																			
AI95015EVS	30	0.130	6.4	5.7	5.1	4.7	4.3	4.0	3.7	3.4	3.2	3.0	2.9	2.7	2.6	2.4	2.3	2.2	2.1
	40	0.150	7.4	6.6	5.9	5.4	5.0	4.6	4.2	4.0	3.7	3.5	3.3	3.1	3.0	2.8	2.7	2.6	2.5
	50	0.168	8.3	7.4	6.6	6.0	5.5	5.1	4.7	4.4	4.2	3.9	3.7	3.5	3.3	3.2	3.0	2.9	2.8
	60	0.184	9.1	8.1	7.3	6.6	6.1	5.6	5.2	4.8	4.5	4.3	4.0	3.8	3.6	3.5	3.3	3.2	3.0
	70	0.198	9.8	8.7	7.9	7.1	6.5	6.0	5.6	5.2	4.9	4.6	4.4	4.1	3.9	3.7	3.6	3.4	3.3
	80	0.212	10.5	9.3	8.4	7.6	7.0	6.5	6.0	5.6	5.3	4.9	4.7	4.4	4.2	4.0	3.8	3.7	3.5
	90	0.225	11.1	9.9	8.9	8.1	7.4	6.9	6.4	5.9	5.6	5.2	5.0	4.7	4.5	4.2	4.1	3.9	3.7
	100	0.237	11.7	10.4	9.4	8.5	7.8	7.2	6.7	6.3	5.9	5.5	5.2	4.9	4.7	4.5	4.3	4.1	3.9
	110	0.249	12.3	10.9	9.9	9.0	8.2	7.6	7.0	6.6	6.2	5.8	5.5	5.2	4.9	4.7	4.5	4.3	4.1
AI9502EVS	30	0.173	8.6	7.6	6.9	6.2	5.7	5.3	4.9	4.6	4.3	4.0	3.8	3.6	3.4	3.3	3.1	3.0	2.9
	40	0.200	9.9	8.8	7.9	7.2	6.6	6.1	5.7	5.3	5.0	4.7	4.4	4.2	4.0	3.8	3.6	3.4	3.3
	50	0.224	11.1	9.8	8.9	8.0	7.4	6.8	6.3	5.9	5.5	5.2	4.9	4.7	4.4	4.2	4.0	3.8	3.7
	60	0.245	12.1	10.8	9.7	8.8	8.1	7.5	6.9	6.5	6.1	5.7	5.4	5.1	4.8	4.6	4.4	4.2	4.0
	70	0.265	13.1	11.6	10.5	9.5	8.7	8.1	7.5	7.0	6.5	6.2	5.8	5.5	5.2	5.0	4.8	4.6	4.4
	80	0.283	14.0	12.4	11.2	10.2	9.3	8.6	8.0	7.5	7.0	6.6	6.2	5.9	5.6	5.3	5.1	4.9	4.7
	90	0.300	14.9	13.2	11.9	10.8	9.9	9.1	8.5	7.9	7.4	7.0	6.6	6.3	5.9	5.7	5.4	5.2	5.0
	100	0.316	15.7	13.9	12.5	11.4	10.4	9.6	8.9	8.3	7.8	7.4	7.0	6.6	6.3	6.0	5.7	5.4	5.2
	110	0.332	16.4	14.6	13.1	11.9	10.9	10.1	9.4	8.8	8.2	7.7	7.3	6.9	6.6	6.3	6.0	5.7	5.5
AI95025EVS	30	0.217	10.7	9.5	8.6	7.8	7.1	6.6	6.1	5.7	5.4	5.0	4.8	4.5	4.3	4.1	3.9	3.7	3.6
	40	0.250	12.4	11.0	9.9	9.0	8.3	7.6	7.1	6.6	6.2	5.8	5.5	5.2	5.0	4.7	4.5	4.3	4.1
	50	0.280	13.8	12.3	11.1	10.1	9.2	8.5	7.9	7.4	6.9	6.5	6.1	5.8	5.5	5.3	5.0	4.8	4.6
	60	0.306	15.2	13.5	12.1	11.0	10.1	9.3	8.7	8.1	7.6	7.1	6.7	6.4	6.1	5.8	5.5	5.3	5.1
	70	0.331	16.4	14.6	13.1	11.9	10.9	10.1	9.4	8.7	8.2	7.7	7.3	6.9	6.5	6.2	6.0	5.7	5.5
	80	0.354	17.5	15.6	14.0	12.7	11.7	10.8	10.0	9.3	8.8	8.2	7.8	7.4	7.0	6.7	6.4	6.1	5.8
	90	0.375	18.6	16.5	14.9	13.5	12.4	11.4	10.6	9.9	9.3	8.7	8.3	7.8	7.4	7.1	6.8	6.5	6.2
	100	0.395	19.6	17.4	15.7	14.2	13.0	12.0	11.2	10.4	9.8	9.2	8.7	8.2	7.8	7.5	7.1	6.8	6.5
	110	0.415	20.5	18.2	16.4	14.9	13.7	12.6	11.7	10.9	10.3	9.7	9.1	8.6	8.2	7.8	7.5	7.1	6.8
AI9503EVS	30	0.260	12.9	11.4	10.3	9.4	8.6	7.9	7.3	6.9	6.4	6.1	5.7	5.4	5.1	4.9	4.7	4.5	4.3
	40	0.300	14.9	13.2	11.9	10.8	9.9	9.1	8.5	7.9	7.4	7.0	6.6	6.3	5.9	5.7	5.4	5.2	5.0
	50	0.335	16.6	14.8	13.3	12.1	11.1	10.2	9.5	8.9	8.3	7.8	7.4	7.0	6.6	6.3	6.0	5.8	5.5
	60	0.367	18.2	16.2	14.5	13.2	12.1	11.2	10.4	9.7	9.1	8.6	8.1	7.7	7.3	6.9	6.6	6.3	6.1
	70	0.397	19.6	17.5	15.7	14.3	13.1	12.1	11.2	10.5	9.8	9.2	8.7	8.3	7.9	7.5	7.1	6.8	6.5
	80	0.424	21.0	18.7	16.8	15.3	14.0	12.9	12.0	11.2	10.5	9.9	9.3	8.8	8.4	8.0	7.6	7.3	7.0
	90	0.450	22.3	19.8	17.8	16.2	14.9	13.7	12.7	11.9	11.1	10.5	9.9	9.4	8.9	8.5	8.1	7.7	7.4
	100	0.474	23.5	20.9	18.8	17.1	15.7	14.4	13.4	12.5	11.7	11.0	10.4	9.9	9.4	8.9	8.5	8.2	7.8
	110	0.497	24.6	21.9	19.7	17.9	16.4	15.2	14.1	13.1	12.3	11.6	10.9	10.4	9.9	9.4	9.0	8.6	8.2
AI9504EVS	30	0.346	17.1	15.2	13.7	12.5	11.4	10.6	9.8	9.1	8.6	8.1	7.6	7.2	6.9	6.5	6.2	6.0	5.7
	40	0.400	19.8	17.6	15.8	14.4	13.2	12.2	11.3	10.6	9.9	9.3	8.8	8.3	7.9	7.5	7.2	6.9	6.6
	50	0.447	22.1	19.7	17.7	16.1	14.8	13.6	12.6	11.8	11.1	10.4	9.8	9.3	8.9	8.4	8.0	7.7	7.4
	60	0.490	24.2	21.6	19.4	17.6	16.2	14.9	13.9	12.9	12.1	11.4	10.8	10.2	9.7	9.2	8.8	8.4	8.1
	70	0.529	26.2	23.3	21.0	19.0	17.5	16.1	15.0	14.0	13.1	12.3	11.6	11.0	10.5	10.0	9.5	9.1	8.7
	80	0.566	28.0	24.9	22.4	20.4	18.7	17.2	16.0	14.9	14.0	13.2	12.4	11.8	11.2	10.7	10.2	9.7	9.3
	90	0.600	29.7	26.4	23.8	21.6	19.8	18.3	17.0	15.8	14.9	14.0	13.2	12.5	11.9	11.3	10.8	10.3	9.9
	100	0.632	31.3	27.8	25.0	22.8	20.9	19.3	17.9	16.7	15.7	14.7	13.9	13.2	12.5	11.9	11.4	10.9	10.4
	110	0.663	32.8	29.2	26.3	23.9	21.9	20.2	18.8	17.5	16.4	15.5	14.6	13.8	13.1	12.5	11.9	11.4	10.9

**AI 95° EVEN 30" TIP SPACING**

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
AI9505EVS	30	0.433	21.4	19.1	17.1	15.6	14.3	13.2	12.2	11.4	10.7	10.1	9.5	9.0	8.6	8.2	7.8	7.5	7.1
	40	0.500	24.8	22.0	19.8	18.0	16.5	15.2	14.1	13.2	12.4	11.6	11.0	10.4	9.9	9.4	9.0	8.6	8.3
	50	0.559	27.7	24.6	22.1	20.1	18.4	17.0	15.8	14.8	13.8	13.0	12.3	11.7	11.1	10.5	10.1	9.6	9.2
50 MESH	60	0.612	30.3	26.9	24.2	22.0	20.2	18.7	17.3	16.2	15.2	14.3	13.5	12.8	12.1	11.5	11.0	10.5	10.1
	70	0.661	32.7	29.1	26.2	23.8	21.8	20.1	18.7	17.5	16.4	15.4	14.6	13.8	13.1	12.5	11.9	11.4	10.9
	80	0.707	35.0	31.1	28.0	25.5	23.3	21.5	20.0	18.7	17.5	16.5	15.6	14.7	14.0	13.3	12.7	12.2	11.7
BROWN	90	0.750	37.1	33.0	29.7	27.0	24.8	22.8	21.2	19.8	18.6	17.5	16.5	15.6	14.9	14.1	13.5	12.9	12.4
	100	0.791	39.1	34.8	31.3	28.5	26.1	24.1	22.4	20.9	19.6	18.4	17.4	16.5	15.7	14.9	14.2	13.6	13.0
	110	0.829	41.0	36.5	32.8	29.8	27.4	25.3	23.5	21.9	20.5	19.3	18.2	17.3	16.4	15.6	14.9	14.3	13.7
AI9506EVS	30	0.520	25.7	22.9	20.6	18.7	17.1	15.8	14.7	13.7	12.9	12.1	11.4	10.8	10.3	9.8	9.4	8.9	8.6
	40	0.600	29.7	26.4	23.8	21.6	19.8	18.3	17.0	15.8	14.9	14.0	13.2	12.5	11.9	11.3	10.8	10.3	9.9
	50	0.671	33.2	29.5	26.6	24.1	22.1	20.4	19.0	17.7	16.6	15.6	14.8	14.0	13.3	12.6	12.1	11.5	11.1
50 MESH	60	0.735	36.4	32.3	29.1	26.5	24.2	22.4	20.8	19.4	18.2	17.1	16.2	15.3	14.5	13.9	13.2	12.7	12.1
	70	0.794	39.3	34.9	31.4	28.6	26.2	24.2	22.5	21.0	19.6	18.5	17.5	16.5	15.7	15.0	14.3	13.7	13.1
	80	0.849	42.0	37.3	33.6	30.5	28.0	25.8	24.0	22.4	21.0	19.8	18.7	17.7	16.8	16.0	15.3	14.6	14.0
GRAY	90	0.900	44.6	39.6	35.6	32.4	29.7	27.4	25.5	23.8	22.3	21.0	19.8	18.8	17.8	17.0	16.2	15.5	14.9
	100	0.949	47.0	41.7	37.6	34.2	31.3	28.9	26.8	25.0	23.5	22.1	20.9	19.8	18.8	17.9	17.1	16.3	15.7
	110	0.995	49.3	43.8	39.4	35.8	32.8	30.3	28.1	26.3	24.6	23.2	21.9	20.7	19.7	18.8	17.9	17.1	16.4
AI9508EVS	30	0.693	34.3	30.5	27.4	24.9	22.9	21.1	19.6	18.3	17.1	16.1	15.2	14.4	13.7	13.1	12.5	11.9	11.4
	40	0.800	39.6	35.2	31.7	28.8	26.4	24.4	22.6	21.1	19.8	18.6	17.6	16.7	15.8	15.1	14.4	13.8	13.2
	50	0.894	44.3	39.4	35.4	32.2	29.5	27.2	25.3	23.6	22.1	20.8	19.7	18.6	17.7	16.9	16.1	15.4	14.8
50 MESH	60	0.980	48.5	43.1	38.8	35.3	32.3	29.8	27.7	25.9	24.2	22.8	21.6	20.4	19.4	18.5	17.6	16.9	16.2
	70	1.058	52.4	46.6	41.9	38.1	34.9	32.2	29.9	27.9	26.2	24.7	23.3	22.1	21.0	20.0	19.0	18.2	17.5
	80	1.131	56.0	49.8	44.8	40.7	37.3	34.5	32.0	29.9	28.0	26.4	24.9	23.6	22.4	21.3	20.4	19.5	18.7
WHITE	90	1.200	59.4	52.8	47.5	43.2	39.6	36.6	33.9	31.7	29.7	28.0	26.4	25.0	23.8	22.6	21.6	20.7	19.8
	100	1.265	62.6	55.7	50.1	45.5	41.7	38.5	35.8	33.4	31.3	29.5	27.8	26.4	25.0	23.9	22.8	21.8	20.9
	110	1.327	65.7	58.4	52.5	47.8	43.8	40.4	37.5	35.0	32.8	30.9	29.2	27.7	26.3	25.0	23.9	22.8	21.9

**AI 95° EVEN 30" TIP SPACING**

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph	
																gpm	psi
2.1	2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.4	1.3	1.3	0.130	30
2.4	2.3	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.7	1.7	1.7	1.6	1.6	1.5	1.5	0.150	40
2.7	2.6	2.5	2.4	2.3	2.2	2.1	2.1	2.0	2.0	1.9	1.8	1.8	1.7	1.7	1.7	0.168	50
2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	1.9	1.9	1.8	0.184	60
3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.2	2.2	2.1	2.1	2.0	2.0	0.198	70
3.4	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	2.2	2.1	0.212	80
3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	0.225	90
3.8	3.6	3.5	3.4	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	2.4	2.3	0.237	100
3.9	3.8	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.7	2.6	2.5	2.5	0.249	110
AI95015EVS																	
2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.1	2.1	2.0	2.0	1.9	1.9	1.8	1.8	1.7	0.173	30
3.2	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	0.200	40
3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	0.224	50
3.9	3.7	3.6	3.5	3.3	3.2	3.1	3.0	2.9	2.9	2.8	2.7	2.6	2.6	2.5	2.4	0.245	60
4.2	4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	0.265	70
4.5	4.3	4.1	4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	0.283	80
4.8	4.6	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	0.300	90
5.0	4.8	4.6	4.5	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	0.316	100
5.3	5.1	4.9	4.7	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.6	3.5	3.5	3.4	3.3	0.332	110
50 MESH																	
3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.3	2.2	2.1	0.217	30
4.0	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	0.250	40
4.4	4.3	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	0.280	50
4.8	4.7	4.5	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	0.306	60
5.2	5.0	4.9	4.7	4.5	4.4	4.2	4.1	4.0	3.9	3.7	3.6	3.5	3.4	3.4	3.3	0.331	70
5.6	5.4	5.2	5.0	4.8	4.7	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	3.6	3.5	0.354	80
5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.6	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	0.375	90
6.3	6.0	5.8	5.6	5.4	5.2	5.0	4.9	4.7	4.6	4.5	4.3	4.2	4.1	4.0	3.9	0.395	100
6.6	6.3	6.1	5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.7	4.6	4.4	4.3	4.2	4.1	0.415	110
TURQUOISE																	
4.1	4.0	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	2.7	2.6	2.6	0.260	30
4.8	4.6	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	0.300	40
5.3	5.1	4.9	4.7	4.6	4.4	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	0.335	50
5.8	5.6	5.4	5.2	5.0	4.8	4.7	4.5	4.4	4.3	4.2	4.0	3.9	3.8	3.7	3.6	0.367	60
6.3	6.0	5.8	5.6	5.4	5.2	5.1	4.9	4.8	4.6	4.5	4.4	4.2	4.1	4.0	3.9	0.397	70
6.7	6.5	6.2	6.0	5.8	5.6	5.4	5.3	5.1	4.9	4.8	4.7	4.5	4.4	4.3	4.2	0.424	80
7.1	6.9	6.6	6.4	6.1	5.9	5.7	5.6	5.4	5.2	5.1	5.0	4.8	4.7	4.6	4.5	0.450	90
7.5	7.2	7.0	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.4	5.2	5.1	4.9	4.8	4.7	0.474	100
7.9	7.6	7.3	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.5	5.3	5.2	5.1	4.9	0.497	110
BLUE																	
5.5	5.3	5.1	4.9	4.7	4.6	4.4	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	0.346	30
6.3	6.1	5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.7	4.5	4.4	4.3	4.2	4.1	4.0	0.400	40
7.1	6.8	6.6	6.3	6.1	5.9	5.7	5.5	5.4	5.2	5.1	4.9	4.8	4.7	4.5	4.4	0.447	50
7.8	7.5	7.2	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.4	5.2	5.1	5.0	4.8	0.490	60
8.4	8.1	7.8	7.5	7.2	7.0	6.8	6.5	6.3	6.2	6.0	5.8	5.7	5.5	5.4	5.2	0.529	70
9.0	8.6	8.3	8.0	7.7	7.5	7.2	7.0	6.8	6.6	6.4	6.2	6.1	5.9	5.7	5.6	0.566	80
9.5	9.1	8.8	8.5	8.2	7.9	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.3	6.1	5.9	0.600	90
10.0	9.6	9.3	8.9	8.6	8.3	8.1	7.8	7.6	7.4	7.2	7.0	6.8	6.6	6.4	6.3	0.632	100
10.5	10.1	9.7	9.4	9.1	8.8	8.5	8.2	8.0	7.7	7.5	7.3	7.1	6.9	6.7	6.6	0.663	110
RED																	

**AI 95° EVEN 30" TIP SPACING**

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
6.9	6.6	6.4	6.1	5.9	5.7	5.5	5.4	5.2	5.0	4.9	4.8	4.6	4.5	4.4	4.3	0.433	30	AI9505EVS
7.9	7.6	7.3	7.1	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.2	5.1	5.0	0.500	40	
8.9	8.5	8.2	7.9	7.6	7.4	7.1	6.9	6.7	6.5	6.3	6.1	6.0	5.8	5.7	5.5	0.559	50	
9.7	9.3	9.0	8.7	8.4	8.1	7.8	7.6	7.3	7.1	6.9	6.7	6.6	6.4	6.2	6.1	0.612	60	50 MESH
10.5	10.1	9.7	9.4	9.0	8.7	8.4	8.2	7.9	7.7	7.5	7.3	7.1	6.9	6.7	6.5	0.661	70	
11.2	10.8	10.4	10.0	9.7	9.3	9.0	8.8	8.5	8.2	8.0	7.8	7.6	7.4	7.2	7.0	0.707	80	
11.9	11.4	11.0	10.6	10.2	9.9	9.6	9.3	9.0	8.7	8.5	8.3	8.0	7.8	7.6	7.4	0.750	90	BROWN
12.5	12.0	11.6	11.2	10.8	10.4	10.1	9.8	9.5	9.2	8.9	8.7	8.5	8.2	8.0	7.8	0.791	100	
13.1	12.6	12.2	11.7	11.3	10.9	10.6	10.3	9.9	9.7	9.4	9.1	8.9	8.6	8.4	8.2	0.829	110	
8.2	7.9	7.6	7.3	7.1	6.9	6.6	6.4	6.2	6.1	5.9	5.7	5.6	5.4	5.3	5.1	0.520	30	AI9506EVS
9.5	9.1	8.8	8.5	8.2	7.9	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.3	6.1	5.9	0.600	40	
10.6	10.2	9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.8	7.6	7.4	7.2	7.0	6.8	6.6	0.671	50	
11.6	11.2	10.8	10.4	10.0	9.7	9.4	9.1	8.8	8.6	8.3	8.1	7.9	7.7	7.5	7.3	0.735	60	50 MESH
12.6	12.1	11.6	11.2	10.8	10.5	10.1	9.8	9.5	9.2	9.0	8.7	8.5	8.3	8.1	7.9	0.794	70	
13.4	12.9	12.4	12.0	11.6	11.2	10.8	10.5	10.2	9.9	9.6	9.3	9.1	8.8	8.6	8.4	0.849	80	
14.3	13.7	13.2	12.7	12.3	11.9	11.5	11.1	10.8	10.5	10.2	9.9	9.6	9.4	9.1	8.9	0.900	90	GRAY
15.0	14.4	13.9	13.4	13.0	12.5	12.1	11.7	11.4	11.0	10.7	10.4	10.2	9.9	9.6	9.4	0.949	100	
15.8	15.2	14.6	14.1	13.6	13.1	12.7	12.3	11.9	11.6	11.3	10.9	10.6	10.4	10.1	9.9	0.995	110	
11.0	10.6	10.2	9.8	9.5	9.1	8.9	8.6	8.3	8.1	7.8	7.6	7.4	7.2	7.0	6.9	0.693	30	AI9508EVS
12.7	12.2	11.7	11.3	10.9	10.6	10.2	9.9	9.6	9.3	9.1	8.8	8.6	8.3	8.1	7.9	0.800	40	
14.2	13.6	13.1	12.6	12.2	11.8	11.4	11.1	10.7	10.4	10.1	9.8	9.6	9.3	9.1	8.9	0.894	50	
15.5	14.9	14.4	13.9	13.4	12.9	12.5	12.1	11.8	11.4	11.1	10.8	10.5	10.2	9.9	9.7	0.980	60	50 MESH
16.8	16.1	15.5	15.0	14.5	14.0	13.5	13.1	12.7	12.3	12.0	11.6	11.3	11.0	10.7	10.5	1.058	70	
17.9	17.2	16.6	16.0	15.4	14.9	14.5	14.0	13.6	13.2	12.8	12.4	12.1	11.8	11.5	11.2	1.131	80	
19.0	18.3	17.6	17.0	16.4	15.8	15.3	14.9	14.4	14.0	13.6	13.2	12.8	12.5	12.2	11.9	1.200	90	WHITE
20.0	19.3	18.6	17.9	17.3	16.7	16.2	15.7	15.2	14.7	14.3	13.9	13.5	13.2	12.8	12.5	1.265	100	
21.0	20.2	19.5	18.8	18.1	17.5	16.9	16.4	15.9	15.5	15.0	14.6	14.2	13.8	13.5	13.1	1.327	110	