

AI 95° EVEN 36" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
psi gpm																			
AI95015EVS	30	0.130	5.4	4.8	4.3	3.9	3.6	3.3	3.1	2.9	2.7	2.5	2.4	2.3	2.1	2.0	1.9	1.9	1.8
	40	0.150	6.2	5.5	5.0	4.5	4.1	3.8	3.5	3.3	3.1	2.9	2.8	2.6	2.5	2.4	2.3	2.2	2.1
	50	0.168	6.9	6.1	5.5	5.0	4.6	4.3	4.0	3.7	3.5	3.3	3.1	2.9	2.8	2.6	2.5	2.4	2.3
100 MESH	60	0.184	7.6	6.7	6.1	5.5	5.1	4.7	4.3	4.0	3.8	3.6	3.4	3.2	3.0	2.9	2.8	2.6	2.5
	70	0.198	8.2	7.3	6.5	6.0	5.5	5.0	4.7	4.4	4.1	3.9	3.6	3.4	3.3	3.1	3.0	2.8	2.7
	80	0.212	8.8	7.8	7.0	6.4	5.8	5.4	5.0	4.7	4.4	4.1	3.9	3.7	3.5	3.3	3.2	3.0	2.9
GREEN	90	0.225	9.3	8.3	7.4	6.8	6.2	5.7	5.3	5.0	4.6	4.4	4.1	3.9	3.7	3.5	3.4	3.2	3.1
	100	0.237	9.8	8.7	7.8	7.1	6.5	6.0	5.6	5.2	4.9	4.6	4.3	4.1	3.9	3.7	3.6	3.4	3.3
	110	0.249	10.3	9.1	8.2	7.5	6.8	6.3	5.9	5.5	5.1	4.8	4.6	4.3	4.1	3.9	3.7	3.6	3.4
AI9502EVS	30	0.173	7.1	6.4	5.7	5.2	4.8	4.4	4.1	3.8	3.6	3.4	3.2	3.0	2.9	2.7	2.6	2.5	2.4
	40	0.200	8.3	7.3	6.6	6.0	5.5	5.1	4.7	4.4	4.1	3.9	3.7	3.5	3.3	3.1	3.0	2.9	2.8
	50	0.224	9.2	8.2	7.4	6.7	6.1	5.7	5.3	4.9	4.6	4.3	4.1	3.9	3.7	3.5	3.4	3.2	3.1
50 MESH	60	0.245	10.1	9.0	8.1	7.3	6.7	6.2	5.8	5.4	5.1	4.8	4.5	4.3	4.0	3.8	3.7	3.5	3.4
	70	0.265	10.9	9.7	8.7	7.9	7.3	6.7	6.2	5.8	5.5	5.1	4.9	4.6	4.4	4.2	4.0	3.8	3.6
	80	0.283	11.7	10.4	9.3	8.5	7.8	7.2	6.7	6.2	5.8	5.5	5.2	4.9	4.7	4.4	4.2	4.1	3.9
YELLOW	90	0.300	12.4	11.0	9.9	9.0	8.3	7.6	7.1	6.6	6.2	5.8	5.5	5.2	5.0	4.7	4.5	4.3	4.1
	100	0.316	13.0	11.6	10.4	9.5	8.7	8.0	7.5	7.0	6.5	6.1	5.8	5.5	5.2	5.0	4.7	4.5	4.3
	110	0.332	13.7	12.2	10.9	9.9	9.1	8.4	7.8	7.3	6.8	6.4	6.1	5.8	5.5	5.2	5.0	4.8	4.6
AI95025EVS	30	0.217	8.9	7.9	7.1	6.5	6.0	5.5	5.1	4.8	4.5	4.2	4.0	3.8	3.6	3.4	3.2	3.1	3.0
	40	0.250	10.3	9.2	8.3	7.5	6.9	6.3	5.9	5.5	5.2	4.9	4.6	4.3	4.1	3.9	3.8	3.6	3.4
	50	0.280	11.5	10.2	9.2	8.4	7.7	7.1	6.6	6.1	5.8	5.4	5.1	4.9	4.6	4.4	4.2	4.0	3.8
50 MESH	60	0.306	12.6	11.2	10.1	9.2	8.4	7.8	7.2	6.7	6.3	5.9	5.6	5.3	5.1	4.8	4.6	4.4	4.2
	70	0.331	13.6	12.1	10.9	9.9	9.1	8.4	7.8	7.3	6.8	6.4	6.1	5.7	5.5	5.2	5.0	4.7	4.5
	80	0.354	14.6	13.0	11.7	10.6	9.7	9.0	8.3	7.8	7.3	6.9	6.5	6.1	5.8	5.6	5.3	5.1	4.9
TURQUOISE	90	0.375	15.5	13.8	12.4	11.3	10.3	9.5	8.8	8.3	7.7	7.3	6.9	6.5	6.2	5.9	5.6	5.4	5.2
	100	0.395	16.3	14.5	13.0	11.9	10.9	10.0	9.3	8.7	8.2	7.7	7.2	6.9	6.5	6.2	5.9	5.7	5.4
	110	0.415	17.1	15.2	13.7	12.4	11.4	10.5	9.8	9.1	8.6	8.0	7.6	7.2	6.8	6.5	6.2	5.9	5.7
AI9503EVS	30	0.260	10.7	9.5	8.6	7.8	7.1	6.6	6.1	5.7	5.4	5.0	4.8	4.5	4.3	4.1	3.9	3.7	3.6
	40	0.300	12.4	11.0	9.9	9.0	8.3	7.6	7.1	6.6	6.2	5.8	5.5	5.2	5.0	4.7	4.5	4.3	4.1
	50	0.335	13.8	12.3	11.1	10.1	9.2	8.5	7.9	7.4	6.9	6.5	6.1	5.8	5.5	5.3	5.0	4.8	4.6
50 MESH	60	0.367	15.2	13.5	12.1	11.0	10.1	9.3	8.7	8.1	7.6	7.1	6.7	6.4	6.1	5.8	5.5	5.3	5.1
	70	0.397	16.4	14.6	13.1	11.9	10.9	10.1	9.4	8.7	8.2	7.7	7.3	6.9	6.5	6.2	6.0	5.7	5.5
	80	0.424	17.5	15.6	14.0	12.7	11.7	10.8	10.0	9.3	8.8	8.2	7.8	7.4	7.0	6.7	6.4	6.1	5.8
BLUE	90	0.450	18.6	16.5	14.9	13.5	12.4	11.4	10.6	9.9	9.3	8.7	8.3	7.8	7.4	7.1	6.8	6.5	6.2
	100	0.474	19.6	17.4	15.7	14.2	13.0	12.0	11.2	10.4	9.8	9.2	8.7	8.2	7.8	7.5	7.1	6.8	6.5
	110	0.497	20.5	18.2	16.4	14.9	13.7	12.6	11.7	10.9	10.3	9.7	9.1	8.6	8.2	7.8	7.5	7.1	6.8
AI9504EVS	30	0.346	14.3	12.7	11.4	10.4	9.5	8.8	8.2	7.6	7.1	6.7	6.4	6.0	5.7	5.4	5.2	5.0	4.8
	40	0.400	16.5	14.7	13.2	12.0	11.0	10.2	9.4	8.8	8.3	7.8	7.3	6.9	6.6	6.3	6.0	5.7	5.5
	50	0.447	18.4	16.4	14.8	13.4	12.3	11.4	10.5	9.8	9.2	8.7	8.2	7.8	7.4	7.0	6.7	6.4	6.1
50 MESH	60	0.490	20.2	18.0	16.2	14.7	13.5	12.4	11.5	10.8	10.1	9.5	9.0	8.5	8.1	7.7	7.3	7.0	6.7
	70	0.529	21.8	19.4	17.5	15.9	14.6	13.4	12.5	11.6	10.9	10.3	9.7	9.2	8.7	8.3	7.9	7.6	7.3
	80	0.566	23.3	20.7	18.7	17.0	15.6	14.4	13.3	12.4	11.7	11.0	10.4	9.8	9.3	8.9	8.5	8.1	7.8
RED	90	0.600	24.8	22.0	19.8	18.0	16.5	15.2	14.1	13.2	12.4	11.6	11.0	10.4	9.9	9.4	9.0	8.6	8.3
	100	0.632	26.1	23.2	20.9	19.0	17.4	16.1	14.9	13.9	13.0	12.3	11.6	11.0	10.4	9.9	9.5	9.1	8.7
	110	0.663	27.4	24.3	21.9	19.9	18.2	16.8	15.6	14.6	13.7	12.9	12.2	11.5	10.9	10.4	9.9	9.5	9.1

AI 95° EVEN 36" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
AI9505EVS	30	0.433	17.9	15.9	14.3	13.0	11.9	11.0	10.2	9.5	8.9	8.4	7.9	7.5	7.1	6.8	6.5	6.2	6.0
	40	0.500	20.6	18.3	16.5	15.0	13.8	12.7	11.8	11.0	10.3	9.7	9.2	8.7	8.3	7.9	7.5	7.2	6.9
	50	0.559	23.1	20.5	18.4	16.8	15.4	14.2	13.2	12.3	11.5	10.9	10.2	9.7	9.2	8.8	8.4	8.0	7.7
50 MESH	60	0.612	25.3	22.5	20.2	18.4	16.8	15.5	14.4	13.5	12.6	11.9	11.2	10.6	10.1	9.6	9.2	8.8	8.4
	70	0.661	27.3	24.3	21.8	19.8	18.2	16.8	15.6	14.6	13.6	12.8	12.1	11.5	10.9	10.4	9.9	9.5	9.1
	80	0.707	29.2	25.9	23.3	21.2	19.4	17.9	16.7	15.6	14.6	13.7	13.0	12.3	11.7	11.1	10.6	10.1	9.7
BROWN	90	0.750	30.9	27.5	24.8	22.5	20.6	19.0	17.7	16.5	15.5	14.6	13.8	13.0	12.4	11.8	11.3	10.8	10.3
	100	0.791	32.6	29.0	26.1	23.7	21.7	20.1	18.6	17.4	16.3	15.3	14.5	13.7	13.0	12.4	11.9	11.3	10.9
	110	0.829	34.2	30.4	27.4	24.9	22.8	21.0	19.5	18.2	17.1	16.1	15.2	14.4	13.7	13.0	12.4	11.9	11.4
AI9506EVS	30	0.520	21.4	19.1	17.1	15.6	14.3	13.2	12.2	11.4	10.7	10.1	9.5	9.0	8.6	8.2	7.8	7.5	7.1
	40	0.600	24.8	22.0	19.8	18.0	16.5	15.2	14.1	13.2	12.4	11.6	11.0	10.4	9.9	9.4	9.0	8.6	8.3
	50	0.671	27.7	24.6	22.1	20.1	18.4	17.0	15.8	14.8	13.8	13.0	12.3	11.7	11.1	10.5	10.1	9.6	9.2
50 MESH	60	0.735	30.3	26.9	24.2	22.0	20.2	18.7	17.3	16.2	15.2	14.3	13.5	12.8	12.1	11.5	11.0	10.5	10.1
	70	0.794	32.7	29.1	26.2	23.8	21.8	20.1	18.7	17.5	16.4	15.4	14.6	13.8	13.1	12.5	11.9	11.4	10.9
	80	0.849	35.0	31.1	28.0	25.5	23.3	21.5	20.0	18.7	17.5	16.5	15.6	14.7	14.0	13.3	12.7	12.2	11.7
GRAY	90	0.900	37.1	33.0	29.7	27.0	24.8	22.8	21.2	19.8	18.6	17.5	16.5	15.6	14.9	14.1	13.5	12.9	12.4
	100	0.949	39.1	34.8	31.3	28.5	26.1	24.1	22.4	20.9	19.6	18.4	17.4	16.5	15.7	14.9	14.2	13.6	13.0
	110	0.995	41.0	36.5	32.8	29.8	27.4	25.3	23.5	21.9	20.5	19.3	18.2	17.3	16.4	15.6	14.9	14.3	13.7
AI9508EVS	30	0.693	28.6	25.4	22.9	20.8	19.1	17.6	16.3	15.2	14.3	13.4	12.7	12.0	11.4	10.9	10.4	9.9	9.5
	40	0.800	33.0	29.3	26.4	24.0	22.0	20.3	18.9	17.6	16.5	15.5	14.7	13.9	13.2	12.6	12.0	11.5	11.0
	50	0.894	36.9	32.8	29.5	26.8	24.6	22.7	21.1	19.7	18.4	17.4	16.4	15.5	14.8	14.1	13.4	12.8	12.3
50 MESH	60	0.980	40.4	35.9	32.3	29.4	26.9	24.9	23.1	21.6	20.2	19.0	18.0	17.0	16.2	15.4	14.7	14.1	13.5
	70	1.058	43.7	38.8	34.9	31.7	29.1	26.9	24.9	23.3	21.8	20.5	19.4	18.4	17.5	16.6	15.9	15.2	14.6
	80	1.131	46.7	41.5	37.3	33.9	31.1	28.7	26.7	24.9	23.3	22.0	20.7	19.7	18.7	17.8	17.0	16.2	15.6
WHITE	90	1.200	49.5	44.0	39.6	36.0	33.0	30.5	28.3	26.4	24.8	23.3	22.0	20.8	19.8	18.9	18.0	17.2	16.5
	100	1.265	52.2	46.4	41.7	37.9	34.8	32.1	29.8	27.8	26.1	24.6	23.2	22.0	20.9	19.9	19.0	18.1	17.4
	110	1.327	54.7	48.6	43.8	39.8	36.5	33.7	31.3	29.2	27.4	25.8	24.3	23.0	21.9	20.8	19.9	19.0	18.2

AI 95° EVEN 36" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph	
																gpm	psi
1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	0.130	30
2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.5	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	0.150	40
2.2	2.1	2.0	2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.5	1.4	1.4	0.168	50
2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.6	1.5	0.184	60
2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.6	0.198	70
2.8	2.7	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.8	1.8	0.212	80
3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	1.9	1.9	0.225	90
3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.1	2.0	2.0	0.237	100
3.3	3.2	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.3	2.3	2.2	2.2	2.1	2.1	0.249	110
																AI95015EVS	
2.3	2.2	2.1	2.0	2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.5	1.4	0.173	30
2.6	2.5	2.4	2.4	2.3	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.7	0.200	40
3.0	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.9	1.8	0.224	50
3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.1	2.0	0.245	60
3.5	3.4	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.4	2.3	2.2	2.2	0.265	70
3.7	3.6	3.5	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.7	2.6	2.5	2.5	2.4	2.3	0.283	80
4.0	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	0.300	90
4.2	4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.7	2.6	0.316	100
4.4	4.2	4.1	3.9	3.8	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	2.9	2.8	2.7	0.332	110
																AI9502EVS	
2.9	2.7	2.6	2.6	2.5	2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.8	0.217	30
3.3	3.2	3.1	2.9	2.8	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.1	0.250	40
3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.4	2.3	0.280	50
4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.7	2.6	2.5	0.306	60
4.4	4.2	4.0	3.9	3.8	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	2.7	0.331	70
4.7	4.5	4.3	4.2	4.0	3.9	3.8	3.6	3.5	3.4	3.3	3.2	3.2	3.1	3.0	2.9	0.354	80
5.0	4.8	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.6	3.5	3.4	3.3	3.3	3.2	3.1	0.375	90
5.2	5.0	4.8	4.7	4.5	4.3	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.3	0.395	100
5.5	5.3	5.1	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	0.415	110
																AI95025EVS	
3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.3	2.2	2.1	0.260	30
4.0	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	0.300	40
4.4	4.3	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	0.335	50
4.8	4.7	4.5	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	0.367	60
5.2	5.0	4.9	4.7	4.5	4.4	4.2	4.1	4.0	3.9	3.7	3.6	3.5	3.4	3.4	3.3	0.397	70
5.6	5.4	5.2	5.0	4.8	4.7	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	3.6	3.5	0.424	80
5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.6	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	0.450	90
6.3	6.0	5.8	5.6	5.4	5.2	5.0	4.9	4.7	4.6	4.5	4.3	4.2	4.1	4.0	3.9	0.474	100
6.6	6.3	6.1	5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.7	4.6	4.4	4.3	4.2	4.1	0.497	110
																AI9503EVS	
4.6	4.4	4.2	4.1	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	0.346	30
5.3	5.1	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	0.400	40
5.9	5.7	5.5	5.3	5.1	4.9	4.8	4.6	4.5	4.3	4.2	4.1	4.0	3.9	3.8	3.7	0.447	50
6.5	6.2	6.0	5.8	5.6	5.4	5.2	5.1	4.9	4.8	4.6	4.5	4.4	4.3	4.1	4.0	0.490	60
7.0	6.7	6.5	6.2	6.0	5.8	5.6	5.5	5.3	5.1	5.0	4.9	4.7	4.6	4.5	4.4	0.529	70
7.5	7.2	6.9	6.7	6.4	6.2	6.0	5.8	5.7	5.5	5.3	5.2	5.0	4.9	4.8	4.7	0.566	80
7.9	7.6	7.3	7.1	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.2	5.1	5.0	0.600	90
8.3	8.0	7.7	7.5	7.2	7.0	6.7	6.5	6.3	6.1	6.0	5.8	5.6	5.5	5.4	5.2	0.632	100
8.8	8.4	8.1	7.8	7.5	7.3	7.1	6.8	6.6	6.4	6.3	6.1	5.9	5.8	5.6	5.5	0.663	110
																AI9504EVS	
4.6	4.4	4.2	4.1	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	0.346	30
5.3	5.1	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	0.400	40
5.9	5.7	5.5	5.3	5.1	4.9	4.8	4.6	4.5	4.3	4.2	4.1	4.0	3.9	3.8	3.7	0.447	50
6.5	6.2	6.0	5.8	5.6	5.4	5.2	5.1	4.9	4.8	4.6	4.5	4.4	4.3	4.1	4.0	0.490	60
7.0	6.7	6.5	6.2	6.0	5.8	5.6	5.5	5.3	5.1	5.0	4.9	4.7	4.6	4.5	4.4	0.529	70
7.5	7.2	6.9	6.7	6.4	6.2	6.0	5.8	5.7	5.5	5.3	5.2	5.0	4.9	4.8	4.7	0.566	80
7.9	7.6	7.3	7.1	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.2	5.1	5.0	0.600	90
8.3	8.0	7.7	7.5	7.2	7.0	6.7	6.5	6.3	6.1	6.0	5.8	5.6	5.5	5.4	5.2	0.632	100
8.8	8.4	8.1	7.8	7.5	7.3	7.1	6.8	6.6	6.4	6.3	6.1	5.9	5.8	5.6	5.5	0.663	110
																RED	

AI 95° EVEN 36" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph	
5.7	5.5	5.3	5.1	4.9	4.8	4.6	4.5	4.3	4.2	4.1	4.0	3.9	3.8	3.7	3.6	0.433	30
6.6	6.3	6.1	5.9	5.7	5.5	5.3	5.2	5.0	4.9	4.7	4.6	4.5	4.3	4.2	4.1	0.500	40
7.4	7.1	6.8	6.6	6.4	6.1	6.0	5.8	5.6	5.4	5.3	5.1	5.0	4.9	4.7	4.6	0.559	50
8.1	7.8	7.5	7.2	7.0	6.7	6.5	6.3	6.1	5.9	5.8	5.6	5.5	5.3	5.2	5.1	0.612	60
8.7	8.4	8.1	7.8	7.5	7.3	7.0	6.8	6.6	6.4	6.2	6.1	5.9	5.7	5.6	5.5	0.661	70
9.3	9.0	8.6	8.3	8.0	7.8	7.5	7.3	7.1	6.9	6.7	6.5	6.3	6.1	6.0	5.8	0.707	80
9.9	9.5	9.2	8.8	8.5	8.3	8.0	7.7	7.5	7.3	7.1	6.9	6.7	6.5	6.3	6.2	0.750	90
10.4	10.0	9.7	9.3	9.0	8.7	8.4	8.2	7.9	7.7	7.5	7.2	7.1	6.9	6.7	6.5	0.791	100
10.9	10.5	10.1	9.8	9.4	9.1	8.8	8.6	8.3	8.0	7.8	7.6	7.4	7.2	7.0	6.8	0.829	110
6.9	6.6	6.4	6.1	5.9	5.7	5.5	5.4	5.2	5.0	4.9	4.8	4.6	4.5	4.4	4.3	0.520	30
7.9	7.6	7.3	7.1	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.2	5.1	5.0	0.600	40
8.9	8.5	8.2	7.9	7.6	7.4	7.1	6.9	6.7	6.5	6.3	6.1	6.0	5.8	5.7	5.5	0.671	50
9.7	9.3	9.0	8.7	8.4	8.1	7.8	7.6	7.3	7.1	6.9	6.7	6.6	6.4	6.2	6.1	0.735	60
10.5	10.1	9.7	9.4	9.0	8.7	8.4	8.2	7.9	7.7	7.5	7.3	7.1	6.9	6.7	6.5	0.794	70
11.2	10.8	10.4	10.0	9.7	9.3	9.0	8.8	8.5	8.2	8.0	7.8	7.6	7.4	7.2	7.0	0.849	80
11.9	11.4	11.0	10.6	10.2	9.9	9.6	9.3	9.0	8.7	8.5	8.3	8.0	7.8	7.6	7.4	0.900	90
12.5	12.0	11.6	11.2	10.8	10.4	10.1	9.8	9.5	9.2	8.9	8.7	8.5	8.2	8.0	7.8	0.949	100
13.1	12.6	12.2	11.7	11.3	10.9	10.6	10.3	9.9	9.7	9.4	9.1	8.9	8.6	8.4	8.2	0.995	110
9.1	8.8	8.5	8.2	7.9	7.6	7.4	7.1	6.9	6.7	6.5	6.4	6.2	6.0	5.9	5.7	0.693	30
10.6	10.2	9.8	9.4	9.1	8.8	8.5	8.3	8.0	7.8	7.5	7.3	7.1	6.9	6.8	6.6	0.800	40
11.8	11.4	10.9	10.5	10.2	9.8	9.5	9.2	8.9	8.7	8.4	8.2	8.0	7.8	7.6	7.4	0.894	50
12.9	12.4	12.0	11.5	11.1	10.8	10.4	10.1	9.8	9.5	9.2	9.0	8.7	8.5	8.3	8.1	0.980	60
14.0	13.4	12.9	12.5	12.0	11.6	11.3	10.9	10.6	10.3	10.0	9.7	9.4	9.2	9.0	8.7	1.058	70
14.9	14.4	13.8	13.3	12.9	12.4	12.0	11.7	11.3	11.0	10.7	10.4	10.1	9.8	9.6	9.3	1.131	80
15.8	15.2	14.7	14.1	13.7	13.2	12.8	12.4	12.0	11.6	11.3	11.0	10.7	10.4	10.2	9.9	1.200	90
16.7	16.1	15.5	14.9	14.4	13.9	13.5	13.0	12.6	12.3	11.9	11.6	11.3	11.0	10.7	10.4	1.265	100
17.5	16.8	16.2	15.6	15.1	14.6	14.1	13.7	13.3	12.9	12.5	12.2	11.8	11.5	11.2	10.9	1.327	110