

AI 95° EVEN 32" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph			4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
			psi	gpm																
AI95015EVS	30	0.130	6.0	5.4	4.8	4.4	4.0	3.7	3.4	3.2	3.0	2.8	2.7	2.5	2.4	2.3	2.2	2.1	2.0	
	40	0.150	7.0	6.2	5.6	5.1	4.6	4.3	4.0	3.7	3.5	3.3	3.1	2.9	2.8	2.7	2.5	2.4	2.3	
	50	0.168	7.8	6.9	6.2	5.7	5.2	4.8	4.4	4.2	3.9	3.7	3.5	3.3	3.1	3.0	2.8	2.7	2.6	
100 MESH	60	0.184	8.5	7.6	6.8	6.2	5.7	5.2	4.9	4.5	4.3	4.0	3.8	3.6	3.4	3.2	3.1	3.0	2.8	
	70	0.198	9.2	8.2	7.4	6.7	6.1	5.7	5.3	4.9	4.6	4.3	4.1	3.9	3.7	3.5	3.3	3.2	3.1	
	80	0.212	9.8	8.8	7.9	7.2	6.6	6.1	5.6	5.3	4.9	4.6	4.4	4.1	3.9	3.8	3.6	3.4	3.3	
GREEN	90	0.225	10.4	9.3	8.4	7.6	7.0	6.4	6.0	5.6	5.2	4.9	4.6	4.4	4.2	4.0	3.8	3.6	3.5	
	100	0.237	11.0	9.8	8.8	8.0	7.3	6.8	6.3	5.9	5.5	5.2	4.9	4.6	4.4	4.2	4.0	3.8	3.7	
	110	0.249	11.5	10.3	9.2	8.4	7.7	7.1	6.6	6.2	5.8	5.4	5.1	4.9	4.6	4.4	4.2	4.0	3.8	
AI9502EVS	30	0.173	8.0	7.1	6.4	5.8	5.4	4.9	4.6	4.3	4.0	3.8	3.6	3.4	3.2	3.1	2.9	2.8	2.7	
	40	0.200	9.3	8.3	7.4	6.8	6.2	5.7	5.3	5.0	4.6	4.4	4.1	3.9	3.7	3.5	3.4	3.2	3.1	
	50	0.224	10.4	9.2	8.3	7.5	6.9	6.4	5.9	5.5	5.2	4.9	4.6	4.4	4.2	4.0	3.8	3.6	3.5	
50 MESH	60	0.245	11.4	10.1	9.1	8.3	7.6	7.0	6.5	6.1	5.7	5.3	5.1	4.8	4.5	4.3	4.1	4.0	3.8	
	70	0.265	12.3	10.9	9.8	8.9	8.2	7.6	7.0	6.5	6.1	5.8	5.5	5.2	4.9	4.7	4.5	4.3	4.1	
	80	0.283	13.1	11.7	10.5	9.5	8.8	8.1	7.5	7.0	6.6	6.2	5.8	5.5	5.3	5.0	4.8	4.6	4.4	
YELLOW	90	0.300	13.9	12.4	11.1	10.1	9.3	8.6	8.0	7.4	7.0	6.6	6.2	5.9	5.6	5.3	5.1	4.8	4.6	
	100	0.316	14.7	13.0	11.7	10.7	9.8	9.0	8.4	7.8	7.3	6.9	6.5	6.2	5.9	5.6	5.3	5.1	4.9	
	110	0.332	15.4	13.7	12.3	11.2	10.3	9.5	8.8	8.2	7.7	7.2	6.8	6.5	6.2	5.9	5.6	5.4	5.1	
AI95025EVS	30	0.217	10.0	8.9	8.0	7.3	6.7	6.2	5.7	5.4	5.0	4.7	4.5	4.2	4.0	3.8	3.7	3.5	3.3	
	40	0.250	11.6	10.3	9.3	8.4	7.7	7.1	6.6	6.2	5.8	5.5	5.2	4.9	4.6	4.4	4.2	4.0	3.9	
	50	0.280	13.0	11.5	10.4	9.4	8.6	8.0	7.4	6.9	6.5	6.1	5.8	5.5	5.2	4.9	4.7	4.5	4.3	
50 MESH	60	0.306	14.2	12.6	11.4	10.3	9.5	8.7	8.1	7.6	7.1	6.7	6.3	6.0	5.7	5.4	5.2	4.9	4.7	
	70	0.331	15.3	13.6	12.3	11.2	10.2	9.4	8.8	8.2	7.7	7.2	6.8	6.5	6.1	5.8	5.6	5.3	5.1	
	80	0.354	16.4	14.6	13.1	11.9	10.9	10.1	9.4	8.8	8.2	7.7	7.3	6.9	6.6	6.3	6.0	5.7	5.5	
PURPLE	90	0.375	17.4	15.5	13.9	12.7	11.6	10.7	9.9	9.3	8.7	8.2	7.7	7.3	7.0	6.6	6.3	6.1	5.8	
	100	0.395	18.3	16.3	14.7	13.3	12.2	11.3	10.5	9.8	9.2	8.6	8.2	7.7	7.3	7.0	6.7	6.4	6.1	
	110	0.415	19.2	17.1	15.4	14.0	12.8	11.8	11.0	10.3	9.6	9.1	8.6	8.1	7.7	7.3	7.0	6.7	6.4	
AI9503EVS	30	0.260	12.1	10.7	9.6	8.8	8.0	7.4	6.9	6.4	6.0	5.7	5.4	5.1	4.8	4.6	4.4	4.2	4.0	
	40	0.300	13.9	12.4	11.1	10.1	9.3	8.6	8.0	7.4	7.0	6.6	6.2	5.9	5.6	5.3	5.1	4.8	4.6	
	50	0.335	15.6	13.8	12.5	11.3	10.4	9.6	8.9	8.3	7.8	7.3	6.9	6.6	6.2	5.9	5.7	5.4	5.2	
50 MESH	60	0.367	17.1	15.2	13.6	12.4	11.4	10.5	9.7	9.1	8.5	8.0	7.6	7.2	6.8	6.5	6.2	5.9	5.7	
	70	0.397	18.4	16.4	14.7	13.4	12.3	11.3	10.5	9.8	9.2	8.7	8.2	7.8	7.4	7.0	6.7	6.4	6.1	
	80	0.424	19.7	17.5	15.8	14.3	13.1	12.1	11.3	10.5	9.8	9.3	8.8	8.3	7.9	7.5	7.2	6.8	6.6	
BLUE	90	0.450	20.9	18.6	16.7	15.2	13.9	12.9	11.9	11.1	10.4	9.8	9.3	8.8	8.4	8.0	7.6	7.3	7.0	
	100	0.474	22.0	19.6	17.6	16.0	14.7	13.5	12.6	11.7	11.0	10.4	9.8	9.3	8.8	8.4	8.0	7.7	7.3	
	110	0.497	23.1	20.5	18.5	16.8	15.4	14.2	13.2	12.3	11.5	10.9	10.3	9.7	9.2	8.8	8.4	8.0	7.7	
AI9504EVS	30	0.346	16.1	14.3	12.9	11.7	10.7	9.9	9.2	8.6	8.0	7.6	7.1	6.8	6.4	6.1	5.8	5.6	5.4	
	40	0.400	18.6	16.5	14.9	13.5	12.4	11.4	10.6	9.9	9.3	8.7	8.3	7.8	7.4	7.1	6.8	6.5	6.2	
	50	0.447	20.8	18.4	16.6	15.1	13.8	12.8	11.9	11.1	10.4	9.8	9.2	8.7	8.3	7.9	7.5	7.2	6.9	
50 MESH	60	0.490	22.7	20.2	18.2	16.5	15.2	14.0	13.0	12.1	11.4	10.7	10.1	9.6	9.1	8.7	8.3	7.9	7.6	
	70	0.529	24.6	21.8	19.6	17.9	16.4	15.1	14.0	13.1	12.3	11.6	10.9	10.3	9.8	9.4	8.9	8.5	8.2	
	80	0.566	26.3	23.3	21.0	19.1	17.5	16.2	15.0	14.0	13.1	12.4	11.7	11.1	10.5	10.0	9.5	9.1	8.8	
RED	90	0.600	27.8	24.8	22.3	20.3	18.6	17.1	15.9	14.9	13.9	13.1	12.4	11.7	11.1	10.6	10.1	9.7	9.3	
	100	0.632	29.3	26.1	23.5	21.3	19.6	18.1	16.8	15.7	14.7	13.8	13.0	12.4	11.7	11.2	10.7	10.2	9.8	
	110	0.663	30.8	27.4	24.6	22.4	20.5	18.9	17.6	16.4	15.4	14.5	13.7	13.0	12.3	11.7	11.2	10.7	10.3	

AI 95° EVEN 32" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
psi gpm																			
AI9505EVS	30	0.433	20.1	17.9	16.1	14.6	13.4	12.4	11.5	10.7	10.0	9.5	8.9	8.5	8.0	7.7	7.3	7.0	6.7
	40	0.500	23.2	20.6	18.6	16.9	15.5	14.3	13.3	12.4	11.6	10.9	10.3	9.8	9.3	8.8	8.4	8.1	7.7
	50	0.559	25.9	23.1	20.8	18.9	17.3	16.0	14.8	13.8	13.0	12.2	11.5	10.9	10.4	9.9	9.4	9.0	8.6
50 MESH	60	0.612	28.4	25.3	22.7	20.7	18.9	17.5	16.2	15.2	14.2	13.4	12.6	12.0	11.4	10.8	10.3	9.9	9.5
	70	0.661	30.7	27.3	24.6	22.3	20.5	18.9	17.5	16.4	15.3	14.4	13.6	12.9	12.3	11.7	11.2	10.7	10.2
	80	0.707	32.8	29.2	26.3	23.9	21.9	20.2	18.8	17.5	16.4	15.4	14.6	13.8	13.1	12.5	11.9	11.4	10.9
BROWN	90	0.750	34.8	30.9	27.8	25.3	23.2	21.4	19.9	18.6	17.4	16.4	15.5	14.7	13.9	13.3	12.7	12.1	11.6
	100	0.791	36.7	32.6	29.3	26.7	24.5	22.6	21.0	19.6	18.3	17.3	16.3	15.4	14.7	14.0	13.3	12.8	12.2
	110	0.829	38.5	34.2	30.8	28.0	25.7	23.7	22.0	20.5	19.2	18.1	17.1	16.2	15.4	14.7	14.0	13.4	12.8
AI9506EVS	30	0.520	24.1	21.4	19.3	17.5	16.1	14.8	13.8	12.9	12.1	11.3	10.7	10.2	9.6	9.2	8.8	8.4	8.0
	40	0.600	27.8	24.8	22.3	20.3	18.6	17.1	15.9	14.9	13.9	13.1	12.4	11.7	11.1	10.6	10.1	9.7	9.3
	50	0.671	31.1	27.7	24.9	22.6	20.8	19.2	17.8	16.6	15.6	14.6	13.8	13.1	12.5	11.9	11.3	10.8	10.4
50 MESH	60	0.735	34.1	30.3	27.3	24.8	22.7	21.0	19.5	18.2	17.1	16.0	15.2	14.4	13.6	13.0	12.4	11.9	11.4
	70	0.794	36.8	32.7	29.5	26.8	24.6	22.7	21.0	19.6	18.4	17.3	16.4	15.5	14.7	14.0	13.4	12.8	12.3
	80	0.849	39.4	35.0	31.5	28.6	26.3	24.2	22.5	21.0	19.7	18.5	17.5	16.6	15.8	15.0	14.3	13.7	13.1
GRAY	90	0.900	41.8	37.1	33.4	30.4	27.8	25.7	23.9	22.3	20.9	19.7	18.6	17.6	16.7	15.9	15.2	14.5	13.9
	100	0.949	44.0	39.1	35.2	32.0	29.3	27.1	25.2	23.5	22.0	20.7	19.6	18.5	17.6	16.8	16.0	15.3	14.7
	110	0.995	46.2	41.0	36.9	33.6	30.8	28.4	26.4	24.6	23.1	21.7	20.5	19.4	18.5	17.6	16.8	16.1	15.4
AI9508EVS	30	0.693	32.2	28.6	25.7	23.4	21.4	19.8	18.4	17.1	16.1	15.1	14.3	13.5	12.9	12.2	11.7	11.2	10.7
	40	0.800	37.1	33.0	29.7	27.0	24.8	22.8	21.2	19.8	18.6	17.5	16.5	15.6	14.9	14.1	13.5	12.9	12.4
	50	0.894	41.5	36.9	33.2	30.2	27.7	25.5	23.7	22.1	20.8	19.5	18.4	17.5	16.6	15.8	15.1	14.4	13.8
50 MESH	60	0.980	45.5	40.4	36.4	33.1	30.3	28.0	26.0	24.2	22.7	21.4	20.2	19.1	18.2	17.3	16.5	15.8	15.2
	70	1.058	49.1	43.7	39.3	35.7	32.7	30.2	28.1	26.2	24.6	23.1	21.8	20.7	19.6	18.7	17.9	17.1	16.4
	80	1.131	52.5	46.7	42.0	38.2	35.0	32.3	30.0	28.0	26.3	24.7	23.3	22.1	21.0	20.0	19.1	18.3	17.5
WHITE	90	1.200	55.7	49.5	44.6	40.5	37.1	34.3	31.8	29.7	27.8	26.2	24.8	23.4	22.3	21.2	20.3	19.4	18.6
	100	1.265	58.7	52.2	47.0	42.7	39.1	36.1	33.5	31.3	29.3	27.6	26.1	24.7	23.5	22.4	21.3	20.4	19.6
	110	1.327	61.6	54.7	49.3	44.8	41.0	37.9	35.2	32.8	30.8	29.0	27.4	25.9	24.6	23.5	22.4	21.4	20.5

AI 95° EVEN 32" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph			
																gpm	psi		
1.9	1.9	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	0.130	30	AI95015EVS 100 MESH GREEN	
2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.5	1.4	1.4	0.150	40		
2.5	2.4	2.3	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.6	0.168	50		
2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.7	0.184	60		
2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.9	1.8	0.198	70		
3.2	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	0.212	80		
3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	2.1	2.1	0.225	90		
3.5	3.4	3.3	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.3	2.2	0.237	100		
3.7	3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.4	2.3	0.249	110		
2.6	2.5	2.4	2.3	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.6	1.6	0.173	30	AI95025EVS 50 MESH YELLOW	
3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	1.9	1.9	0.200	40		
3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.1	0.224	50		
3.6	3.5	3.4	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	0.245	60		
3.9	3.8	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.7	2.6	2.5	2.5	0.265	70		
4.2	4.0	3.9	3.8	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	0.283	80		
4.5	4.3	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	0.300	90		
4.7	4.5	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	0.316	100		
4.9	4.7	4.6	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.2	3.1	0.332	110		
3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.1	2.0	0.217	30	AI95035EVS 50 MESH PURPLE	
3.7	3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.7	2.6	2.5	2.4	2.4	2.3	0.250	40		
4.2	4.0	3.8	3.7	3.6	3.5	3.3	3.2	3.1	3.1	3.0	2.9	2.8	2.7	2.7	2.6	0.280	50		
4.5	4.4	4.2	4.1	3.9	3.8	3.7	3.6	3.4	3.3	3.2	3.2	3.1	3.0	2.9	2.8	0.306	60		
4.9	4.7	4.5	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.1	0.331	70		
5.3	5.0	4.9	4.7	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.6	3.5	3.5	3.4	3.3	0.354	80		
5.6	5.4	5.2	5.0	4.8	4.6	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	3.6	3.5	0.375	90		
5.9	5.6	5.4	5.2	5.1	4.9	4.7	4.6	4.4	4.3	4.2	4.1	4.0	3.9	3.8	3.7	0.395	100		
6.2	5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.7	4.5	4.4	4.3	4.2	4.1	3.9	3.8	0.415	110		
3.9	3.7	3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	2.4	0.260	30	AI95045EVS 50 MESH BLUE	
4.5	4.3	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	0.300	40		
5.0	4.8	4.6	4.4	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	0.335	50		
5.5	5.2	5.1	4.9	4.7	4.5	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	0.367	60		
5.9	5.7	5.5	5.3	5.1	4.9	4.8	4.6	4.5	4.3	4.2	4.1	4.0	3.9	3.8	3.7	0.397	70		
6.3	6.1	5.8	5.6	5.4	5.3	5.1	4.9	4.8	4.6	4.5	4.4	4.3	4.1	4.0	3.9	0.424	80		
6.7	6.4	6.2	6.0	5.8	5.6	5.4	5.2	5.1	4.9	4.8	4.6	4.5	4.4	4.3	4.2	0.450	90		
7.0	6.8	6.5	6.3	6.1	5.9	5.7	5.5	5.3	5.2	5.0	4.9	4.8	4.6	4.5	4.4	0.474	100		
7.4	7.1	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.4	5.3	5.1	5.0	4.9	4.7	4.6	0.497	110		
5.1	4.9	4.8	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	0.346	30	AI95055EVS 50 MESH RED	
5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.6	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	0.400	40		
6.6	6.4	6.1	5.9	5.7	5.5	5.4	5.2	5.0	4.9	4.7	4.6	4.5	4.4	4.3	4.2	0.447	50		
7.3	7.0	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.3	5.2	5.1	4.9	4.8	4.7	4.5	0.490	60		
7.9	7.6	7.3	7.0	6.8	6.5	6.3	6.1	6.0	5.8	5.6	5.5	5.3	5.2	5.0	4.9	0.529	70		
8.4	8.1	7.8	7.5	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.3	0.566	80		
8.9	8.6	8.3	8.0	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.9	5.7	5.6	0.600	90		
9.4	9.0	8.7	8.4	8.1	7.8	7.6	7.3	7.1	6.9	6.7	6.5	6.3	6.2	6.0	5.9	0.632	100		
9.9	9.5	9.1	8.8	8.5	8.2	7.9	7.7	7.5	7.2	7.0	6.8	6.7	6.5	6.3	6.2	0.663	110		

AI 95° EVEN 32" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph	
																gpm	psi
6.4	6.2	6.0	5.7	5.5	5.4	5.2	5.0	4.9	4.7	4.6	4.5	4.3	4.2	4.1	4.0	0.433	30
7.4	7.1	6.9	6.6	6.4	6.2	6.0	5.8	5.6	5.5	5.3	5.2	5.0	4.9	4.8	4.6	0.500	40
8.3	8.0	7.7	7.4	7.2	6.9	6.7	6.5	6.3	6.1	5.9	5.8	5.6	5.5	5.3	5.2	0.559	50
9.1	8.7	8.4	8.1	7.8	7.6	7.3	7.1	6.9	6.7	6.5	6.3	6.1	6.0	5.8	5.7	0.612	60
9.8	9.4	9.1	8.8	8.5	8.2	7.9	7.7	7.4	7.2	7.0	6.8	6.6	6.5	6.3	6.1	0.661	70
10.5	10.1	9.7	9.4	9.1	8.8	8.5	8.2	8.0	7.7	7.5	7.3	7.1	6.9	6.7	6.6	0.707	80
11.1	10.7	10.3	9.9	9.6	9.3	9.0	8.7	8.4	8.2	8.0	7.7	7.5	7.3	7.1	7.0	0.750	90
11.7	11.3	10.9	10.5	10.1	9.8	9.5	9.2	8.9	8.6	8.4	8.2	7.9	7.7	7.5	7.3	0.791	100
12.3	11.8	11.4	11.0	10.6	10.3	9.9	9.6	9.3	9.1	8.8	8.6	8.3	8.1	7.9	7.7	0.829	110
7.7	7.4	7.1	6.9	6.7	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.2	5.1	4.9	4.8	0.520	30
8.9	8.6	8.3	8.0	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.9	5.7	5.6	0.600	40
10.0	9.6	9.2	8.9	8.6	8.3	8.0	7.8	7.5	7.3	7.1	6.9	6.7	6.6	6.4	6.2	0.671	50
10.9	10.5	10.1	9.7	9.4	9.1	8.8	8.5	8.3	8.0	7.8	7.6	7.4	7.2	7.0	6.8	0.735	60
11.8	11.3	10.9	10.5	10.2	9.8	9.5	9.2	8.9	8.7	8.4	8.2	8.0	7.8	7.6	7.4	0.794	70
12.6	12.1	11.7	11.3	10.9	10.5	10.2	9.8	9.5	9.3	9.0	8.8	8.5	8.3	8.1	7.9	0.849	80
13.4	12.9	12.4	11.9	11.5	11.1	10.8	10.4	10.1	9.8	9.5	9.3	9.0	8.8	8.6	8.4	0.900	90
14.1	13.5	13.0	12.6	12.1	11.7	11.4	11.0	10.7	10.4	10.1	9.8	9.5	9.3	9.0	8.8	0.949	100
14.8	14.2	13.7	13.2	12.7	12.3	11.9	11.5	11.2	10.9	10.6	10.3	10.0	9.7	9.5	9.2	0.995	110
10.3	9.9	9.5	9.2	8.9	8.6	8.3	8.0	7.8	7.6	7.3	7.1	7.0	6.8	6.6	6.4	0.693	30
11.9	11.4	11.0	10.6	10.2	9.9	9.6	9.3	9.0	8.7	8.5	8.3	8.0	7.8	7.6	7.4	0.800	40
13.3	12.8	12.3	11.9	11.5	11.1	10.7	10.4	10.1	9.8	9.5	9.2	9.0	8.7	8.5	8.3	0.894	50
14.5	14.0	13.5	13.0	12.5	12.1	11.7	11.4	11.0	10.7	10.4	10.1	9.8	9.6	9.3	9.1	0.980	60
15.7	15.1	14.6	14.0	13.5	13.1	12.7	12.3	11.9	11.6	11.2	10.9	10.6	10.3	10.1	9.8	1.058	70
16.8	16.2	15.6	15.0	14.5	14.0	13.5	13.1	12.7	12.4	12.0	11.7	11.4	11.1	10.8	10.5	1.131	80
17.8	17.1	16.5	15.9	15.4	14.9	14.4	13.9	13.5	13.1	12.7	12.4	12.0	11.7	11.4	11.1	1.200	90
18.8	18.1	17.4	16.8	16.2	15.7	15.1	14.7	14.2	13.8	13.4	13.0	12.7	12.4	12.0	11.7	1.265	100
19.7	18.9	18.2	17.6	17.0	16.4	15.9	15.4	14.9	14.5	14.1	13.7	13.3	13.0	12.6	12.3	1.327	110