

AI 95° EVEN 38" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph			4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
			psi	gpm																
AI95015EVS	30	0.130	5.1	4.5	4.1	3.7	3.4	3.1	2.9	2.7	2.5	2.4	2.3	2.1	2.0	1.9	1.8	1.8	1.7	
	40	0.150	5.9	5.2	4.7	4.3	3.9	3.6	3.3	3.1	2.9	2.8	2.6	2.5	2.3	2.2	2.1	2.0	2.0	
	50	0.168	6.6	5.8	5.2	4.8	4.4	4.0	3.7	3.5	3.3	3.1	2.9	2.8	2.6	2.5	2.4	2.3	2.2	
100 MESH	60	0.184	7.2	6.4	5.7	5.2	4.8	4.4	4.1	3.8	3.6	3.4	3.2	3.0	2.9	2.7	2.6	2.5	2.4	
	70	0.198	7.8	6.9	6.2	5.6	5.2	4.8	4.4	4.1	3.9	3.6	3.4	3.3	3.1	3.0	2.8	2.7	2.6	
	80	0.212	8.3	7.4	6.6	6.0	5.5	5.1	4.7	4.4	4.1	3.9	3.7	3.5	3.3	3.2	3.0	2.9	2.8	
GREEN	90	0.225	8.8	7.8	7.0	6.4	5.9	5.4	5.0	4.7	4.4	4.1	3.9	3.7	3.5	3.3	3.2	3.1	2.9	
	100	0.237	9.3	8.2	7.4	6.7	6.2	5.7	5.3	4.9	4.6	4.4	4.1	3.9	3.7	3.5	3.4	3.2	3.1	
	110	0.249	9.7	8.6	7.8	7.1	6.5	6.0	5.6	5.2	4.9	4.6	4.3	4.1	3.9	3.7	3.5	3.4	3.2	
AI9502EVS	30	0.173	6.8	6.0	5.4	4.9	4.5	4.2	3.9	3.6	3.4	3.2	3.0	2.8	2.7	2.6	2.5	2.4	2.3	
	40	0.200	7.8	6.9	6.3	5.7	5.2	4.8	4.5	4.2	3.9	3.7	3.5	3.3	3.1	3.0	2.8	2.7	2.6	
	50	0.224	8.7	7.8	7.0	6.4	5.8	5.4	5.0	4.7	4.4	4.1	3.9	3.7	3.5	3.3	3.2	3.0	2.9	
50 MESH	60	0.245	9.6	8.5	7.7	7.0	6.4	5.9	5.5	5.1	4.8	4.5	4.3	4.0	3.8	3.6	3.5	3.3	3.2	
	70	0.265	10.3	9.2	8.3	7.5	6.9	6.4	5.9	5.5	5.2	4.9	4.6	4.4	4.1	3.9	3.8	3.6	3.4	
	80	0.283	11.1	9.8	8.8	8.0	7.4	6.8	6.3	5.9	5.5	5.2	4.9	4.7	4.4	4.2	4.0	3.8	3.7	
YELLOW	90	0.300	11.7	10.4	9.4	8.5	7.8	7.2	6.7	6.3	5.9	5.5	5.2	4.9	4.7	4.5	4.3	4.1	3.9	
	100	0.316	12.4	11.0	9.9	9.0	8.2	7.6	7.1	6.6	6.2	5.8	5.5	5.2	4.9	4.7	4.5	4.3	4.1	
	110	0.332	13.0	11.5	10.4	9.4	8.6	8.0	7.4	6.9	6.5	6.1	5.8	5.5	5.2	4.9	4.7	4.5	4.3	
AI95025EVS	30	0.217	8.5	7.5	6.8	6.2	5.6	5.2	4.8	4.5	4.2	4.0	3.8	3.6	3.4	3.2	3.1	2.9	2.8	
	40	0.250	9.8	8.7	7.8	7.1	6.5	6.0	5.6	5.2	4.9	4.6	4.3	4.1	3.9	3.7	3.6	3.4	3.3	
	50	0.280	10.9	9.7	8.7	7.9	7.3	6.7	6.2	5.8	5.5	5.1	4.9	4.6	4.4	4.2	4.0	3.8	3.6	
50 MESH	60	0.306	12.0	10.6	9.6	8.7	8.0	7.4	6.8	6.4	6.0	5.6	5.3	5.0	4.8	4.6	4.4	4.2	4.0	
	70	0.331	12.9	11.5	10.3	9.4	8.6	8.0	7.4	6.9	6.5	6.1	5.7	5.4	5.2	4.9	4.7	4.5	4.3	
	80	0.354	13.8	12.3	11.1	10.0	9.2	8.5	7.9	7.4	6.9	6.5	6.1	5.8	5.5	5.3	5.0	4.8	4.6	
PURPLE	90	0.375	14.7	13.0	11.7	10.7	9.8	9.0	8.4	7.8	7.3	6.9	6.5	6.2	5.9	5.6	5.3	5.1	4.9	
	100	0.395	15.4	13.7	12.4	11.2	10.3	9.5	8.8	8.2	7.7	7.3	6.9	6.5	6.2	5.9	5.6	5.4	5.1	
	110	0.415	16.2	14.4	13.0	11.8	10.8	10.0	9.3	8.6	8.1	7.6	7.2	6.8	6.5	6.2	5.9	5.6	5.4	
AI9503EVS	30	0.260	10.2	9.0	8.1	7.4	6.8	6.2	5.8	5.4	5.1	4.8	4.5	4.3	4.1	3.9	3.7	3.5	3.4	
	40	0.300	11.7	10.4	9.4	8.5	7.8	7.2	6.7	6.3	5.9	5.5	5.2	4.9	4.7	4.5	4.3	4.1	3.9	
	50	0.335	13.1	11.7	10.5	9.5	8.7	8.1	7.5	7.0	6.6	6.2	5.8	5.5	5.2	5.0	4.8	4.6	4.4	
50 MESH	60	0.367	14.4	12.8	11.5	10.4	9.6	8.8	8.2	7.7	7.2	6.8	6.4	6.0	5.7	5.5	5.2	5.0	4.8	
	70	0.397	15.5	13.8	12.4	11.3	10.3	9.5	8.9	8.3	7.8	7.3	6.9	6.5	6.2	5.9	5.6	5.4	5.2	
	80	0.424	16.6	14.7	13.3	12.1	11.1	10.2	9.5	8.8	8.3	7.8	7.4	7.0	6.6	6.3	6.0	5.8	5.5	
BLUE	90	0.450	17.6	15.6	14.1	12.8	11.7	10.8	10.0	9.4	8.8	8.3	7.8	7.4	7.0	6.7	6.4	6.1	5.9	
	100	0.474	18.5	16.5	14.8	13.5	12.4	11.4	10.6	9.9	9.3	8.7	8.2	7.8	7.4	7.1	6.7	6.4	6.2	
	110	0.497	19.4	17.3	15.6	14.1	13.0	12.0	11.1	10.4	9.7	9.1	8.6	8.2	7.8	7.4	7.1	6.8	6.5	
AI9504EVS	30	0.346	13.5	12.0	10.8	9.8	9.0	8.3	7.7	7.2	6.8	6.4	6.0	5.7	5.4	5.2	4.9	4.7	4.5	
	40	0.400	15.6	13.9	12.5	11.4	10.4	9.6	8.9	8.3	7.8	7.4	6.9	6.6	6.3	6.0	5.7	5.4	5.2	
	50	0.447	17.5	15.5	14.0	12.7	11.7	10.8	10.0	9.3	8.7	8.2	7.8	7.4	7.0	6.7	6.4	6.1	5.8	
50 MESH	60	0.490	19.1	17.0	15.3	13.9	12.8	11.8	10.9	10.2	9.6	9.0	8.5	8.1	7.7	7.3	7.0	6.7	6.4	
	70	0.529	20.7	18.4	16.5	15.0	13.8	12.7	11.8	11.0	10.3	9.7	9.2	8.7	8.3	7.9	7.5	7.2	6.9	
	80	0.566	22.1	19.7	17.7	16.1	14.7	13.6	12.6	11.8	11.1	10.4	9.8	9.3	8.8	8.4	8.0	7.7	7.4	
RED	90	0.600	23.4	20.8	18.8	17.1	15.6	14.4	13.4	12.5	11.7	11.0	10.4	9.9	9.4	8.9	8.5	8.2	7.8	
	100	0.632	24.7	22.0	19.8	18.0	16.5	15.2	14.1	13.2	12.4	11.6	11.0	10.4	9.9	9.4	9.0	8.6	8.2	
	110	0.663	25.9	23.0	20.7	18.9	17.3	16.0	14.8	13.8	13.0	12.2	11.5	10.9	10.4	9.9	9.4	9.0	8.6	

AI 95° EVEN 38" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
psi gpm																			
AI9505EVS	30	0.433	16.9	15.0	13.5	12.3	11.3	10.4	9.7	9.0	8.5	8.0	7.5	7.1	6.8	6.4	6.2	5.9	5.6
	40	0.500	19.5	17.4	15.6	14.2	13.0	12.0	11.2	10.4	9.8	9.2	8.7	8.2	7.8	7.4	7.1	6.8	6.5
	50	0.559	21.8	19.4	17.5	15.9	14.6	13.4	12.5	11.7	10.9	10.3	9.7	9.2	8.7	8.3	7.9	7.6	7.3
50 MESH	60	0.612	23.9	21.3	19.1	17.4	16.0	14.7	13.7	12.8	12.0	11.3	10.6	10.1	9.6	9.1	8.7	8.3	8.0
	70	0.661	25.8	23.0	20.7	18.8	17.2	15.9	14.8	13.8	12.9	12.2	11.5	10.9	10.3	9.8	9.4	9.0	8.6
	80	0.707	27.6	24.6	22.1	20.1	18.4	17.0	15.8	14.7	13.8	13.0	12.3	11.6	11.1	10.5	10.0	9.6	9.2
BROWN	90	0.750	29.3	26.1	23.4	21.3	19.5	18.0	16.7	15.6	14.7	13.8	13.0	12.3	11.7	11.2	10.7	10.2	9.8
	100	0.791	30.9	27.5	24.7	22.5	20.6	19.0	17.7	16.5	15.4	14.5	13.7	13.0	12.4	11.8	11.2	10.7	10.3
	110	0.829	32.4	28.8	25.9	23.6	21.6	19.9	18.5	17.3	16.2	15.2	14.4	13.6	13.0	12.3	11.8	11.3	10.8
AI9506EVS	30	0.520	20.3	18.0	16.2	14.8	13.5	12.5	11.6	10.8	10.2	9.6	9.0	8.5	8.1	7.7	7.4	7.1	6.8
	40	0.600	23.4	20.8	18.8	17.1	15.6	14.4	13.4	12.5	11.7	11.0	10.4	9.9	9.4	8.9	8.5	8.2	7.8
	50	0.671	26.2	23.3	21.0	19.1	17.5	16.1	15.0	14.0	13.1	12.3	11.7	11.0	10.5	10.0	9.5	9.1	8.7
50 MESH	60	0.735	28.7	25.5	23.0	20.9	19.1	17.7	16.4	15.3	14.4	13.5	12.8	12.1	11.5	10.9	10.4	10.0	9.6
	70	0.794	31.0	27.6	24.8	22.6	20.7	19.1	17.7	16.5	15.5	14.6	13.8	13.1	12.4	11.8	11.3	10.8	10.3
	80	0.849	33.2	29.5	26.5	24.1	22.1	20.4	18.9	17.7	16.6	15.6	14.7	14.0	13.3	12.6	12.1	11.5	11.1
GRAY	90	0.900	35.2	31.3	28.1	25.6	23.4	21.6	20.1	18.8	17.6	16.6	15.6	14.8	14.1	13.4	12.8	12.2	11.7
	100	0.949	37.1	33.0	29.7	27.0	24.7	22.8	21.2	19.8	18.5	17.4	16.5	15.6	14.8	14.1	13.5	12.9	12.4
	110	0.995	38.9	34.6	31.1	28.3	25.9	23.9	22.2	20.7	19.4	18.3	17.3	16.4	15.6	14.8	14.1	13.5	13.0
AI9508EVS	30	0.693	27.1	24.1	21.7	19.7	18.0	16.7	15.5	14.4	13.5	12.7	12.0	11.4	10.8	10.3	9.8	9.4	9.0
	40	0.800	31.3	27.8	25.0	22.7	20.8	19.2	17.9	16.7	15.6	14.7	13.9	13.2	12.5	11.9	11.4	10.9	10.4
	50	0.894	35.0	31.1	28.0	25.4	23.3	21.5	20.0	18.6	17.5	16.4	15.5	14.7	14.0	13.3	12.7	12.2	11.7
50 MESH	60	0.980	38.3	34.0	30.6	27.8	25.5	23.6	21.9	20.4	19.1	18.0	17.0	16.1	15.3	14.6	13.9	13.3	12.8
	70	1.058	41.4	36.8	33.1	30.1	27.6	25.5	23.6	22.1	20.7	19.5	18.4	17.4	16.5	15.8	15.0	14.4	13.8
	80	1.131	44.2	39.3	35.4	32.2	29.5	27.2	25.3	23.6	22.1	20.8	19.7	18.6	17.7	16.8	16.1	15.4	14.7
WHITE	90	1.200	46.9	41.7	37.5	34.1	31.3	28.9	26.8	25.0	23.4	22.1	20.8	19.7	18.8	17.9	17.1	16.3	15.6
	100	1.265	49.4	43.9	39.5	36.0	33.0	30.4	28.2	26.4	24.7	23.3	22.0	20.8	19.8	18.8	18.0	17.2	16.5
	110	1.327	51.8	46.1	41.5	37.7	34.6	31.9	29.6	27.7	25.9	24.4	23.0	21.8	20.7	19.8	18.9	18.0	17.3

AI 95° EVEN 38" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph			
																gpm	psi		
1.6	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	1.0	1.0	0.130	30	AI95015EVS 100 MESH GREEN	
1.9	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	1.2	0.150	40		
2.1	2.0	1.9	1.9	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.5	1.4	1.4	1.3	1.3	0.168	50		
2.3	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.7	1.7	1.6	1.6	1.6	1.5	1.5	1.4	0.184	60		
2.5	2.4	2.3	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.6	0.198	70		
2.7	2.6	2.5	2.4	2.3	2.2	2.1	2.1	2.0	2.0	1.9	1.8	1.8	1.7	1.7	1.7	0.212	80		
2.8	2.7	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	1.9	1.9	1.8	1.8	0.225	90		
3.0	2.9	2.7	2.6	2.6	2.5	2.4	2.3	2.2	2.2	2.1	2.1	2.0	2.0	1.9	1.9	0.237	100		
3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	0.249	110		
2.2	2.1	2.0	1.9	1.9	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.5	1.4	1.4	1.4	0.173	30	AI9502EVS 50 MESH YELLOW	
2.5	2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.6	0.200	40		
2.8	2.7	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.8	1.7	0.224	50		
3.1	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	1.9	0.245	60		
3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.1	0.265	70		
3.5	3.4	3.3	3.2	3.0	2.9	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	0.283	80		
3.8	3.6	3.5	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	2.4	2.3	0.300	90		
4.0	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.7	2.6	2.5	2.5	0.316	100		
4.1	4.0	3.8	3.7	3.6	3.5	3.3	3.2	3.1	3.0	3.0	2.9	2.8	2.7	2.7	2.6	0.332	110		
2.7	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.7	0.217	30	AI95025EVS 50 MESH PURPLE	
3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.1	2.0	2.0	0.250	40		
3.5	3.4	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.4	2.3	2.2	2.2	0.280	50		
3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.7	2.6	2.5	2.5	2.4	0.306	60		
4.1	4.0	3.8	3.7	3.6	3.4	3.3	3.2	3.1	3.0	3.0	2.9	2.8	2.7	2.7	2.6	0.331	70		
4.4	4.3	4.1	3.9	3.8	3.7	3.6	3.5	3.3	3.3	3.2	3.1	3.0	2.9	2.8	2.8	0.354	80		
4.7	4.5	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.4	3.3	3.3	3.2	3.1	3.0	2.9	0.375	90		
4.9	4.8	4.6	4.4	4.3	4.1	4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.3	3.2	3.1	0.395	100		
5.2	5.0	4.8	4.6	4.5	4.3	4.2	4.1	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	0.415	110		
3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	0.260	30	AI9503EVS 50 MESH BLUE	
3.8	3.6	3.5	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	2.4	2.3	0.300	40		
4.2	4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	0.335	50		
4.6	4.4	4.3	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	0.367	60		
5.0	4.8	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.6	3.5	3.4	3.4	3.3	3.2	3.1	0.397	70		
5.3	5.1	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	0.424	80		
5.6	5.4	5.2	5.0	4.9	4.7	4.5	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	0.450	90		
5.9	5.7	5.5	5.3	5.1	4.9	4.8	4.6	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	0.474	100		
6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.9	4.7	4.6	4.4	4.3	4.2	4.1	4.0	3.9	0.497	110		
4.3	4.2	4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	0.346	30	AI9504EVS 50 MESH RED	
5.0	4.8	4.6	4.5	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	0.400	40		
5.6	5.4	5.2	5.0	4.8	4.7	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	3.6	3.5	0.447	50		
6.1	5.9	5.7	5.5	5.3	5.1	4.9	4.8	4.6	4.5	4.4	4.3	4.1	4.0	3.9	3.8	0.490	60		
6.6	6.4	6.1	5.9	5.7	5.5	5.3	5.2	5.0	4.9	4.7	4.6	4.5	4.4	4.2	4.1	0.529	70		
7.1	6.8	6.6	6.3	6.1	5.9	5.7	5.5	5.4	5.2	5.1	4.9	4.8	4.7	4.5	4.4	0.566	80		
7.5	7.2	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.4	5.2	5.1	4.9	4.8	4.7	0.600	90		
7.9	7.6	7.3	7.1	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.5	5.3	5.2	5.1	4.9	0.632	100		
8.3	8.0	7.7	7.4	7.2	6.9	6.7	6.5	6.3	6.1	5.9	5.8	5.6	5.5	5.3	5.2	0.663	110		

AI 95° EVEN 38" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph	
																gpm	psi
5.4	5.2	5.0	4.8	4.7	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	0.433	30
6.3	6.0	5.8	5.6	5.4	5.2	5.0	4.9	4.7	4.6	4.5	4.3	4.2	4.1	4.0	3.9	0.500	40
7.0	6.7	6.5	6.2	6.0	5.8	5.6	5.5	5.3	5.1	5.0	4.9	4.7	4.6	4.5	4.4	0.559	50
7.7	7.4	7.1	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.5	5.3	5.2	5.0	4.9	4.8	0.612	60
8.3	8.0	7.7	7.4	7.1	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.6	5.4	5.3	5.2	0.661	70
8.8	8.5	8.2	7.9	7.6	7.4	7.1	6.9	6.7	6.5	6.3	6.1	6.0	5.8	5.7	5.5	0.707	80
9.4	9.0	8.7	8.4	8.1	7.8	7.6	7.3	7.1	6.9	6.7	6.5	6.3	6.2	6.0	5.9	0.750	90
9.9	9.5	9.2	8.8	8.5	8.2	8.0	7.7	7.5	7.3	7.1	6.9	6.7	6.5	6.3	6.2	0.791	100
10.4	10.0	9.6	9.3	8.9	8.6	8.4	8.1	7.9	7.6	7.4	7.2	7.0	6.8	6.6	6.5	0.829	110
6.5	6.2	6.0	5.8	5.6	5.4	5.2	5.1	4.9	4.8	4.6	4.5	4.4	4.3	4.2	4.1	0.520	30
7.5	7.2	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.4	5.2	5.1	4.9	4.8	4.7	0.600	40
8.4	8.1	7.8	7.5	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.2	0.671	50
9.2	8.8	8.5	8.2	7.9	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.9	5.7	0.735	60
9.9	9.5	9.2	8.9	8.6	8.3	8.0	7.8	7.5	7.3	7.1	6.9	6.7	6.5	6.4	6.2	0.794	70
10.6	10.2	9.8	9.5	9.1	8.8	8.6	8.3	8.0	7.8	7.6	7.4	7.2	7.0	6.8	6.6	0.849	80
11.3	10.8	10.4	10.0	9.7	9.4	9.1	8.8	8.5	8.3	8.0	7.8	7.6	7.4	7.2	7.0	0.900	90
11.9	11.4	11.0	10.6	10.2	9.9	9.6	9.3	9.0	8.7	8.5	8.2	8.0	7.8	7.6	7.4	0.949	100
12.4	12.0	11.5	11.1	10.7	10.4	10.0	9.7	9.4	9.1	8.9	8.6	8.4	8.2	8.0	7.8	0.995	110
8.7	8.3	8.0	7.7	7.5	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.9	5.7	5.6	5.4	0.693	30
10.0	9.6	9.3	8.9	8.6	8.3	8.1	7.8	7.6	7.4	7.1	6.9	6.8	6.6	6.4	6.3	0.800	40
11.2	10.8	10.4	10.0	9.6	9.3	9.0	8.7	8.5	8.2	8.0	7.8	7.6	7.4	7.2	7.0	0.894	50
12.3	11.8	11.3	10.9	10.6	10.2	9.9	9.6	9.3	9.0	8.8	8.5	8.3	8.1	7.9	7.7	0.980	60
13.2	12.7	12.3	11.8	11.4	11.0	10.7	10.3	10.0	9.7	9.5	9.2	8.9	8.7	8.5	8.3	1.058	70
14.1	13.6	13.1	12.6	12.2	11.8	11.4	11.1	10.7	10.4	10.1	9.8	9.6	9.3	9.1	8.8	1.131	80
15.0	14.4	13.9	13.4	12.9	12.5	12.1	11.7	11.4	11.0	10.7	10.4	10.1	9.9	9.6	9.4	1.200	90
15.8	15.2	14.6	14.1	13.6	13.2	12.8	12.4	12.0	11.6	11.3	11.0	10.7	10.4	10.1	9.9	1.265	100
16.6	16.0	15.4	14.8	14.3	13.8	13.4	13.0	12.6	12.2	11.9	11.5	11.2	10.9	10.6	10.4	1.327	110