

SMALL K FLOODJET 30" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	
* SEPCIFY MATERIAL																	
	psi gpm																
1/8KSS.50	10	0.05	2.5	2.2	2.0	1.8	1.7	1.5	1.4	1.3	1.2	1.2	1.1	1.0	1.0	0.9	0.9
	20	0.07	3.5	3.1	2.8	2.6	2.3	2.2	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.3
	30	0.09	4.3	3.8	3.4	3.1	2.9	2.7	2.5	2.3	2.2	2.0	1.9	1.8	1.7	1.6	1.6
100 MESH	40	0.10	5.0	4.4	4.0	3.6	3.3	3.0	2.8	2.6	2.5	2.3	2.2	2.1	2.0	1.9	1.8
1/8KSS.75	10	0.08	3.7	3.3	3.0	2.7	2.5	2.3	2.1	2.0	1.9	1.7	1.7	1.6	1.5	1.4	1.4
	20	0.11	5.4	4.8	4.4	4.0	3.6	3.4	3.1	2.9	2.7	2.6	2.4	2.3	2.2	2.1	2.0
	30	0.13	6.4	5.7	5.1	4.7	4.3	4.0	3.7	3.4	3.2	3.0	2.9	2.7	2.6	2.5	2.3
100 MESH	40	0.15	7.4	6.6	5.9	5.4	5.0	4.6	4.2	4.0	3.7	3.5	3.3	3.1	3.0	2.8	2.7
1/8KSS1	10	0.10	5.0	4.4	4.0	3.6	3.3	3.0	2.8	2.6	2.5	2.3	2.2	2.1	2.0	1.9	1.8
	20	0.14	6.9	6.2	5.5	5.0	4.6	4.3	4.0	3.7	3.5	3.3	3.1	2.9	2.8	2.6	2.5
	30	0.17	8.4	7.5	6.7	6.1	5.6	5.2	4.8	4.5	4.2	4.0	3.7	3.5	3.4	3.2	3.1
50 MESH	40	0.20	9.9	8.8	7.9	7.2	6.6	6.1	5.7	5.3	5.0	4.7	4.4	4.2	4.0	3.8	3.6
1/8KSS1.5	10	0.15	7.4	6.6	5.9	5.4	5.0	4.6	4.2	4.0	3.7	3.5	3.3	3.1	3.0	2.8	2.7
	20	0.21	10.4	9.2	8.3	7.6	6.9	6.4	5.9	5.5	5.2	4.9	4.6	4.4	4.2	4.0	3.8
	30	0.26	12.9	11.4	10.3	9.4	8.6	7.9	7.4	6.9	6.4	6.1	5.7	5.4	5.1	4.9	4.7
50 MESH	40	0.30	14.9	13.2	11.9	10.8	9.9	9.1	8.5	7.9	7.4	7.0	6.6	6.3	5.9	5.7	5.4
1/8KSS2 1/4KSS2	10	0.20	9.9	8.8	7.9	7.2	6.6	6.1	5.7	5.3	5.0	4.7	4.4	4.2	4.0	3.8	3.6
	20	0.28	13.9	12.3	11.1	10.1	9.2	8.5	7.9	7.4	6.9	6.5	6.2	5.8	5.5	5.3	5.0
	30	0.35	17.3	15.4	13.9	12.6	11.6	10.7	9.9	9.2	8.7	8.2	7.7	7.3	6.9	6.6	6.3
50 MESH	40	0.40	19.8	17.6	15.8	14.4	13.2	12.2	11.3	10.6	9.9	9.3	8.8	8.3	7.9	7.5	7.2
1/8KSS2.5 1/4KSS2.5	10	0.25	12.4	11.0	9.9	9.0	8.3	7.6	7.1	6.6	6.2	5.8	5.5	5.2	5.0	4.7	4.5
	20	0.35	17.3	15.4	13.9	12.6	11.6	10.7	9.9	9.2	8.7	8.2	7.7	7.3	6.9	6.6	6.3
	30	0.43	21.3	18.9	17.0	15.5	14.2	13.1	12.2	11.4	10.6	10.0	9.5	9.0	8.5	8.1	7.7
50 MESH	40	0.50	24.8	22.0	19.8	18.0	16.5	15.2	14.1	13.2	12.4	11.6	11.0	10.4	9.9	9.4	9.0
1/8KSS3 1/4KSS3	10	0.30	14.9	13.2	11.9	10.8	9.9	9.1	8.5	7.9	7.4	7.0	6.6	6.3	5.9	5.7	5.4
	20	0.42	20.8	18.5	16.6	15.1	13.9	12.8	11.9	11.1	10.4	9.8	9.2	8.8	8.3	7.9	7.6
	30	0.52	25.7	22.9	20.6	18.7	17.2	15.8	14.7	13.7	12.9	12.1	11.4	10.8	10.3	9.8	9.4
50 MESH	40	0.60	29.7	26.4	23.8	21.6	19.8	18.3	17.0	15.8	14.9	14.0	13.2	12.5	11.9	11.3	10.8
1/8KSS4 1/4KSS4	10	0.40	19.8	17.6	15.8	14.4	13.2	12.2	11.3	10.6	9.9	9.3	8.8	8.3	7.9	7.5	7.2
	20	0.57	28.2	25.1	22.6	20.5	18.8	17.4	16.1	15.0	14.1	13.3	12.5	11.9	11.3	10.7	10.3
	30	0.69	34.2	30.4	27.3	24.8	22.8	21.0	19.5	18.2	17.1	16.1	15.2	14.4	13.7	13.0	12.4
40	0.80	39.6	35.2	31.7	28.8	26.4	24.4	22.6	21.1	19.8	18.6	17.6	16.7	15.8	15.1	14.4	
1/8KSS5 1/4KSS5	10	0.50	24.8	22.0	19.8	18.0	16.5	15.2	14.1	13.2	12.4	11.6	11.0	10.4	9.9	9.4	9.0
	20	0.71	35.1	31.2	28.1	25.6	23.4	21.6	20.1	18.7	17.6	16.5	15.6	14.8	14.1	13.4	12.8
	30	0.87	43.1	38.3	34.5	31.3	28.7	26.5	24.6	23.0	21.5	20.3	19.1	18.1	17.2	16.4	15.7
40	1.00	49.5	44.0	39.6	36.0	33.0	30.5	28.3	26.4	24.8	23.3	22.0	20.8	19.8	18.9	18.0	
1/8KSS7.5 1/4KSS7.5	10	0.75	37.1	33.0	29.7	27.0	24.8	22.8	21.2	19.8	18.6	17.5	16.5	15.6	14.9	14.1	13.5
	20	1.10	54.5	48.4	43.6	39.6	36.3	33.5	31.1	29.0	27.2	25.6	24.2	22.9	21.8	20.7	19.8
	30	1.30	64.4	57.2	51.5	46.8	42.9	39.6	36.8	34.3	32.2	30.3	28.6	27.1	25.7	24.5	23.4
40	1.50	74.3	66.0	59.4	54.0	49.5	45.7	42.4	39.6	37.1	34.9	33.0	31.3	29.7	28.3	27.0	

SMALL K FLOODJET 30" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

11.5	12.0	12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
																			* SEPCIFY MATERIAL	
																			gpm	psi
0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.05	10	1/8KSS.50
1.2	1.2	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.07	20	
1.5	1.4	1.4	1.3	1.3	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.09	30	
1.7	1.7	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	0.10	40	100 MESH
1.3	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.7	0.08	10	1/8KSS.75
1.9	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	0.11	20	
2.2	2.1	2.1	2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.4	1.3	1.3	0.13	30	
2.6	2.5	2.4	2.3	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.7	1.7	1.7	1.6	1.6	1.5	1.5	0.15	40	100 MESH
1.7	1.7	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	0.10	10	1/8KSS1
2.4	2.3	2.2	2.1	2.1	2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.5	1.4	1.4	0.14	20	
2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.8	1.7	1.7	0.17	30	
3.4	3.3	3.2	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	0.20	40	50 MESH
2.6	2.5	2.4	2.3	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.7	1.7	1.7	1.6	1.6	1.5	1.5	0.15	10	1/8KSS1.5
3.6	3.5	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.1	0.21	20	
4.5	4.3	4.1	4.0	3.8	3.7	3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	2.7	2.6	2.6	0.26	30	
5.2	5.0	4.8	4.6	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	0.30	40	50 MESH
3.4	3.3	3.2	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	0.20	10	1/8KSS2 1/4KSS2
4.8	4.6	4.4	4.3	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	0.28	20	
6.0	5.8	5.5	5.3	5.1	5.0	4.8	4.6	4.5	4.3	4.2	4.1	4.0	3.9	3.7	3.6	3.6	3.5	0.35	30	
6.9	6.6	6.3	6.1	5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.7	4.5	4.4	4.3	4.2	4.1	4.0	0.40	40	50 MESH
4.3	4.1	4.0	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	0.25	10	1/8KSS2.5 1/4KSS2.5
6.0	5.8	5.5	5.3	5.1	5.0	4.8	4.6	4.5	4.3	4.2	4.1	4.0	3.9	3.7	3.6	3.6	3.5	0.35	20	
7.4	7.1	6.8	6.5	6.3	6.1	5.9	5.7	5.5	5.3	5.2	5.0	4.9	4.7	4.6	4.5	4.4	4.3	0.43	30	
8.6	8.3	7.9	7.6	7.3	7.1	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.2	5.1	5.0	0.50	40	50 MESH
5.2	5.0	4.8	4.6	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	0.30	10	1/8KSS3 1/4KSS3
7.2	6.9	6.7	6.4	6.2	5.9	5.7	5.5	5.4	5.2	5.0	4.9	4.8	4.6	4.5	4.4	4.3	4.2	0.42	20	
9.0	8.6	8.2	7.9	7.6	7.4	7.1	6.9	6.6	6.4	6.2	6.1	5.9	5.7	5.6	5.4	5.3	5.1	0.52	30	
10.3	9.9	9.5	9.1	8.8	8.5	8.2	7.9	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.3	6.1	5.9	0.60	40	50 MESH
6.9	6.6	6.3	6.1	5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.7	4.5	4.4	4.3	4.2	4.1	4.0	0.40	10	1/8KSS4 1/4KSS4
9.8	9.4	9.0	8.7	8.4	8.1	7.8	7.5	7.3	7.1	6.8	6.6	6.4	6.3	6.1	5.9	5.8	5.6	0.57	20	
11.9	11.4	10.9	10.5	10.1	9.8	9.4	9.1	8.8	8.5	8.3	8.0	7.8	7.6	7.4	7.2	7.0	6.8	0.69	30	
13.8	13.2	12.7	12.2	11.7	11.3	10.9	10.6	10.2	9.9	9.6	9.3	9.1	8.8	8.6	8.3	8.1	7.9	0.80	40	50 MESH
8.6	8.3	7.9	7.6	7.3	7.1	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.2	5.1	5.0	0.50	10	1/8KSS5 1/4KSS5
12.2	11.7	11.2	10.8	10.4	10.0	9.7	9.4	9.1	8.8	8.5	8.3	8.0	7.8	7.6	7.4	7.2	7.0	0.71	20	
15.0	14.4	13.8	13.3	12.8	12.3	11.9	11.5	11.1	10.8	10.4	10.1	9.8	9.6	9.3	9.1	8.8	8.6	0.87	30	
17.2	16.5	15.8	15.2	14.7	14.1	13.7	13.2	12.8	12.4	12.0	11.6	11.3	11.0	10.7	10.4	10.2	9.9	1.00	40	50 MESH
12.9	12.4	11.9	11.4	11.0	10.6	10.2	9.9	9.6	9.3	9.0	8.7	8.5	8.3	8.0	7.8	7.6	7.4	0.75	10	1/8KSS7.5 1/4KSS7.5
18.9	18.2	17.4	16.8	16.1	15.6	15.0	14.5	14.1	13.6	13.2	12.8	12.4	12.1	11.8	11.5	11.2	10.9	1.10	20	
22.4	21.5	20.6	19.8	19.1	18.4	17.8	17.2	16.6	16.1	15.6	15.1	14.7	14.3	13.9	13.5	13.2	12.9	1.30	30	
25.8	24.8	23.8	22.8	22.0	21.2	20.5	19.8	19.2	18.6	18.0	17.5	17.0	16.5	16.1	15.6	15.2	14.9	1.50	40	50 MESH

SMALL K FLOODJET 30" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0		
1/8KSS10 1/4KSS10	10	1.00	49.5	44.0	39.6	36.0	33.0	30.5	28.3	26.4	24.8	23.3	22.0	20.8	19.8	18.9	18.0
	20	1.40	69.3	61.6	55.4	50.4	46.2	42.6	39.6	37.0	34.7	32.6	30.8	29.2	27.7	26.4	25.2
	30	1.70	84.2	74.8	67.3	61.2	56.1	51.8	48.1	44.9	42.1	39.6	37.4	35.4	33.7	32.1	30.6
	40	2.00	99.0	88.0	79.2	72.0	66.0	60.9	56.6	52.8	49.5	46.6	44.0	41.7	39.6	37.7	36.0
1/8KSS12 1/4KSS12	10	1.20	59.4	52.8	47.5	43.2	39.6	36.6	33.9	31.7	29.7	28.0	26.4	25.0	23.8	22.6	21.6
	20	1.70	84.2	74.8	67.3	61.2	56.1	51.8	48.1	44.9	42.1	39.6	37.4	35.4	33.7	32.1	30.6
	30	2.08	103.0	91.5	82.4	74.9	68.6	63.4	58.8	54.9	51.5	48.5	45.8	43.4	41.2	39.2	37.4
	40	2.40	118.8	105.6	95.0	86.4	79.2	73.1	67.9	63.4	59.4	55.9	52.8	50.0	47.5	45.3	43.2
1/8KSS15 1/4KSS15	10	1.50	74.3	66.0	59.4	54.0	49.5	45.7	42.4	39.6	37.1	34.9	33.0	31.3	29.7	28.3	27.0
	20	2.12	104.9	93.3	84.0	76.3	70.0	64.6	60.0	56.0	52.5	49.4	46.6	44.2	42.0	40.0	38.2
	30	2.60	128.7	114.4	103.0	93.6	85.8	79.2	73.5	68.6	64.4	60.6	57.2	54.2	51.5	49.0	46.8
	40	3.00	148.5	132.0	118.8	108.0	99.0	91.4	84.9	79.2	74.3	69.9	66.0	62.5	59.4	56.6	54.0
1/8KSS18 1/4KSS18	10	1.80	89.1	79.2	71.3	64.8	59.4	54.8	50.9	47.5	44.6	41.9	39.6	37.5	35.6	33.9	32.4
	20	2.55	126.2	112.2	101.0	91.8	84.2	77.7	72.1	67.3	63.1	59.4	56.1	53.1	50.5	48.1	45.9
	30	3.12	154.4	137.3	123.6	112.3	103.0	95.0	88.3	82.4	77.2	72.7	68.6	65.0	61.8	58.8	56.2
	40	3.60	178.2	158.4	142.6	129.6	118.8	109.7	101.8	95.0	89.1	83.9	79.2	75.0	71.3	67.9	64.8
1/8KSS20 1/4KSS20	10	2.00	99.0	88.0	79.2	72.0	66.0	60.9	56.6	52.8	49.5	46.6	44.0	41.7	39.6	37.7	36.0
	20	2.83	140.1	124.5	112.1	101.9	93.4	86.2	80.0	74.7	70.0	65.9	62.3	59.0	56.0	53.4	50.9
	30	3.46	171.3	152.2	137.0	124.6	114.2	105.4	97.9	91.3	85.6	80.6	76.1	72.1	68.5	65.2	62.3
	40	4.00	198.0	176.0	158.4	144.0	132.0	121.8	113.1	105.6	99.0	93.2	88.0	83.4	79.2	75.4	72.0
1/4KSS22	10	2.22	109.9	97.7	87.9	79.9	73.3	67.6	62.8	58.6	54.9	51.7	48.8	46.3	44.0	41.9	40.0
	20	3.11	153.9	136.8	123.2	112.0	102.6	94.7	88.0	82.1	77.0	72.4	68.4	64.8	61.6	58.6	56.0
	30	3.81	188.6	167.6	150.9	137.2	125.7	116.1	107.8	100.6	94.3	88.8	83.8	79.4	75.4	71.8	68.6
	40	4.40	217.8	193.6	174.2	158.4	145.2	134.0	124.5	116.2	108.9	102.5	96.8	91.7	87.1	83.0	79.2
1/4KSS24	10	2.40	118.8	105.6	95.0	86.4	79.2	73.1	67.9	63.4	59.4	55.9	52.8	50.0	47.5	45.3	43.2
	20	3.39	167.8	149.2	134.2	122.0	111.9	103.3	95.9	89.5	83.9	79.0	74.6	70.7	67.1	63.9	61.0
	30	4.16	205.9	183.0	164.7	149.8	137.3	126.7	117.7	109.8	103.0	96.9	91.5	86.7	82.4	78.4	74.9
	40	4.80	237.6	211.2	190.1	172.8	158.4	146.2	135.8	126.7	118.8	111.8	105.6	100.0	95.0	90.5	86.4
1/4KSS27	10	2.70	133.7	118.8	106.9	97.2	89.1	82.2	76.4	71.3	66.8	62.9	59.4	56.3	53.5	50.9	48.6
	20	3.82	189.1	168.1	151.3	137.5	126.1	116.4	108.1	100.8	94.5	89.0	84.0	79.6	75.6	72.0	68.8
	30	4.68	231.7	205.9	185.3	168.5	154.4	142.6	132.4	123.6	115.8	109.0	103.0	97.5	92.7	88.3	84.2
	40	5.40	267.3	237.6	213.8	194.4	178.2	164.5	152.7	142.6	133.7	125.8	118.8	112.5	106.9	101.8	97.2

SMALL K FLOODJET 30" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

11.5	12.0	12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
17.2	16.5	15.8	15.2	14.7	14.1	13.7	13.2	12.8	12.4	12.0	11.6	11.3	11.0	10.7	10.4	10.2	9.9	1.00	10	1/8KSS10 1/4KSS10
24.1	23.1	22.2	21.3	20.5	19.8	19.1	18.5	17.9	17.3	16.8	16.3	15.8	15.4	15.0	14.6	14.2	13.9	1.40	20	
29.3	28.1	26.9	25.9	24.9	24.0	23.2	22.4	21.7	21.0	20.4	19.8	19.2	18.7	18.2	17.7	17.3	16.8	1.70	30	
34.4	33.0	31.7	30.5	29.3	28.3	27.3	26.4	25.5	24.8	24.0	23.3	22.6	22.0	21.4	20.8	20.3	19.8	2.00	40	
20.7	19.8	19.0	18.3	17.6	17.0	16.4	15.8	15.3	14.9	14.4	14.0	13.6	13.2	12.8	12.5	12.2	11.9	1.20	10	1/8KSS12 1/4KSS12
29.3	28.1	26.9	25.9	24.9	24.0	23.2	22.4	21.7	21.0	20.4	19.8	19.2	18.7	18.2	17.7	17.3	16.8	1.70	20	
35.8	34.3	32.9	31.7	30.5	29.4	28.4	27.5	26.6	25.7	25.0	24.2	23.5	22.9	22.3	21.7	21.1	20.6	2.08	30	
41.3	39.6	38.0	36.6	35.2	33.9	32.8	31.7	30.7	29.7	28.8	28.0	27.2	26.4	25.7	25.0	24.4	23.8	2.40	40	
25.8	24.8	23.8	22.8	22.0	21.2	20.5	19.8	19.2	18.6	18.0	17.5	17.0	16.5	16.1	15.6	15.2	14.9	1.50	10	1/8KSS15 1/4KSS15
36.5	35.0	33.6	32.3	31.1	30.0	28.9	28.0	27.1	26.2	25.4	24.7	24.0	23.3	22.7	22.1	21.5	21.0	2.12	20	
44.8	42.9	41.2	39.6	38.1	36.8	35.5	34.3	33.2	32.2	31.2	30.3	29.4	28.6	27.8	27.1	26.4	25.7	2.60	30	
51.7	49.5	47.5	45.7	44.0	42.4	41.0	39.6	38.3	37.1	36.0	34.9	33.9	33.0	32.1	31.3	30.5	29.7	3.00	40	
31.0	29.7	28.5	27.4	26.4	25.5	24.6	23.8	23.0	22.3	21.6	21.0	20.4	19.8	19.3	18.8	18.3	17.8	1.80	10	1/8KSS18 1/4KSS18
43.9	42.1	40.4	38.8	37.4	36.1	34.8	33.7	32.6	31.6	30.6	29.7	28.9	28.1	27.3	26.6	25.9	25.2	2.55	20	
53.7	51.5	49.4	47.5	45.8	44.1	42.6	41.2	39.9	38.6	37.4	36.3	35.3	34.3	33.4	32.5	31.7	30.9	3.12	30	
62.0	59.4	57.0	54.8	52.8	50.9	49.2	47.5	46.0	44.6	43.2	41.9	40.7	39.6	38.5	37.5	36.6	35.6	3.60	40	
34.4	33.0	31.7	30.5	29.3	28.3	27.3	26.4	25.5	24.8	24.0	23.3	22.6	22.0	21.4	20.8	20.3	19.8	2.00	10	1/8KSS20 1/4KSS20
48.7	46.7	44.8	43.1	41.5	40.0	38.6	37.4	36.2	35.0	34.0	33.0	32.0	31.1	30.3	29.5	28.7	28.0	2.83	20	
59.6	57.1	54.8	52.7	50.7	48.9	47.2	45.7	44.2	42.8	41.5	40.3	39.1	38.1	37.0	36.1	35.1	34.3	3.46	30	
68.9	66.0	63.4	60.9	58.7	56.6	54.6	52.8	51.1	49.5	48.0	46.6	45.3	44.0	42.8	41.7	40.6	39.6	4.00	40	
38.2	36.6	35.2	33.8	32.6	31.4	30.3	29.3	28.4	27.5	26.6	25.9	25.1	24.4	23.8	23.1	22.5	22.0	2.22	10	1/4KSS22
53.5	51.3	49.3	47.4	45.6	44.0	42.5	41.1	39.7	38.5	37.3	36.2	35.2	34.2	33.3	32.4	31.6	30.8	3.11	20	
65.6	62.9	60.4	58.0	55.9	53.9	52.0	50.3	48.7	47.1	45.7	44.4	43.1	41.9	40.8	39.7	38.7	37.7	3.81	30	
75.8	72.6	69.7	67.0	64.5	62.2	60.1	58.1	56.2	54.5	52.8	51.2	49.8	48.4	47.1	45.9	44.7	43.6	4.40	40	
41.3	39.6	38.0	36.6	35.2	33.9	32.8	31.7	30.7	29.7	28.8	28.0	27.2	26.4	25.7	25.0	24.4	23.8	2.40	10	1/4KSS24
58.4	55.9	53.7	51.6	49.7	47.9	46.3	44.7	43.3	42.0	40.7	39.5	38.4	37.3	36.3	35.3	34.4	33.6	3.39	20	
71.6	68.6	65.9	63.4	61.0	58.8	56.8	54.9	53.1	51.5	49.9	48.5	47.1	45.8	44.5	43.4	42.2	41.2	4.16	30	
82.6	79.2	76.0	73.1	70.4	67.9	65.5	63.4	61.3	59.4	57.6	55.9	54.3	52.8	51.4	50.0	48.7	47.5	4.80	40	
46.5	44.6	42.8	41.1	39.6	38.2	36.9	35.6	34.5	33.4	32.4	31.4	30.5	29.7	28.9	28.1	27.4	26.7	2.70	10	1/4KSS27
65.8	63.0	60.5	58.2	56.0	54.0	52.2	50.4	48.8	47.3	45.8	44.5	43.2	42.0	40.9	39.8	38.8	37.8	3.82	20	
80.6	77.2	74.1	71.3	68.6	66.2	63.9	61.8	59.8	57.9	56.2	54.5	53.0	51.5	50.1	48.8	47.5	46.3	4.68	30	
93.0	89.1	85.5	82.2	79.2	76.4	73.7	71.3	69.0	66.8	64.8	62.9	61.1	59.4	57.8	56.3	54.8	53.5	5.40	40	