

SMALL K FLOODJET 36" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0
* SEPCIFY MATERIAL																
	psi gpm															
1/8KSS.50	10	0.05	2.1	1.8	1.7	1.5	1.4	1.3	1.2	1.1	1.0	1.0	0.9	0.9	0.8	0.8
	20	0.07	2.9	2.6	2.3	2.1	2.0	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1
	30	0.09	3.6	3.2	2.9	2.6	2.4	2.2	2.1	1.9	1.8	1.7	1.6	1.5	1.4	1.4
100 MESH	40	0.10	4.1	3.7	3.3	3.0	2.8	2.5	2.4	2.2	2.1	1.9	1.8	1.7	1.7	1.6
1/8KSS.75	10	0.08	3.1	2.8	2.5	2.3	2.1	1.9	1.8	1.7	1.5	1.5	1.4	1.3	1.2	1.2
	20	0.11	4.5	4.0	3.6	3.3	3.0	2.8	2.6	2.4	2.3	2.1	2.0	1.9	1.8	1.7
	30	0.13	5.4	4.8	4.3	3.9	3.6	3.3	3.1	2.9	2.7	2.5	2.4	2.3	2.1	2.0
100 MESH	40	0.15	6.2	5.5	5.0	4.5	4.1	3.8	3.5	3.3	3.1	2.9	2.8	2.6	2.5	2.4
1/8KSS1	10	0.10	4.1	3.7	3.3	3.0	2.8	2.5	2.4	2.2	2.1	1.9	1.8	1.7	1.7	1.6
	20	0.14	5.8	5.1	4.6	4.2	3.9	3.6	3.3	3.1	2.9	2.7	2.6	2.4	2.3	2.2
	30	0.17	7.0	6.2	5.6	5.1	4.7	4.3	4.0	3.7	3.5	3.3	3.1	3.0	2.8	2.7
50 MESH	40	0.20	8.3	7.3	6.6	6.0	5.5	5.1	4.7	4.4	4.1	3.9	3.7	3.5	3.3	3.1
1/8KSS1.5	10	0.15	6.2	5.5	5.0	4.5	4.1	3.8	3.5	3.3	3.1	2.9	2.8	2.6	2.5	2.4
	20	0.21	8.7	7.7	6.9	6.3	5.8	5.3	5.0	4.6	4.3	4.1	3.9	3.6	3.5	3.3
	30	0.26	10.7	9.5	8.6	7.8	7.2	6.6	6.1	5.7	5.4	5.0	4.8	4.5	4.3	4.1
50 MESH	40	0.30	12.4	11.0	9.9	9.0	8.3	7.6	7.1	6.6	6.2	5.8	5.5	5.2	5.0	4.7
1/8KSS2 1/4KSS2	10	0.20	8.3	7.3	6.6	6.0	5.5	5.1	4.7	4.4	4.1	3.9	3.7	3.5	3.3	3.1
	20	0.28	11.6	10.3	9.2	8.4	7.7	7.1	6.6	6.2	5.8	5.4	5.1	4.9	4.6	4.4
	30	0.35	14.4	12.8	11.6	10.5	9.6	8.9	8.3	7.7	7.2	6.8	6.4	6.1	5.8	5.5
50 MESH	40	0.40	16.5	14.7	13.2	12.0	11.0	10.2	9.4	8.8	8.3	7.8	7.3	6.9	6.6	6.3
1/8KSS2.5 1/4KSS2.5	10	0.25	10.3	9.2	8.3	7.5	6.9	6.3	5.9	5.5	5.2	4.9	4.6	4.3	4.1	3.9
	20	0.35	14.4	12.8	11.6	10.5	9.6	8.9	8.3	7.7	7.2	6.8	6.4	6.1	5.8	5.5
	30	0.43	17.7	15.8	14.2	12.9	11.8	10.9	10.1	9.5	8.9	8.3	7.9	7.5	7.1	6.8
50 MESH	40	0.50	20.6	18.3	16.5	15.0	13.8	12.7	11.8	11.0	10.3	9.7	9.2	8.7	8.3	7.9
1/8KSS3 1/4KSS3	10	0.30	12.4	11.0	9.9	9.0	8.3	7.6	7.1	6.6	6.2	5.8	5.5	5.2	5.0	4.7
	20	0.42	17.3	15.4	13.9	12.6	11.6	10.7	9.9	9.2	8.7	8.2	7.7	7.3	6.9	6.6
	30	0.52	21.5	19.1	17.2	15.6	14.3	13.2	12.3	11.4	10.7	10.1	9.5	9.0	8.6	8.2
50 MESH	40	0.60	24.8	22.0	19.8	18.0	16.5	15.2	14.1	13.2	12.4	11.6	11.0	10.4	9.9	9.4
1/8KSS4 1/4KSS4	10	0.40	16.5	14.7	13.2	12.0	11.0	10.2	9.4	8.8	8.3	7.8	7.3	6.9	6.6	6.3
	20	0.57	23.5	20.9	18.8	17.1	15.7	14.5	13.4	12.5	11.8	11.1	10.5	9.9	9.4	9.0
	30	0.69	28.5	25.3	22.8	20.7	19.0	17.5	16.3	15.2	14.2	13.4	12.7	12.0	11.4	10.8
40	0.80	33.0	29.3	26.4	24.0	22.0	20.3	18.9	17.6	16.5	15.5	14.7	13.9	13.2	12.6	12.0
1/8KSS5 1/4KSS5	10	0.50	20.6	18.3	16.5	15.0	13.8	12.7	11.8	11.0	10.3	9.7	9.2	8.7	8.3	7.9
	20	0.71	29.3	26.0	23.4	21.3	19.5	18.0	16.7	15.6	14.6	13.8	13.0	12.3	11.7	11.2
	30	0.87	35.9	31.9	28.7	26.1	23.9	22.1	20.5	19.1	17.9	16.9	16.0	15.1	14.4	13.7
40	1.00	41.3	36.7	33.0	30.0	27.5	25.4	23.6	22.0	20.6	19.4	18.3	17.4	16.5	15.7	15.0
1/8KSS7.5 1/4KSS7.5	10	0.75	30.9	27.5	24.8	22.5	20.6	19.0	17.7	16.5	15.5	14.6	13.8	13.0	12.4	11.8
	20	1.10	45.4	40.3	36.3	33.0	30.3	27.9	25.9	24.2	22.7	21.4	20.2	19.1	18.2	17.3
	30	1.30	53.6	47.7	42.9	39.0	35.8	33.0	30.6	28.6	26.8	25.2	23.8	22.6	21.5	20.4
40	1.50	61.9	55.0	49.5	45.0	41.3	38.1	35.4	33.0	30.9	29.1	27.5	26.1	24.8	23.6	22.5

SMALL K FLOODJET 36" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

11.5	12.0	12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
																			* SEPCIFY MATERIAL	
																			gpm	psi
0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.05	10	1/8KSS.50
1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.07	20	
1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.7	0.7	0.09	30	
1.4	1.4	1.3	1.3	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.8	0.8	0.10	40	100 MESH
1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.6	0.6	0.08	10	1/8KSS.75
1.6	1.5	1.5	1.4	1.3	1.3	1.3	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	1.0	0.9	0.9	0.11	20	
1.9	1.8	1.7	1.7	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	0.13	30	
2.2	2.1	2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.5	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	0.15	40	100 MESH
1.4	1.4	1.3	1.3	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.8	0.8	0.10	10	1/8KSS1
2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.5	1.5	1.4	1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.2	0.14	20	
2.4	2.3	2.2	2.2	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	0.17	30	
2.9	2.8	2.6	2.5	2.4	2.4	2.3	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.7	0.20	40	50 MESH
2.2	2.1	2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.5	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	0.15	10	1/8KSS1.5
3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.8	1.7	0.21	20	
3.7	3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	2.1	0.26	30	
4.3	4.1	4.0	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	0.30	40	50 MESH
2.9	2.8	2.6	2.5	2.4	2.4	2.3	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.7	0.20	10	1/8KSS2 1/4KSS2
4.0	3.9	3.7	3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.4	2.3	0.28	20	
5.0	4.8	4.6	4.4	4.3	4.1	4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	2.9	0.35	30	
5.7	5.5	5.3	5.1	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	0.40	40	50 MESH
3.6	3.4	3.3	3.2	3.1	2.9	2.8	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.1	0.25	10	1/8KSS2.5 1/4KSS2.5
5.0	4.8	4.6	4.4	4.3	4.1	4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	2.9	0.35	20	
6.2	5.9	5.7	5.5	5.3	5.1	4.9	4.7	4.6	4.4	4.3	4.2	4.1	3.9	3.8	3.7	3.6	3.5	0.43	30	
7.2	6.9	6.6	6.3	6.1	5.9	5.7	5.5	5.3	5.2	5.0	4.9	4.7	4.6	4.5	4.3	4.2	4.1	0.50	40	50 MESH
4.3	4.1	4.0	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	0.30	10	1/8KSS3 1/4KSS3
6.0	5.8	5.5	5.3	5.1	5.0	4.8	4.6	4.5	4.3	4.2	4.1	4.0	3.9	3.7	3.6	3.6	3.5	0.42	20	
7.5	7.2	6.9	6.6	6.4	6.1	5.9	5.7	5.5	5.4	5.2	5.0	4.9	4.8	4.6	4.5	4.4	4.3	0.52	30	
8.6	8.3	7.9	7.6	7.3	7.1	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.2	5.1	5.0	0.60	40	50 MESH
5.7	5.5	5.3	5.1	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	0.40	10	1/8KSS4 1/4KSS4
8.2	7.8	7.5	7.2	7.0	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.4	5.2	5.1	5.0	4.8	4.7	0.57	20	
9.9	9.5	9.1	8.8	8.4	8.1	7.9	7.6	7.3	7.1	6.9	6.7	6.5	6.3	6.2	6.0	5.8	5.7	0.69	30	
11.5	11.0	10.6	10.2	9.8	9.4	9.1	8.8	8.5	8.3	8.0	7.8	7.5	7.3	7.1	6.9	6.8	6.6	0.80	40	50 MESH
7.2	6.9	6.6	6.3	6.1	5.9	5.7	5.5	5.3	5.2	5.0	4.9	4.7	4.6	4.5	4.3	4.2	4.1	0.50	10	1/8KSS5 1/4KSS5
10.2	9.8	9.4	9.0	8.7	8.4	8.1	7.8	7.6	7.3	7.1	6.9	6.7	6.5	6.3	6.2	6.0	5.9	0.71	20	
12.5	12.0	11.5	11.0	10.6	10.3	9.9	9.6	9.3	9.0	8.7	8.4	8.2	8.0	7.8	7.6	7.4	7.2	0.87	30	
14.3	13.8	13.2	12.7	12.2	11.8	11.4	11.0	10.6	10.3	10.0	9.7	9.4	9.2	8.9	8.7	8.5	8.3	1.00	40	50 MESH
10.8	10.3	9.9	9.5	9.2	8.8	8.5	8.3	8.0	7.7	7.5	7.3	7.1	6.9	6.7	6.5	6.3	6.2	0.75	10	1/8KSS7.5 1/4KSS7.5
15.8	15.1	14.5	14.0	13.4	13.0	12.5	12.1	11.7	11.3	11.0	10.7	10.4	10.1	9.8	9.6	9.3	9.1	1.10	20	
18.7	17.9	17.2	16.5	15.9	15.3	14.8	14.3	13.8	13.4	13.0	12.6	12.3	11.9	11.6	11.3	11.0	10.7	1.30	30	
21.5	20.6	19.8	19.0	18.3	17.7	17.1	16.5	16.0	15.5	15.0	14.6	14.1	13.8	13.4	13.0	12.7	12.4	1.50	40	50 MESH

SMALL K FLOODJET 36" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0		
1/8KSS10 1/4KSS10	10	1.00	41.3	36.7	33.0	30.0	27.5	25.4	23.6	22.0	20.6	19.4	18.3	17.4	16.5	15.7	15.0
	20	1.40	57.8	51.3	46.2	42.0	38.5	35.5	33.0	30.8	28.9	27.2	25.7	24.3	23.1	22.0	21.0
	30	1.70	70.1	62.3	56.1	51.0	46.8	43.2	40.1	37.4	35.1	33.0	31.2	29.5	28.1	26.7	25.5
	40	2.00	82.5	73.3	66.0	60.0	55.0	50.8	47.1	44.0	41.3	38.8	36.7	34.7	33.0	31.4	30.0
1/8KSS12 1/4KSS12	10	1.20	49.5	44.0	39.6	36.0	33.0	30.5	28.3	26.4	24.8	23.3	22.0	20.8	19.8	18.9	18.0
	20	1.70	70.1	62.3	56.1	51.0	46.8	43.2	40.1	37.4	35.1	33.0	31.2	29.5	28.1	26.7	25.5
	30	2.08	85.8	76.3	68.6	62.4	57.2	52.8	49.0	45.8	42.9	40.4	38.1	36.1	34.3	32.7	31.2
	40	2.40	99.0	88.0	79.2	72.0	66.0	60.9	56.6	52.8	49.5	46.6	44.0	41.7	39.6	37.7	36.0
1/8KSS15 1/4KSS15	10	1.50	61.9	55.0	49.5	45.0	41.3	38.1	35.4	33.0	30.9	29.1	27.5	26.1	24.8	23.6	22.5
	20	2.12	87.5	77.7	70.0	63.6	58.3	53.8	50.0	46.6	43.7	41.2	38.9	36.8	35.0	33.3	31.8
	30	2.60	107.3	95.3	85.8	78.0	71.5	66.0	61.3	57.2	53.6	50.5	47.7	45.2	42.9	40.9	39.0
	40	3.00	123.8	110.0	99.0	90.0	82.5	76.2	70.7	66.0	61.9	58.2	55.0	52.1	49.5	47.1	45.0
1/8KSS18 1/4KSS18	10	1.80	74.3	66.0	59.4	54.0	49.5	45.7	42.4	39.6	37.1	34.9	33.0	31.3	29.7	28.3	27.0
	20	2.55	105.2	93.5	84.2	76.5	70.1	64.7	60.1	56.1	52.6	49.5	46.8	44.3	42.1	40.1	38.3
	30	3.12	128.7	114.4	103.0	93.6	85.8	79.2	73.5	68.6	64.4	60.6	57.2	54.2	51.5	49.0	46.8
	40	3.60	148.5	132.0	118.8	108.0	99.0	91.4	84.9	79.2	74.3	69.9	66.0	62.5	59.4	56.6	54.0
1/8KSS20 1/4KSS20	10	2.00	82.5	73.3	66.0	60.0	55.0	50.8	47.1	44.0	41.3	38.8	36.7	34.7	33.0	31.4	30.0
	20	2.83	116.7	103.8	93.4	84.9	77.8	71.8	66.7	62.3	58.4	54.9	51.9	49.2	46.7	44.5	42.5
	30	3.46	142.7	126.9	114.2	103.8	95.2	87.8	81.6	76.1	71.4	67.2	63.4	60.1	57.1	54.4	51.9
	40	4.00	165.0	146.7	132.0	120.0	110.0	101.5	94.3	88.0	82.5	77.6	73.3	69.5	66.0	62.9	60.0
1/4KSS22	10	2.22	91.6	81.4	73.3	66.6	61.1	56.4	52.3	48.8	45.8	43.1	40.7	38.6	36.6	34.9	33.3
	20	3.11	128.3	114.0	102.6	93.3	85.5	78.9	73.3	68.4	64.1	60.4	57.0	54.0	51.3	48.9	46.7
	30	3.81	157.2	139.7	125.7	114.3	104.8	96.7	89.8	83.8	78.6	74.0	69.9	66.2	62.9	59.9	57.2
	40	4.40	181.5	161.3	145.2	132.0	121.0	111.7	103.7	96.8	90.8	85.4	80.7	76.4	72.6	69.1	66.0
1/4KSS24	10	2.40	99.0	88.0	79.2	72.0	66.0	60.9	56.6	52.8	49.5	46.6	44.0	41.7	39.6	37.7	36.0
	20	3.39	139.8	124.3	111.9	101.7	93.2	86.1	79.9	74.6	69.9	65.8	62.2	58.9	55.9	53.3	50.9
	30	4.16	171.6	152.5	137.3	124.8	114.4	105.6	98.1	91.5	85.8	80.8	76.3	72.3	68.6	65.4	62.4
	40	4.80	198.0	176.0	158.4	144.0	132.0	121.8	113.1	105.6	99.0	93.2	88.0	83.4	79.2	75.4	72.0
1/4KSS27	10	2.70	111.4	99.0	89.1	81.0	74.3	68.5	63.6	59.4	55.7	52.4	49.5	46.9	44.6	42.4	40.5
	20	3.82	157.6	140.1	126.1	114.6	105.1	97.0	90.0	84.0	78.8	74.2	70.0	66.3	63.0	60.0	57.3
	30	4.68	193.1	171.6	154.4	140.4	128.7	118.8	110.3	103.0	96.5	90.8	85.8	81.3	77.2	73.5	70.2
	40	5.40	222.8	198.0	178.2	162.0	148.5	137.1	127.3	118.8	111.4	104.8	99.0	93.8	89.1	84.9	81.0

SMALL K FLOODJET 36" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

11.5	12.0	12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
14.3	13.8	13.2	12.7	12.2	11.8	11.4	11.0	10.6	10.3	10.0	9.7	9.4	9.2	8.9	8.7	8.5	8.3	1.00	10	1/8KSS10 1/4KSS10
20.1	19.3	18.5	17.8	17.1	16.5	15.9	15.4	14.9	14.4	14.0	13.6	13.2	12.8	12.5	12.2	11.8	11.6	1.40	20	
24.4	23.4	22.4	21.6	20.8	20.0	19.3	18.7	18.1	17.5	17.0	16.5	16.0	15.6	15.2	14.8	14.4	14.0	1.70	30	
28.7	27.5	26.4	25.4	24.4	23.6	22.8	22.0	21.3	20.6	20.0	19.4	18.9	18.3	17.8	17.4	16.9	16.5	2.00	40	
17.2	16.5	15.8	15.2	14.7	14.1	13.7	13.2	12.8	12.4	12.0	11.6	11.3	11.0	10.7	10.4	10.2	9.9	1.20	10	1/8KSS12 1/4KSS12
24.4	23.4	22.4	21.6	20.8	20.0	19.3	18.7	18.1	17.5	17.0	16.5	16.0	15.6	15.2	14.8	14.4	14.0	1.70	20	
29.8	28.6	27.5	26.4	25.4	24.5	23.7	22.9	22.1	21.5	20.8	20.2	19.6	19.1	18.6	18.1	17.6	17.2	2.08	30	
34.4	33.0	31.7	30.5	29.3	28.3	27.3	26.4	25.5	24.8	24.0	23.3	22.6	22.0	21.4	20.8	20.3	19.8	2.40	40	
21.5	20.6	19.8	19.0	18.3	17.7	17.1	16.5	16.0	15.5	15.0	14.6	14.1	13.8	13.4	13.0	12.7	12.4	1.50	10	1/8KSS15 1/4KSS15
30.4	29.2	28.0	26.9	25.9	25.0	24.1	23.3	22.6	21.9	21.2	20.6	20.0	19.4	18.9	18.4	17.9	17.5	2.12	20	
37.3	35.8	34.3	33.0	31.8	30.6	29.6	28.6	27.7	26.8	26.0	25.2	24.5	23.8	23.2	22.6	22.0	21.5	2.60	30	
43.0	41.3	39.6	38.1	36.7	35.4	34.1	33.0	31.9	30.9	30.0	29.1	28.3	27.5	26.8	26.1	25.4	24.8	3.00	40	
25.8	24.8	23.8	22.8	22.0	21.2	20.5	19.8	19.2	18.6	18.0	17.5	17.0	16.5	16.1	15.6	15.2	14.9	1.80	10	1/8KSS18 1/4KSS18
36.6	35.1	33.7	32.4	31.2	30.1	29.0	28.1	27.1	26.3	25.5	24.8	24.0	23.4	22.7	22.1	21.6	21.0	2.55	20	
44.8	42.9	41.2	39.6	38.1	36.8	35.5	34.3	33.2	32.2	31.2	30.3	29.4	28.6	27.8	27.1	26.4	25.7	3.12	30	
51.7	49.5	47.5	45.7	44.0	42.4	41.0	39.6	38.3	37.1	36.0	34.9	33.9	33.0	32.1	31.3	30.5	29.7	3.60	40	
28.7	27.5	26.4	25.4	24.4	23.6	22.8	22.0	21.3	20.6	20.0	19.4	18.9	18.3	17.8	17.4	16.9	16.5	2.00	10	1/8KSS20 1/4KSS20
40.6	38.9	37.4	35.9	34.6	33.4	32.2	31.1	30.1	29.2	28.3	27.5	26.7	25.9	25.2	24.6	23.9	23.3	2.83	20	
49.6	47.6	45.7	43.9	42.3	40.8	39.4	38.1	36.8	35.7	34.6	33.6	32.6	31.7	30.9	30.0	29.3	28.5	3.46	30	
57.4	55.0	52.8	50.8	48.9	47.1	45.5	44.0	42.6	41.3	40.0	38.8	37.7	36.7	35.7	34.7	33.8	33.0	4.00	40	
31.9	30.5	29.3	28.2	27.1	26.2	25.3	24.4	23.6	22.9	22.2	21.5	20.9	20.4	19.8	19.3	18.8	18.3	2.22	10	1/4KSS22
44.6	42.8	41.1	39.5	38.0	36.7	35.4	34.2	33.1	32.1	31.1	30.2	29.3	28.5	27.7	27.0	26.3	25.7	3.11	20	
54.7	52.4	50.3	48.4	46.6	44.9	43.4	41.9	40.6	39.3	38.1	37.0	35.9	34.9	34.0	33.1	32.2	31.4	3.81	30	
63.1	60.5	58.1	55.8	53.8	51.9	50.1	48.4	46.8	45.4	44.0	42.7	41.5	40.3	39.2	38.2	37.2	36.3	4.40	40	
34.4	33.0	31.7	30.5	29.3	28.3	27.3	26.4	25.5	24.8	24.0	23.3	22.6	22.0	21.4	20.8	20.3	19.8	2.40	10	1/4KSS24
48.6	46.6	44.7	43.0	41.4	40.0	38.6	37.3	36.1	35.0	33.9	32.9	32.0	31.1	30.2	29.4	28.7	28.0	3.39	20	
59.7	57.2	54.9	52.8	50.8	49.0	47.3	45.8	44.3	42.9	41.6	40.4	39.2	38.1	37.1	36.1	35.2	34.3	4.16	30	
68.9	66.0	63.4	60.9	58.7	56.6	54.6	52.8	51.1	49.5	48.0	46.6	45.3	44.0	42.8	41.7	40.6	39.6	4.80	40	
38.7	37.1	35.6	34.3	33.0	31.8	30.7	29.7	28.7	27.8	27.0	26.2	25.5	24.8	24.1	23.4	22.8	22.3	2.70	10	1/4KSS27
54.8	52.5	50.4	48.5	46.7	45.0	43.5	42.0	40.7	39.4	38.2	37.1	36.0	35.0	34.1	33.2	32.3	31.5	3.82	20	
67.1	64.4	61.8	59.4	57.2	55.2	53.3	51.5	49.8	48.3	46.8	45.4	44.1	42.9	41.7	40.6	39.6	38.6	4.68	30	
77.5	74.3	71.3	68.5	66.0	63.6	61.4	59.4	57.5	55.7	54.0	52.4	50.9	49.5	48.2	46.9	45.7	44.6	5.40	40	