

SMALL K FLOODJET 40" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	
* SEPCIFY MATERIAL																	
	psi gpm																
1/8KSS.50	10	0.05	1.9	1.7	1.5	1.4	1.2	1.1	1.1	1.0	0.9	0.9	0.8	0.8	0.7	0.7	0.7
	20	0.07	2.6	2.3	2.1	1.9	1.8	1.6	1.5	1.4	1.3	1.2	1.2	1.1	1.1	1.0	1.0
	30	0.09	3.2	2.9	2.6	2.3	2.2	2.0	1.8	1.7	1.6	1.5	1.4	1.4	1.3	1.2	1.2
100 MESH	40	0.10	3.7	3.3	3.0	2.7	2.5	2.3	2.1	2.0	1.9	1.7	1.7	1.6	1.5	1.4	1.4
1/8KSS.75	10	0.08	2.8	2.5	2.2	2.0	1.9	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1	1.1	1.0
	20	0.11	4.1	3.6	3.3	3.0	2.7	2.5	2.3	2.2	2.0	1.9	1.8	1.7	1.6	1.6	1.5
	30	0.13	4.8	4.3	3.9	3.5	3.2	3.0	2.8	2.6	2.4	2.3	2.1	2.0	1.9	1.8	1.8
100 MESH	40	0.15	5.6	5.0	4.5	4.1	3.7	3.4	3.2	3.0	2.8	2.6	2.5	2.3	2.2	2.1	2.0
1/8KSS1	10	0.10	3.7	3.3	3.0	2.7	2.5	2.3	2.1	2.0	1.9	1.7	1.7	1.6	1.5	1.4	1.4
	20	0.14	5.2	4.6	4.2	3.8	3.5	3.2	3.0	2.8	2.6	2.4	2.3	2.2	2.1	2.0	1.9
	30	0.17	6.3	5.6	5.0	4.6	4.2	3.9	3.6	3.4	3.2	3.0	2.8	2.7	2.5	2.4	2.3
50 MESH	40	0.20	7.4	6.6	5.9	5.4	5.0	4.6	4.2	4.0	3.7	3.5	3.3	3.1	3.0	2.8	2.7
1/8KSS1.5	10	0.15	5.6	5.0	4.5	4.1	3.7	3.4	3.2	3.0	2.8	2.6	2.5	2.3	2.2	2.1	2.0
	20	0.21	7.8	6.9	6.2	5.7	5.2	4.8	4.5	4.2	3.9	3.7	3.5	3.3	3.1	3.0	2.8
	30	0.26	9.7	8.6	7.7	7.0	6.4	5.9	5.5	5.1	4.8	4.5	4.3	4.1	3.9	3.7	3.5
50 MESH	40	0.30	11.1	9.9	8.9	8.1	7.4	6.9	6.4	5.9	5.6	5.2	5.0	4.7	4.5	4.2	4.1
1/8KSS2 1/4KSS2	10	0.20	7.4	6.6	5.9	5.4	5.0	4.6	4.2	4.0	3.7	3.5	3.3	3.1	3.0	2.8	2.7
	20	0.28	10.4	9.2	8.3	7.6	6.9	6.4	5.9	5.5	5.2	4.9	4.6	4.4	4.2	4.0	3.8
	30	0.35	13.0	11.6	10.4	9.5	8.7	8.0	7.4	6.9	6.5	6.1	5.8	5.5	5.2	5.0	4.7
50 MESH	40	0.40	14.9	13.2	11.9	10.8	9.9	9.1	8.5	7.9	7.4	7.0	6.6	6.3	5.9	5.7	5.4
1/8KSS2.5 1/4KSS2.5	10	0.25	9.3	8.3	7.4	6.8	6.2	5.7	5.3	5.0	4.6	4.4	4.1	3.9	3.7	3.5	3.4
	20	0.35	13.0	11.6	10.4	9.5	8.7	8.0	7.4	6.9	6.5	6.1	5.8	5.5	5.2	5.0	4.7
	30	0.43	16.0	14.2	12.8	11.6	10.6	9.8	9.1	8.5	8.0	7.5	7.1	6.7	6.4	6.1	5.8
50 MESH	40	0.50	18.6	16.5	14.9	13.5	12.4	11.4	10.6	9.9	9.3	8.7	8.3	7.8	7.4	7.1	6.8
1/8KSS3 1/4KSS3	10	0.30	11.1	9.9	8.9	8.1	7.4	6.9	6.4	5.9	5.6	5.2	5.0	4.7	4.5	4.2	4.1
	20	0.42	15.6	13.9	12.5	11.3	10.4	9.6	8.9	8.3	7.8	7.3	6.9	6.6	6.2	5.9	5.7
	30	0.52	19.3	17.2	15.4	14.0	12.9	11.9	11.0	10.3	9.7	9.1	8.6	8.1	7.7	7.4	7.0
50 MESH	40	0.60	22.3	19.8	17.8	16.2	14.9	13.7	12.7	11.9	11.1	10.5	9.9	9.4	8.9	8.5	8.1
1/8KSS4 1/4KSS4	10	0.40	14.9	13.2	11.9	10.8	9.9	9.1	8.5	7.9	7.4	7.0	6.6	6.3	5.9	5.7	5.4
	20	0.57	21.2	18.8	16.9	15.4	14.1	13.0	12.1	11.3	10.6	10.0	9.4	8.9	8.5	8.1	7.7
	30	0.69	25.6	22.8	20.5	18.6	17.1	15.8	14.6	13.7	12.8	12.1	11.4	10.8	10.2	9.8	9.3
40	0.80	29.7	26.4	23.8	21.6	19.8	18.3	17.0	15.8	14.9	14.0	13.2	12.5	11.9	11.3	10.8	
1/8KSS5 1/4KSS5	10	0.50	18.6	16.5	14.9	13.5	12.4	11.4	10.6	9.9	9.3	8.7	8.3	7.8	7.4	7.1	6.8
	20	0.71	26.4	23.4	21.1	19.2	17.6	16.2	15.1	14.1	13.2	12.4	11.7	11.1	10.5	10.0	9.6
	30	0.87	32.3	28.7	25.8	23.5	21.5	19.9	18.5	17.2	16.1	15.2	14.4	13.6	12.9	12.3	11.7
40	1.00	37.1	33.0	29.7	27.0	24.8	22.8	21.2	19.8	18.6	17.5	16.5	15.6	14.9	14.1	13.5	
1/8KSS7.5 1/4KSS7.5	10	0.75	27.8	24.8	22.3	20.3	18.6	17.1	15.9	14.9	13.9	13.1	12.4	11.7	11.1	10.6	10.1
	20	1.10	40.8	36.3	32.7	29.7	27.2	25.1	23.3	21.8	20.4	19.2	18.2	17.2	16.3	15.6	14.9
	30	1.30	48.3	42.9	38.6	35.1	32.2	29.7	27.6	25.7	24.1	22.7	21.5	20.3	19.3	18.4	17.6
40	1.50	55.7	49.5	44.6	40.5	37.1	34.3	31.8	29.7	27.8	26.2	24.8	23.4	22.3	21.2	20.3	

K

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

11.5	12.0	12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
																			* SEPCIFY MATERIAL	
																			gpm	psi
0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.05	10	1/8KSS.50
0.9	0.9	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.07	20	
1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.6	0.09	30	
1.3	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.7	0.10	40	
1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.08	10	1/8KSS.75
1.4	1.4	1.3	1.3	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.8	0.8	0.11	20	
1.7	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	1.0	0.13	30	
1.9	1.9	1.8	1.7	1.7	1.6	1.5	1.5	1.4	1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.1	1.1	0.15	40	
1.3	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.7	0.10	10	1/8KSS1
1.8	1.7	1.7	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	1.0	0.14	20	
2.2	2.1	2.0	1.9	1.9	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.4	1.3	1.3	1.3	0.17	30	
2.6	2.5	2.4	2.3	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.7	1.7	1.7	1.6	1.6	1.5	1.5	0.20	40	
1.9	1.9	1.8	1.7	1.7	1.6	1.5	1.5	1.4	1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.1	1.1	0.15	10	1/8KSS1.5
2.7	2.6	2.5	2.4	2.3	2.2	2.2	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.6	0.21	20	
3.4	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	1.9	0.26	30	
3.9	3.7	3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	0.30	40	
2.6	2.5	2.4	2.3	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.7	1.7	1.7	1.6	1.6	1.5	1.5	0.20	10	1/8KSS2 1/4KSS2
3.6	3.5	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.1	0.28	20	
4.5	4.3	4.2	4.0	3.9	3.7	3.6	3.5	3.4	3.2	3.2	3.1	3.0	2.9	2.8	2.7	2.7	2.6	0.35	30	
5.2	5.0	4.8	4.6	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	0.40	40	
3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	1.9	1.9	0.25	10	1/8KSS2.5 1/4KSS2.5
4.5	4.3	4.2	4.0	3.9	3.7	3.6	3.5	3.4	3.2	3.2	3.1	3.0	2.9	2.8	2.7	2.7	2.6	0.35	20	
5.6	5.3	5.1	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.6	3.5	3.5	3.4	3.3	3.2	0.43	30	
6.5	6.2	5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.6	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	0.50	40	
3.9	3.7	3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	0.30	10	1/8KSS3 1/4KSS3
5.4	5.2	5.0	4.8	4.6	4.5	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	0.42	20	
6.7	6.4	6.2	5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.7	4.5	4.4	4.3	4.2	4.1	4.0	3.9	0.52	30	
7.7	7.4	7.1	6.9	6.6	6.4	6.1	5.9	5.7	5.6	5.4	5.2	5.1	5.0	4.8	4.7	4.6	4.5	0.60	40	
5.2	5.0	4.8	4.6	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	0.40	10	1/8KSS4 1/4KSS4
7.4	7.1	6.8	6.5	6.3	6.0	5.8	5.6	5.5	5.3	5.1	5.0	4.8	4.7	4.6	4.5	4.3	4.2	0.57	20	
8.9	8.5	8.2	7.9	7.6	7.3	7.1	6.8	6.6	6.4	6.2	6.0	5.9	5.7	5.5	5.4	5.3	5.1	0.69	30	
10.3	9.9	9.5	9.1	8.8	8.5	8.2	7.9	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.3	6.1	5.9	0.80	40	
6.5	6.2	5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.6	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	0.50	10	1/8KSS5 1/4KSS5
9.2	8.8	8.4	8.1	7.8	7.5	7.3	7.0	6.8	6.6	6.4	6.2	6.0	5.9	5.7	5.5	5.4	5.3	0.71	20	
11.2	10.8	10.3	9.9	9.6	9.2	8.9	8.6	8.3	8.1	7.8	7.6	7.4	7.2	7.0	6.8	6.6	6.5	0.87	30	
12.9	12.4	11.9	11.4	11.0	10.6	10.2	9.9	9.6	9.3	9.0	8.7	8.5	8.3	8.0	7.8	7.6	7.4	1.00	40	
9.7	9.3	8.9	8.6	8.3	8.0	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.9	5.7	5.6	0.75	10	1/8KSS7.5 1/4KSS7.5
14.2	13.6	13.1	12.6	12.1	11.7	11.3	10.9	10.5	10.2	9.9	9.6	9.3	9.1	8.8	8.6	8.4	8.2	1.10	20	
16.8	16.1	15.4	14.9	14.3	13.8	13.3	12.9	12.5	12.1	11.7	11.4	11.0	10.7	10.4	10.2	9.9	9.7	1.30	30	
19.4	18.6	17.8	17.1	16.5	15.9	15.4	14.9	14.4	13.9	13.5	13.1	12.7	12.4	12.0	11.7	11.4	11.1	1.50	40	

SMALL K FLOODJET 40" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0		
1/8KSS10 1/4KSS10	10	1.00	37.1	33.0	29.7	27.0	24.8	22.8	21.2	19.8	18.6	17.5	16.5	15.6	14.9	14.1	13.5
	20	1.40	52.0	46.2	41.6	37.8	34.7	32.0	29.7	27.7	26.0	24.5	23.1	21.9	20.8	19.8	18.9
	30	1.70	63.1	56.1	50.5	45.9	42.1	38.8	36.1	33.7	31.6	29.7	28.1	26.6	25.2	24.0	23.0
	40	2.00	74.3	66.0	59.4	54.0	49.5	45.7	42.4	39.6	37.1	34.9	33.0	31.3	29.7	28.3	27.0
1/8KSS12 1/4KSS12	10	1.20	44.6	39.6	35.6	32.4	29.7	27.4	25.5	23.8	22.3	21.0	19.8	18.8	17.8	17.0	16.2
	20	1.70	63.1	56.1	50.5	45.9	42.1	38.8	36.1	33.7	31.6	29.7	28.1	26.6	25.2	24.0	23.0
	30	2.08	77.2	68.6	61.8	56.2	51.5	47.5	44.1	41.2	38.6	36.3	34.3	32.5	30.9	29.4	28.1
	40	2.40	89.1	79.2	71.3	64.8	59.4	54.8	50.9	47.5	44.6	41.9	39.6	37.5	35.6	33.9	32.4
1/8KSS15 1/4KSS15	10	1.50	55.7	49.5	44.6	40.5	37.1	34.3	31.8	29.7	27.8	26.2	24.8	23.4	22.3	21.2	20.3
	20	2.12	78.7	70.0	63.0	57.2	52.5	48.4	45.0	42.0	39.4	37.0	35.0	33.1	31.5	30.0	28.6
	30	2.60	96.5	85.8	77.2	70.2	64.4	59.4	55.2	51.5	48.3	45.4	42.9	40.6	38.6	36.8	35.1
	40	3.00	111.4	99.0	89.1	81.0	74.3	68.5	63.6	59.4	55.7	52.4	49.5	46.9	44.6	42.4	40.5
1/8KSS18 1/4KSS18	10	1.80	66.8	59.4	53.5	48.6	44.6	41.1	38.2	35.6	33.4	31.4	29.7	28.1	26.7	25.5	24.3
	20	2.55	94.7	84.2	75.7	68.9	63.1	58.3	54.1	50.5	47.3	44.6	42.1	39.9	37.9	36.1	34.4
	30	3.12	115.8	103.0	92.7	84.2	77.2	71.3	66.2	61.8	57.9	54.5	51.5	48.8	46.3	44.1	42.1
	40	3.60	133.7	118.8	106.9	97.2	89.1	82.2	76.4	71.3	66.8	62.9	59.4	56.3	53.5	50.9	48.6
1/8KSS20 1/4KSS20	10	2.00	74.3	66.0	59.4	54.0	49.5	45.7	42.4	39.6	37.1	34.9	33.0	31.3	29.7	28.3	27.0
	20	2.83	105.1	93.4	84.1	76.4	70.0	64.7	60.0	56.0	52.5	49.4	46.7	44.2	42.0	40.0	38.2
	30	3.46	128.5	114.2	102.8	93.4	85.6	79.0	73.4	68.5	64.2	60.4	57.1	54.1	51.4	48.9	46.7
	40	4.00	148.5	132.0	118.8	108.0	99.0	91.4	84.9	79.2	74.3	69.9	66.0	62.5	59.4	56.6	54.0
1/4KSS22	10	2.22	82.4	73.3	65.9	59.9	54.9	50.7	47.1	44.0	41.2	38.8	36.6	34.7	33.0	31.4	30.0
	20	3.11	115.5	102.6	92.4	84.0	77.0	71.1	66.0	61.6	57.7	54.3	51.3	48.6	46.2	44.0	42.0
	30	3.81	141.4	125.7	113.2	102.9	94.3	87.0	80.8	75.4	70.7	66.6	62.9	59.6	56.6	53.9	51.4
	40	4.40	163.4	145.2	130.7	118.8	108.9	100.5	93.3	87.1	81.7	76.9	72.6	68.8	65.3	62.2	59.4
1/4KSS24	10	2.40	89.1	79.2	71.3	64.8	59.4	54.8	50.9	47.5	44.6	41.9	39.6	37.5	35.6	33.9	32.4
	20	3.39	125.9	111.9	100.7	91.5	83.9	77.4	71.9	67.1	62.9	59.2	55.9	53.0	50.3	47.9	45.8
	30	4.16	154.4	137.3	123.6	112.3	103.0	95.0	88.3	82.4	77.2	72.7	68.6	65.0	61.8	58.8	56.2
	40	4.80	178.2	158.4	142.6	129.6	118.8	109.7	101.8	95.0	89.1	83.9	79.2	75.0	71.3	67.9	64.8
1/4KSS27	10	2.70	100.2	89.1	80.2	72.9	66.8	61.7	57.3	53.5	50.1	47.2	44.6	42.2	40.1	38.2	36.5
	20	3.82	141.8	126.1	113.5	103.1	94.5	87.3	81.0	75.6	70.9	66.7	63.0	59.7	56.7	54.0	51.6
	30	4.68	173.7	154.4	139.0	126.4	115.8	106.9	99.3	92.7	86.9	81.8	77.2	73.2	69.5	66.2	63.2
	40	5.40	200.5	178.2	160.4	145.8	133.7	123.4	114.6	106.9	100.2	94.3	89.1	84.4	80.2	76.4	72.9

K

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

11.5	12.0	12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0			mph
12.9	12.4	11.9	11.4	11.0	10.6	10.2	9.9	9.6	9.3	9.0	8.7	8.5	8.3	8.0	7.8	7.6	7.4	1.00	10	1/8KSS10 1/4KSS10
18.1	17.3	16.6	16.0	15.4	14.9	14.3	13.9	13.4	13.0	12.6	12.2	11.9	11.6	11.2	10.9	10.7	10.4	1.40	20	
22.0	21.0	20.2	19.4	18.7	18.0	17.4	16.8	16.3	15.8	15.3	14.9	14.4	14.0	13.6	13.3	12.9	12.6	1.70	30	
25.8	24.8	23.8	22.8	22.0	21.2	20.5	19.8	19.2	18.6	18.0	17.5	17.0	16.5	16.1	15.6	15.2	14.9	2.00	40	
15.5	14.9	14.3	13.7	13.2	12.7	12.3	11.9	11.5	11.1	10.8	10.5	10.2	9.9	9.6	9.4	9.1	8.9	1.20	10	1/8KSS12 1/4KSS12
22.0	21.0	20.2	19.4	18.7	18.0	17.4	16.8	16.3	15.8	15.3	14.9	14.4	14.0	13.6	13.3	12.9	12.6	1.70	20	
26.9	25.7	24.7	23.8	22.9	22.1	21.3	20.6	19.9	19.3	18.7	18.2	17.7	17.2	16.7	16.3	15.8	15.4	2.08	30	
31.0	29.7	28.5	27.4	26.4	25.5	24.6	23.8	23.0	22.3	21.6	21.0	20.4	19.8	19.3	18.8	18.3	17.8	2.40	40	
19.4	18.6	17.8	17.1	16.5	15.9	15.4	14.9	14.4	13.9	13.5	13.1	12.7	12.4	12.0	11.7	11.4	11.1	1.50	10	1/8KSS15 1/4KSS15
27.4	26.2	25.2	24.2	23.3	22.5	21.7	21.0	20.3	19.7	19.1	18.5	18.0	17.5	17.0	16.6	16.1	15.7	2.12	20	
33.6	32.2	30.9	29.7	28.6	27.6	26.6	25.7	24.9	24.1	23.4	22.7	22.1	21.5	20.9	20.3	19.8	19.3	2.60	30	
38.7	37.1	35.6	34.3	33.0	31.8	30.7	29.7	28.7	27.8	27.0	26.2	25.5	24.8	24.1	23.4	22.8	22.3	3.00	40	
23.2	22.3	21.4	20.6	19.8	19.1	18.4	17.8	17.2	16.7	16.2	15.7	15.3	14.9	14.4	14.1	13.7	13.4	1.80	10	1/8KSS18 1/4KSS18
32.9	31.6	30.3	29.1	28.1	27.0	26.1	25.2	24.4	23.7	23.0	22.3	21.6	21.0	20.5	19.9	19.4	18.9	2.55	20	
40.3	38.6	37.1	35.6	34.3	33.1	32.0	30.9	29.9	29.0	28.1	27.3	26.5	25.7	25.0	24.4	23.8	23.2	3.12	30	
46.5	44.6	42.8	41.1	39.6	38.2	36.9	35.6	34.5	33.4	32.4	31.4	30.5	29.7	28.9	28.1	27.4	26.7	3.60	40	
25.8	24.8	23.8	22.8	22.0	21.2	20.5	19.8	19.2	18.6	18.0	17.5	17.0	16.5	16.1	15.6	15.2	14.9	2.00	10	1/8KSS20 1/4KSS20
36.5	35.0	33.6	32.3	31.1	30.0	29.0	28.0	27.1	26.3	25.5	24.7	24.0	23.3	22.7	22.1	21.6	21.0	2.83	20	
44.7	42.8	41.1	39.5	38.1	36.7	35.4	34.3	33.1	32.1	31.1	30.2	29.4	28.5	27.8	27.0	26.3	25.7	3.46	30	
51.7	49.5	47.5	45.7	44.0	42.4	41.0	39.6	38.3	37.1	36.0	34.9	33.9	33.0	32.1	31.3	30.5	29.7	4.00	40	
28.7	27.5	26.4	25.4	24.4	23.5	22.7	22.0	21.3	20.6	20.0	19.4	18.8	18.3	17.8	17.4	16.9	16.5	2.22	10	1/4KSS22
40.2	38.5	36.9	35.5	34.2	33.0	31.9	30.8	29.8	28.9	28.0	27.2	26.4	25.7	25.0	24.3	23.7	23.1	3.11	20	
49.2	47.1	45.3	43.5	41.9	40.4	39.0	37.7	36.5	35.4	34.3	33.3	32.3	31.4	30.6	29.8	29.0	28.3	3.81	30	
56.8	54.5	52.3	50.3	48.4	46.7	45.1	43.6	42.2	40.8	39.6	38.4	37.3	36.3	35.3	34.4	33.5	32.7	4.40	40	
31.0	29.7	28.5	27.4	26.4	25.5	24.6	23.8	23.0	22.3	21.6	21.0	20.4	19.8	19.3	18.8	18.3	17.8	2.40	10	1/4KSS24
43.8	42.0	40.3	38.7	37.3	36.0	34.7	33.6	32.5	31.5	30.5	29.6	28.8	28.0	27.2	26.5	25.8	25.2	3.39	20	
53.7	51.5	49.4	47.5	45.8	44.1	42.6	41.2	39.9	38.6	37.4	36.3	35.3	34.3	33.4	32.5	31.7	30.9	4.16	30	
62.0	59.4	57.0	54.8	52.8	50.9	49.2	47.5	46.0	44.6	43.2	41.9	40.7	39.6	38.5	37.5	36.6	35.6	4.80	40	
34.9	33.4	32.1	30.8	29.7	28.6	27.7	26.7	25.9	25.1	24.3	23.6	22.9	22.3	21.7	21.1	20.6	20.0	2.70	10	1/4KSS27
49.3	47.3	45.4	43.6	42.0	40.5	39.1	37.8	36.6	35.5	34.4	33.4	32.4	31.5	30.7	29.9	29.1	28.4	3.82	20	
60.4	57.9	55.6	53.5	51.5	49.6	47.9	46.3	44.8	43.4	42.1	40.9	39.7	38.6	37.6	36.6	35.6	34.7	4.68	30	
69.7	66.8	64.2	61.7	59.4	57.3	55.3	53.5	51.7	50.1	48.6	47.2	45.8	44.6	43.3	42.2	41.1	40.1	5.40	40	