

SMALL K FLOODJET 60" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0
* SEPCIFY MATERIAL																
	psi gpm															
1/8KSS.50	10	0.05	1.2	1.1	1.0	0.9	0.8	0.8	0.7	0.7	0.6	0.6	0.6	0.5	0.5	0.5
	20	0.07	1.8	1.6	1.4	1.3	1.2	1.1	1.0	0.9	0.9	0.8	0.8	0.7	0.7	0.7
	30	0.09	2.2	1.9	1.7	1.6	1.4	1.3	1.2	1.1	1.1	1.0	1.0	0.9	0.9	0.8
100 MESH	40	0.10	2.5	2.2	2.0	1.8	1.7	1.5	1.4	1.3	1.2	1.2	1.1	1.0	1.0	0.9
1/8KSS.75	10	0.08	1.9	1.7	1.5	1.4	1.2	1.1	1.1	1.0	0.9	0.9	0.8	0.8	0.7	0.7
	20	0.11	2.7	2.4	2.2	2.0	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.1	1.0
	30	0.13	3.2	2.9	2.6	2.3	2.1	2.0	1.8	1.7	1.6	1.5	1.4	1.4	1.3	1.2
100 MESH	40	0.15	3.7	3.3	3.0	2.7	2.5	2.3	2.1	2.0	1.9	1.7	1.7	1.6	1.5	1.4
1/8KSS1	10	0.10	2.5	2.2	2.0	1.8	1.7	1.5	1.4	1.3	1.2	1.2	1.1	1.0	1.0	0.9
	20	0.14	3.5	3.1	2.8	2.5	2.3	2.1	2.0	1.8	1.7	1.6	1.5	1.5	1.4	1.3
	30	0.17	4.2	3.7	3.4	3.1	2.8	2.6	2.4	2.2	2.1	2.0	1.9	1.8	1.7	1.6
50 MESH	40	0.20	5.0	4.4	4.0	3.6	3.3	3.0	2.8	2.6	2.5	2.3	2.2	2.1	2.0	1.9
1/8KSS1.5	10	0.15	3.7	3.3	3.0	2.7	2.5	2.3	2.1	2.0	1.9	1.7	1.7	1.6	1.5	1.4
	20	0.21	5.2	4.6	4.2	3.8	3.5	3.2	3.0	2.8	2.6	2.4	2.3	2.2	2.1	2.0
	30	0.26	6.4	5.7	5.1	4.7	4.3	4.0	3.7	3.4	3.2	3.0	2.9	2.7	2.6	2.5
50 MESH	40	0.30	7.4	6.6	5.9	5.4	5.0	4.6	4.2	4.0	3.7	3.5	3.3	3.1	3.0	2.8
1/8KSS2 1/4KSS2	10	0.20	5.0	4.4	4.0	3.6	3.3	3.0	2.8	2.6	2.5	2.3	2.2	2.1	2.0	1.9
	20	0.28	6.9	6.2	5.5	5.0	4.6	4.3	4.0	3.7	3.5	3.3	3.1	2.9	2.8	2.6
	30	0.35	8.7	7.7	6.9	6.3	5.8	5.3	5.0	4.6	4.3	4.1	3.9	3.6	3.5	3.3
50 MESH	40	0.40	9.9	8.8	7.9	7.2	6.6	6.1	5.7	5.3	5.0	4.7	4.4	4.2	4.0	3.8
1/8KSS2.5 1/4KSS2.5	10	0.25	6.2	5.5	5.0	4.5	4.1	3.8	3.5	3.3	3.1	2.9	2.8	2.6	2.5	2.4
	20	0.35	8.7	7.7	6.9	6.3	5.8	5.3	5.0	4.6	4.3	4.1	3.9	3.6	3.5	3.3
	30	0.43	10.6	9.5	8.5	7.7	7.1	6.5	6.1	5.7	5.3	5.0	4.7	4.5	4.3	4.1
50 MESH	40	0.50	12.4	11.0	9.9	9.0	8.3	7.6	7.1	6.6	6.2	5.8	5.5	5.2	5.0	4.7
1/8KSS3 1/4KSS3	10	0.30	7.4	6.6	5.9	5.4	5.0	4.6	4.2	4.0	3.7	3.5	3.3	3.1	3.0	2.8
	20	0.42	10.4	9.2	8.3	7.6	6.9	6.4	5.9	5.5	5.2	4.9	4.6	4.4	4.2	4.0
	30	0.52	12.9	11.4	10.3	9.4	8.6	7.9	7.4	6.9	6.4	6.1	5.7	5.4	5.1	4.9
50 MESH	40	0.60	14.9	13.2	11.9	10.8	9.9	9.1	8.5	7.9	7.4	7.0	6.6	6.3	5.9	5.7
1/8KSS4 1/4KSS4	10	0.40	9.9	8.8	7.9	7.2	6.6	6.1	5.7	5.3	5.0	4.7	4.4	4.2	4.0	3.8
	20	0.57	14.1	12.5	11.3	10.3	9.4	8.7	8.1	7.5	7.1	6.6	6.3	5.9	5.6	5.4
	30	0.69	17.1	15.2	13.7	12.4	11.4	10.5	9.8	9.1	8.5	8.0	7.6	7.2	6.8	6.5
40	0.80	19.8	17.6	15.8	14.4	13.2	12.2	11.3	10.6	9.9	9.3	8.8	8.3	7.9	7.5	7.2
1/8KSS5 1/4KSS5	10	0.50	12.4	11.0	9.9	9.0	8.3	7.6	7.1	6.6	6.2	5.8	5.5	5.2	5.0	4.7
	20	0.71	17.6	15.6	14.1	12.8	11.7	10.8	10.0	9.4	8.8	8.3	7.8	7.4	7.0	6.7
	30	0.87	21.5	19.1	17.2	15.7	14.4	13.3	12.3	11.5	10.8	10.1	9.6	9.1	8.6	8.2
40	1.00	24.8	22.0	19.8	18.0	16.5	15.2	14.1	13.2	12.4	11.6	11.0	10.4	9.9	9.4	9.0
1/8KSS7.5 1/4KSS7.5	10	0.75	18.6	16.5	14.9	13.5	12.4	11.4	10.6	9.9	9.3	8.7	8.3	7.8	7.4	7.1
	20	1.10	27.2	24.2	21.8	19.8	18.2	16.8	15.6	14.5	13.6	12.8	12.1	11.5	10.9	10.4
	30	1.30	32.2	28.6	25.7	23.4	21.5	19.8	18.4	17.2	16.1	15.1	14.3	13.5	12.9	12.3
40	1.50	37.1	33.0	29.7	27.0	24.8	22.8	21.2	19.8	18.6	17.5	16.5	15.6	14.9	14.1	13.5

SMALL K FLOODJET 60" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

11.5	12.0	12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
																			* SEPCIFY MATERIAL	
																			gpm	psi
0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.05	10	1/8KSS.50
0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.07	20	
0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.09	30	
0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.10	40	100 MESH
0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.08	10	1/8KSS.75
0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.5	0.11	20	
1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.6	0.13	30	
1.3	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.7	0.15	40	100 MESH
0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.10	10	1/8KSS1
1.2	1.2	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.14	20	
1.5	1.4	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.8	0.17	30	
1.7	1.7	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	0.20	40	50 MESH
1.3	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.7	0.15	10	1/8KSS1.5
1.8	1.7	1.7	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	1.0	0.21	20	
2.2	2.1	2.1	2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.4	1.3	1.3	0.26	30	
2.6	2.5	2.4	2.3	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.7	1.7	1.7	1.6	1.6	1.5	1.5	0.30	40	50 MESH
1.7	1.7	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	0.20	10	1/8KSS2 1/4KSS2
2.4	2.3	2.2	2.1	2.1	2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.5	1.4	1.4	0.28	20	
3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.8	1.7	0.35	30	
3.4	3.3	3.2	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	0.40	40	50 MESH
2.2	2.1	2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.5	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	0.25	10	1/8KSS2.5 1/4KSS2.5
3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.8	1.7	0.35	20	
3.7	3.5	3.4	3.3	3.2	3.0	2.9	2.8	2.7	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	0.43	30	
4.3	4.1	4.0	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	0.50	40	50 MESH
2.6	2.5	2.4	2.3	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.7	1.7	1.7	1.6	1.6	1.5	1.5	0.30	10	1/8KSS3 1/4KSS3
3.6	3.5	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.1	0.42	20	
4.5	4.3	4.1	4.0	3.8	3.7	3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	2.7	2.6	2.6	0.52	30	
5.2	5.0	4.8	4.6	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	0.60	40	50 MESH
3.4	3.3	3.2	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	0.40	10	1/8KSS4 1/4KSS4
4.9	4.7	4.5	4.3	4.2	4.0	3.9	3.8	3.6	3.5	3.4	3.3	3.2	3.1	3.1	3.0	2.9	2.8	0.57	20	
5.9	5.7	5.5	5.3	5.1	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	0.69	30	
6.9	6.6	6.3	6.1	5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.7	4.5	4.4	4.3	4.2	4.1	4.0	0.80	40	50 MESH
4.3	4.1	4.0	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	0.50	10	1/8KSS5 1/4KSS5
6.1	5.9	5.6	5.4	5.2	5.0	4.8	4.7	4.5	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	0.71	20	
7.5	7.2	6.9	6.6	6.4	6.2	5.9	5.7	5.6	5.4	5.2	5.1	4.9	4.8	4.7	4.5	4.4	4.3	0.87	30	
8.6	8.3	7.9	7.6	7.3	7.1	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.2	5.1	5.0	1.00	40	50 MESH
6.5	6.2	5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.6	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	0.75	10	1/8KSS7.5 1/4KSS7.5
9.5	9.1	8.7	8.4	8.1	7.8	7.5	7.3	7.0	6.8	6.6	6.4	6.2	6.1	5.9	5.7	5.6	5.4	1.10	20	
11.2	10.7	10.3	9.9	9.5	9.2	8.9	8.6	8.3	8.0	7.8	7.6	7.4	7.2	7.0	6.8	6.6	6.4	1.30	30	
12.9	12.4	11.9	11.4	11.0	10.6	10.2	9.9	9.6	9.3	9.0	8.7	8.5	8.3	8.0	7.8	7.6	7.4	1.50	40	50 MESH

SMALL K FLOODJET 60" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0		
1/8KSS10 1/4KSS10	10	1.00	24.8	22.0	19.8	18.0	16.5	15.2	14.1	13.2	12.4	11.6	11.0	10.4	9.9	9.4	9.0
	20	1.40	34.7	30.8	27.7	25.2	23.1	21.3	19.8	18.5	17.3	16.3	15.4	14.6	13.9	13.2	12.6
	30	1.70	42.1	37.4	33.7	30.6	28.1	25.9	24.0	22.4	21.0	19.8	18.7	17.7	16.8	16.0	15.3
	40	2.00	49.5	44.0	39.6	36.0	33.0	30.5	28.3	26.4	24.8	23.3	22.0	20.8	19.8	18.9	18.0
1/8KSS12 1/4KSS12	10	1.20	29.7	26.4	23.8	21.6	19.8	18.3	17.0	15.8	14.9	14.0	13.2	12.5	11.9	11.3	10.8
	20	1.70	42.1	37.4	33.7	30.6	28.1	25.9	24.0	22.4	21.0	19.8	18.7	17.7	16.8	16.0	15.3
	30	2.08	51.5	45.8	41.2	37.4	34.3	31.7	29.4	27.5	25.7	24.2	22.9	21.7	20.6	19.6	18.7
	40	2.40	59.4	52.8	47.5	43.2	39.6	36.6	33.9	31.7	29.7	28.0	26.4	25.0	23.8	22.6	21.6
1/8KSS15 1/4KSS15	10	1.50	37.1	33.0	29.7	27.0	24.8	22.8	21.2	19.8	18.6	17.5	16.5	15.6	14.9	14.1	13.5
	20	2.12	52.5	46.6	42.0	38.2	35.0	32.3	30.0	28.0	26.2	24.7	23.3	22.1	21.0	20.0	19.1
	30	2.60	64.4	57.2	51.5	46.8	42.9	39.6	36.8	34.3	32.2	30.3	28.6	27.1	25.7	24.5	23.4
	40	3.00	74.3	66.0	59.4	54.0	49.5	45.7	42.4	39.6	37.1	34.9	33.0	31.3	29.7	28.3	27.0
1/8KSS18 1/4KSS18	10	1.80	44.6	39.6	35.6	32.4	29.7	27.4	25.5	23.8	22.3	21.0	19.8	18.8	17.8	17.0	16.2
	20	2.55	63.1	56.1	50.5	45.9	42.1	38.8	36.1	33.7	31.6	29.7	28.1	26.6	25.2	24.0	23.0
	30	3.12	77.2	68.6	61.8	56.2	51.5	47.5	44.1	41.2	38.6	36.3	34.3	32.5	30.9	29.4	28.1
	40	3.60	89.1	79.2	71.3	64.8	59.4	54.8	50.9	47.5	44.6	41.9	39.6	37.5	35.6	33.9	32.4
1/8KSS20 1/4KSS20	10	2.00	49.5	44.0	39.6	36.0	33.0	30.5	28.3	26.4	24.8	23.3	22.0	20.8	19.8	18.9	18.0
	20	2.83	70.0	62.3	56.0	50.9	46.7	43.1	40.0	37.4	35.0	33.0	31.1	29.5	28.0	26.7	25.5
	30	3.46	85.6	76.1	68.5	62.3	57.1	52.7	48.9	45.7	42.8	40.3	38.1	36.1	34.3	32.6	31.1
	40	4.00	99.0	88.0	79.2	72.0	66.0	60.9	56.6	52.8	49.5	46.6	44.0	41.7	39.6	37.7	36.0
1/4KSS22	10	2.22	54.9	48.8	44.0	40.0	36.6	33.8	31.4	29.3	27.5	25.9	24.4	23.1	22.0	20.9	20.0
	20	3.11	77.0	68.4	61.6	56.0	51.3	47.4	44.0	41.1	38.5	36.2	34.2	32.4	30.8	29.3	28.0
	30	3.81	94.3	83.8	75.4	68.6	62.9	58.0	53.9	50.3	47.1	44.4	41.9	39.7	37.7	35.9	34.3
	40	4.40	108.9	96.8	87.1	79.2	72.6	67.0	62.2	58.1	54.5	51.2	48.4	45.9	43.6	41.5	39.6
1/4KSS24	10	2.40	59.4	52.8	47.5	43.2	39.6	36.6	33.9	31.7	29.7	28.0	26.4	25.0	23.8	22.6	21.6
	20	3.39	83.9	74.6	67.1	61.0	55.9	51.6	47.9	44.7	42.0	39.5	37.3	35.3	33.6	32.0	30.5
	30	4.16	103.0	91.5	82.4	74.9	68.6	63.4	58.8	54.9	51.5	48.5	45.8	43.4	41.2	39.2	37.4
	40	4.80	118.8	105.6	95.0	86.4	79.2	73.1	67.9	63.4	59.4	55.9	52.8	50.0	47.5	45.3	43.2
1/4KSS27	10	2.70	66.8	59.4	53.5	48.6	44.6	41.1	38.2	35.6	33.4	31.4	29.7	28.1	26.7	25.5	24.3
	20	3.82	94.5	84.0	75.6	68.8	63.0	58.2	54.0	50.4	47.3	44.5	42.0	39.8	37.8	36.0	34.4
	30	4.68	115.8	103.0	92.7	84.2	77.2	71.3	66.2	61.8	57.9	54.5	51.5	48.8	46.3	44.1	42.1
	40	5.40	133.7	118.8	106.9	97.2	89.1	82.2	76.4	71.3	66.8	62.9	59.4	56.3	53.5	50.9	48.6

SMALL K FLOODJET 60" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

11.5	12.0	12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0			mph
8.6	8.3	7.9	7.6	7.3	7.1	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.2	5.1	5.0	1.00	10	1/8KSS10 1/4KSS10
12.1	11.6	11.1	10.7	10.3	9.9	9.6	9.2	8.9	8.7	8.4	8.2	7.9	7.7	7.5	7.3	7.1	6.9	1.40	20	
14.6	14.0	13.5	12.9	12.5	12.0	11.6	11.2	10.9	10.5	10.2	9.9	9.6	9.4	9.1	8.9	8.6	8.4	1.70	30	
17.2	16.5	15.8	15.2	14.7	14.1	13.7	13.2	12.8	12.4	12.0	11.6	11.3	11.0	10.7	10.4	10.2	9.9	2.00	40	
10.3	9.9	9.5	9.1	8.8	8.5	8.2	7.9	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.3	6.1	5.9	1.20	10	1/8KSS12 1/4KSS12
14.6	14.0	13.5	12.9	12.5	12.0	11.6	11.2	10.9	10.5	10.2	9.9	9.6	9.4	9.1	8.9	8.6	8.4	1.70	20	
17.9	17.2	16.5	15.8	15.3	14.7	14.2	13.7	13.3	12.9	12.5	12.1	11.8	11.4	11.1	10.8	10.6	10.3	2.08	30	
20.7	19.8	19.0	18.3	17.6	17.0	16.4	15.8	15.3	14.9	14.4	14.0	13.6	13.2	12.8	12.5	12.2	11.9	2.40	40	
12.9	12.4	11.9	11.4	11.0	10.6	10.2	9.9	9.6	9.3	9.0	8.7	8.5	8.3	8.0	7.8	7.6	7.4	1.50	10	1/8KSS15 1/4KSS15
18.3	17.5	16.8	16.1	15.5	15.0	14.5	14.0	13.5	13.1	12.7	12.3	12.0	11.7	11.3	11.0	10.8	10.5	2.12	20	
22.4	21.5	20.6	19.8	19.1	18.4	17.8	17.2	16.6	16.1	15.6	15.1	14.7	14.3	13.9	13.5	13.2	12.9	2.60	30	
25.8	24.8	23.8	22.8	22.0	21.2	20.5	19.8	19.2	18.6	18.0	17.5	17.0	16.5	16.1	15.6	15.2	14.9	3.00	40	
15.5	14.9	14.3	13.7	13.2	12.7	12.3	11.9	11.5	11.1	10.8	10.5	10.2	9.9	9.6	9.4	9.1	8.9	1.80	10	1/8KSS18 1/4KSS18
22.0	21.0	20.2	19.4	18.7	18.0	17.4	16.8	16.3	15.8	15.3	14.9	14.4	14.0	13.6	13.3	12.9	12.6	2.55	20	
26.9	25.7	24.7	23.8	22.9	22.1	21.3	20.6	19.9	19.3	18.7	18.2	17.7	17.2	16.7	16.3	15.8	15.4	3.12	30	
31.0	29.7	28.5	27.4	26.4	25.5	24.6	23.8	23.0	22.3	21.6	21.0	20.4	19.8	19.3	18.8	18.3	17.8	3.60	40	
17.2	16.5	15.8	15.2	14.7	14.1	13.7	13.2	12.8	12.4	12.0	11.6	11.3	11.0	10.7	10.4	10.2	9.9	2.00	10	1/8KSS20 1/4KSS20
24.4	23.3	22.4	21.6	20.8	20.0	19.3	18.7	18.1	17.5	17.0	16.5	16.0	15.6	15.1	14.7	14.4	14.0	2.83	20	
29.8	28.5	27.4	26.3	25.4	24.5	23.6	22.8	22.1	21.4	20.8	20.1	19.6	19.0	18.5	18.0	17.6	17.1	3.46	30	
34.4	33.0	31.7	30.5	29.3	28.3	27.3	26.4	25.5	24.8	24.0	23.3	22.6	22.0	21.4	20.8	20.3	19.8	4.00	40	
19.1	18.3	17.6	16.9	16.3	15.7	15.2	14.7	14.2	13.7	13.3	12.9	12.6	12.2	11.9	11.6	11.3	11.0	2.22	10	1/4KSS22
26.8	25.7	24.6	23.7	22.8	22.0	21.2	20.5	19.9	19.2	18.7	18.1	17.6	17.1	16.6	16.2	15.8	15.4	3.11	20	
32.8	31.4	30.2	29.0	27.9	26.9	26.0	25.1	24.3	23.6	22.9	22.2	21.6	21.0	20.4	19.9	19.3	18.9	3.81	30	
37.9	36.3	34.8	33.5	32.3	31.1	30.0	29.0	28.1	27.2	26.4	25.6	24.9	24.2	23.5	22.9	22.3	21.8	4.40	40	
20.7	19.8	19.0	18.3	17.6	17.0	16.4	15.8	15.3	14.9	14.4	14.0	13.6	13.2	12.8	12.5	12.2	11.9	2.40	10	1/4KSS24
29.2	28.0	26.8	25.8	24.9	24.0	23.1	22.4	21.7	21.0	20.3	19.7	19.2	18.6	18.1	17.7	17.2	16.8	3.39	20	
35.8	34.3	32.9	31.7	30.5	29.4	28.4	27.5	26.6	25.7	25.0	24.2	23.5	22.9	22.3	21.7	21.1	20.6	4.16	30	
41.3	39.6	38.0	36.6	35.2	33.9	32.8	31.7	30.7	29.7	28.8	28.0	27.2	26.4	25.7	25.0	24.4	23.8	4.80	40	
23.2	22.3	21.4	20.6	19.8	19.1	18.4	17.8	17.2	16.7	16.2	15.7	15.3	14.9	14.4	14.1	13.7	13.4	2.70	10	1/4KSS27
32.9	31.5	30.3	29.1	28.0	27.0	26.1	25.2	24.4	23.6	22.9	22.2	21.6	21.0	20.4	19.9	19.4	18.9	3.82	20	
40.3	38.6	37.1	35.6	34.3	33.1	32.0	30.9	29.9	29.0	28.1	27.3	26.5	25.7	25.0	24.4	23.8	23.2	4.68	30	
46.5	44.6	42.8	41.1	39.6	38.2	36.9	35.6	34.5	33.4	32.4	31.4	30.5	29.7	28.9	28.1	27.4	26.7	5.40	40	