

TURBO TEEJEET 110° 15" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0		
psi gpm																				
TT11001VS	15	0.06	6.0	5.4	4.8	4.4	4.0	3.7	3.5	3.2	3.0	2.8	2.7	2.5	2.4	2.3	2.2	2.1	2.0	
	20	0.07	7.0	6.2	5.6	5.1	4.7	4.3	4.0	3.7	3.5	3.3	3.1	3.0	2.8	2.7	2.6	2.4	2.3	
	30	0.09	8.6	7.7	6.9	6.3	5.7	5.3	4.9	4.6	4.3	4.1	3.8	3.6	3.4	3.3	3.1	3.0	2.9	
	40	0.10	9.9	8.8	7.9	7.2	6.6	6.1	5.7	5.3	5.0	4.7	4.4	4.2	4.0	3.8	3.6	3.4	3.3	
	100 MESH	50	0.11	11.1	9.9	8.9	8.1	7.4	6.8	6.3	5.9	5.5	5.2	4.9	4.7	4.4	4.2	4.0	3.9	3.7
		60	0.12	12.1	10.7	9.7	8.8	8.1	7.4	6.9	6.4	6.0	5.7	5.4	5.1	4.8	4.6	4.4	4.2	4.0
		75	0.14	13.9	12.3	11.1	10.1	9.2	8.5	7.9	7.4	6.9	6.5	6.2	5.8	5.5	5.3	5.0	4.8	4.6
	ORANGE	90	0.15	14.9	13.2	11.9	10.8	9.9	9.1	8.5	7.9	7.4	7.0	6.6	6.3	5.9	5.7	5.4	5.2	5.0
TT110015VS	15	0.01	0.9	0.8	0.7	0.6	0.6	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	
	20	0.11	10.5	9.3	8.4	7.6	7.0	6.5	6.0	5.6	5.2	4.9	4.7	4.4	4.2	4.0	3.8	3.7	3.5	
	30	0.13	12.9	11.4	10.3	9.4	8.6	7.9	7.4	6.9	6.4	6.1	5.7	5.4	5.1	4.9	4.7	4.5	4.3	
	40	0.15	14.9	13.2	11.9	10.8	9.9	9.1	8.5	7.9	7.4	7.0	6.6	6.3	5.9	5.7	5.4	5.2	5.0	
	100 MESH	50	0.17	16.6	14.8	13.3	12.1	11.1	10.2	9.5	8.9	8.3	7.8	7.4	7.0	6.7	6.3	6.0	5.8	5.5
		60	0.18	18.2	16.2	14.6	13.2	12.1	11.2	10.4	9.7	9.1	8.6	8.1	7.7	7.3	6.9	6.6	6.3	6.1
		75	0.21	20.8	18.5	16.6	15.1	13.9	12.8	11.9	11.1	10.4	9.8	9.2	8.8	8.3	7.9	7.6	7.2	6.9
	GREEN	90	0.23	22.8	20.2	18.2	16.6	15.2	14.0	13.0	12.1	11.4	10.7	10.1	9.6	9.1	8.7	8.3	7.9	7.6
TT11002VS	15	0.12	11.9	10.6	9.5	8.6	7.9	7.3	6.8	6.3	5.9	5.6	5.3	5.0	4.8	4.5	4.3	4.1	4.0	
	20	0.14	14.0	12.4	11.2	10.2	9.3	8.6	8.0	7.4	7.0	6.6	6.2	5.9	5.6	5.3	5.1	4.9	4.7	
	30	0.17	17.1	15.2	13.7	12.5	11.4	10.5	9.8	9.1	8.6	8.1	7.6	7.2	6.9	6.5	6.2	6.0	5.7	
	40	0.20	19.8	17.6	15.8	14.4	13.2	12.2	11.3	10.6	9.9	9.3	8.8	8.3	7.9	7.5	7.2	6.9	6.6	
	50 MESH	50	0.22	22.2	19.7	17.7	16.1	14.8	13.6	12.7	11.8	11.1	10.4	9.9	9.3	8.9	8.4	8.1	7.7	7.4
		60	0.25	24.3	21.6	19.4	17.6	16.2	14.9	13.9	12.9	12.1	11.4	10.8	10.2	9.7	9.2	8.8	8.4	8.1
		75	0.27	26.7	23.8	21.4	19.4	17.8	16.4	15.3	14.3	13.4	12.6	11.9	11.3	10.7	10.2	9.7	9.3	8.9
	YELLOW	90	0.30	29.7	26.4	23.8	21.6	19.8	18.3	17.0	15.8	14.9	14.0	13.2	12.5	11.9	11.3	10.8	10.3	9.9
TT11003VS	15	0.18	17.8	15.8	14.3	13.0	11.9	11.0	10.2	9.5	8.9	8.4	7.9	7.5	7.1	6.8	6.5	6.2	5.9	
	20	0.21	21.0	18.7	16.8	15.3	14.0	12.9	12.0	11.2	10.5	9.9	9.3	8.8	8.4	8.0	7.6	7.3	7.0	
	30	0.26	25.7	22.9	20.6	18.7	17.2	15.8	14.7	13.7	12.9	12.1	11.4	10.8	10.3	9.8	9.4	9.0	8.6	
	40	0.30	29.7	26.4	23.8	21.6	19.8	18.3	17.0	15.8	14.9	14.0	13.2	12.5	11.9	11.3	10.8	10.3	9.9	
	50 MESH	50	0.34	33.2	29.5	26.5	24.1	22.1	20.4	19.0	17.7	16.6	15.6	14.7	14.0	13.3	12.6	12.1	11.5	11.1
		60	0.37	36.3	32.3	29.1	26.4	24.2	22.4	20.8	19.4	18.2	17.1	16.1	15.3	14.5	13.8	13.2	12.6	12.1
		75	0.41	40.6	36.1	32.5	29.5	27.1	25.0	23.2	21.6	20.3	19.1	18.0	17.1	16.2	15.5	14.8	14.1	13.5
	BLUE	90	0.45	44.6	39.6	35.6	32.4	29.7	27.4	25.5	23.8	22.3	21.0	19.8	18.8	17.8	17.0	16.2	15.5	14.9
TT11004VS	15	0.24	23.8	21.1	19.0	17.3	15.8	14.6	13.6	12.7	11.9	11.2	10.6	10.0	9.5	9.1	8.6	8.3	7.9	
	20	0.28	28.0	24.9	22.4	20.4	18.7	17.2	16.0	14.9	14.0	13.2	12.5	11.8	11.2	10.7	10.2	9.7	9.3	
	30	0.35	34.3	30.4	27.4	24.9	22.8	21.1	19.6	18.3	17.1	16.1	15.2	14.4	13.7	13.0	12.5	11.9	11.4	
	40	0.40	39.6	35.2	31.7	28.8	26.4	24.4	22.6	21.1	19.8	18.6	17.6	16.7	15.8	15.1	14.4	13.8	13.2	
	50 MESH	50	0.45	44.3	39.3	35.4	32.2	29.5	27.2	25.3	23.6	22.1	20.8	19.7	18.6	17.7	16.9	16.1	15.4	14.8
		60	0.49	48.5	43.1	38.8	35.3	32.3	29.9	27.7	25.9	24.3	22.8	21.6	20.4	19.4	18.5	17.6	16.9	16.2
		75	0.55	54.5	48.4	43.6	39.6	36.3	33.5	31.1	29.0	27.2	25.6	24.2	22.9	21.8	20.7	19.8	18.9	18.2
	RED	90	0.60	59.4	52.8	47.5	43.2	39.6	36.6	33.9	31.7	29.7	28.0	26.4	25.0	23.8	22.6	21.6	20.7	19.8

TURBO TEEJET 110° 15" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
																	gpm psi	
1.9	1.9	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	0.06	15	TT11001VS 100 MESH ORANGE
2.2	2.2	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	0.07	20	
2.8	2.7	2.6	2.5	2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.8	1.7	0.09	30	
3.2	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	0.10	40	
3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	0.11	50	
3.9	3.7	3.6	3.5	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	2.4	0.12	60	
4.4	4.3	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	0.14	75	
4.8	4.6	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	0.15	90	
0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.01	15	TT110015VS 100 MESH GREEN
3.4	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	2.2	2.1	0.11	20	
4.1	4.0	3.8	3.7	3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	2.7	2.6	2.6	0.13	30	
4.8	4.6	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	0.15	40	
5.3	5.1	4.9	4.8	4.6	4.4	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	0.17	50	
5.8	5.6	5.4	5.2	5.0	4.9	4.7	4.6	4.4	4.3	4.2	4.0	3.9	3.8	3.7	3.6	0.18	60	
6.7	6.4	6.2	5.9	5.7	5.5	5.4	5.2	5.0	4.9	4.8	4.6	4.5	4.4	4.3	4.2	0.21	75	
7.3	7.0	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.4	5.2	5.1	4.9	4.8	4.7	4.6	0.23	90	
3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.4	0.12	15	TT11002VS 50 MESH YELLOW
4.5	4.3	4.1	4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	0.14	20	
5.5	5.3	5.1	4.9	4.7	4.6	4.4	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	0.17	30	
6.3	6.1	5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.7	4.5	4.4	4.3	4.2	4.1	4.0	0.20	40	
7.1	6.8	6.6	6.3	6.1	5.9	5.7	5.5	5.4	5.2	5.1	4.9	4.8	4.7	4.5	4.4	0.22	50	
7.8	7.5	7.2	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.4	5.2	5.1	5.0	4.9	0.25	60	
8.6	8.2	7.9	7.6	7.4	7.1	6.9	6.7	6.5	6.3	6.1	5.9	5.8	5.6	5.5	5.3	0.27	75	
9.5	9.1	8.8	8.5	8.2	7.9	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.3	6.1	5.9	0.30	90	
5.7	5.5	5.3	5.1	4.9	4.8	4.6	4.5	4.3	4.2	4.1	4.0	3.9	3.8	3.7	3.6	0.18	15	TT11003VS 50 MESH BLUE
6.7	6.5	6.2	6.0	5.8	5.6	5.4	5.2	5.1	4.9	4.8	4.7	4.5	4.4	4.3	4.2	0.21	20	
8.2	7.9	7.6	7.4	7.1	6.9	6.6	6.4	6.2	6.1	5.9	5.7	5.6	5.4	5.3	5.1	0.26	30	
9.5	9.1	8.8	8.5	8.2	7.9	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.3	6.1	5.9	0.30	40	
10.6	10.2	9.8	9.5	9.1	8.8	8.6	8.3	8.0	7.8	7.6	7.4	7.2	7.0	6.8	6.6	0.34	50	
11.6	11.2	10.8	10.4	10.0	9.7	9.4	9.1	8.8	8.5	8.3	8.1	7.9	7.6	7.5	7.3	0.37	60	
13.0	12.5	12.0	11.6	11.2	10.8	10.5	10.1	9.8	9.6	9.3	9.0	8.8	8.5	8.3	8.1	0.41	75	
14.3	13.7	13.2	12.7	12.3	11.9	11.5	11.1	10.8	10.5	10.2	9.9	9.6	9.4	9.1	8.9	0.45	90	
7.6	7.3	7.0	6.8	6.6	6.3	6.1	5.9	5.8	5.6	5.4	5.3	5.1	5.0	4.9	4.8	0.24	15	TT11004VS 50 MESH RED
9.0	8.6	8.3	8.0	7.7	7.5	7.2	7.0	6.8	6.6	6.4	6.2	6.1	5.9	5.7	5.6	0.28	20	
11.0	10.5	10.1	9.8	9.4	9.1	8.8	8.6	8.3	8.1	7.8	7.6	7.4	7.2	7.0	6.9	0.35	30	
12.7	12.2	11.7	11.3	10.9	10.6	10.2	9.9	9.6	9.3	9.1	8.8	8.6	8.3	8.1	7.9	0.40	40	
14.2	13.6	13.1	12.6	12.2	11.8	11.4	11.1	10.7	10.4	10.1	9.8	9.6	9.3	9.1	8.9	0.45	50	
15.5	14.9	14.4	13.9	13.4	12.9	12.5	12.1	11.8	11.4	11.1	10.8	10.5	10.2	10.0	9.7	0.49	60	
17.4	16.8	16.1	15.6	15.0	14.5	14.1	13.6	13.2	12.8	12.4	12.1	11.8	11.5	11.2	10.9	0.55	75	
19.0	18.3	17.6	17.0	16.4	15.8	15.3	14.9	14.4	14.0	13.6	13.2	12.8	12.5	12.2	11.9	0.60	90	

TURBO TEEJEET 110° 15" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0		
TT11005VS 50 MESH BROWN	15	0.31	30.7	27.3	24.6	22.3	20.5	18.9	17.5	16.4	15.3	14.4	13.6	12.9	12.3	11.7	11.2	10.7	10.2
	20	0.35	35.0	31.2	28.0	25.5	23.4	21.6	20.0	18.7	17.5	16.5	15.6	14.8	14.0	13.4	12.7	12.2	11.7
	30	0.43	42.9	38.1	34.3	31.2	28.6	26.4	24.5	22.9	21.4	20.2	19.1	18.0	17.1	16.3	15.6	14.9	14.3
	40	0.50	49.5	44.0	39.6	36.0	33.0	30.5	28.3	26.4	24.8	23.3	22.0	20.8	19.8	18.9	18.0	17.2	16.5
	50	0.56	55.3	49.2	44.3	40.2	36.9	34.1	31.6	29.5	27.7	26.0	24.6	23.3	22.1	21.1	20.1	19.2	18.4
	60	0.61	60.6	53.9	48.5	44.1	40.4	37.3	34.6	32.3	30.3	28.5	26.9	25.5	24.2	23.1	22.0	21.1	20.2
	75	0.68	67.3	59.8	53.9	49.0	44.9	41.4	38.5	35.9	33.7	31.7	29.9	28.3	26.9	25.6	24.5	23.4	22.4
	90	0.75	74.3	66.0	59.4	54.0	49.5	45.7	42.4	39.6	37.1	34.9	33.0	31.3	29.7	28.3	27.0	25.8	24.8
	TT11006VS 50 MESH GRAY	15	0.37	36.6	32.6	29.3	26.6	24.4	22.5	20.9	19.5	18.3	17.2	16.3	15.4	14.7	14.0	13.3	12.7
20		0.42	42.0	37.3	33.6	30.5	28.0	25.8	24.0	22.4	21.0	19.8	18.7	17.7	16.8	16.0	15.3	14.6	14.0
30		0.52	51.5	45.8	41.2	37.4	34.3	31.7	29.4	27.5	25.7	24.2	22.9	21.7	20.6	19.6	18.7	17.9	17.2
40		0.60	59.4	52.8	47.5	43.2	39.6	36.6	33.9	31.7	29.7	28.0	26.4	25.0	23.8	22.6	21.6	20.7	19.8
50		0.67	66.4	59.0	53.1	48.3	44.3	40.9	38.0	35.4	33.2	31.3	29.5	28.0	26.6	25.3	24.2	23.1	22.1
60		0.74	72.8	64.7	58.2	52.9	48.5	44.8	41.6	38.8	36.4	34.2	32.3	30.6	29.1	27.7	26.5	25.3	24.3
75		0.82	81.2	72.2	64.9	59.0	54.1	50.0	46.4	43.3	40.6	38.2	36.1	34.2	32.5	30.9	29.5	28.2	27.1
90		0.90	89.1	79.2	71.3	64.8	59.4	54.8	50.9	47.5	44.6	41.9	39.6	37.5	35.6	33.9	32.4	31.0	29.7
TT11008VS 50 MESH WHITE		15	0.49	48.5	43.1	38.8	35.3	32.3	29.9	27.7	25.9	24.3	22.8	21.6	20.4	19.4	18.5	17.6	16.9
	20	0.57	56.0	49.8	44.8	40.8	37.4	34.5	32.0	29.9	28.0	26.4	24.9	23.6	22.4	21.3	20.4	19.5	18.7
	30	0.69	68.6	61.0	54.9	49.9	45.7	42.2	39.2	36.6	34.3	32.3	30.5	28.9	27.4	26.1	24.9	23.9	22.9
	40	0.80	79.2	70.4	63.4	57.6	52.8	48.7	45.3	42.2	39.6	37.3	35.2	33.3	31.7	30.2	28.8	27.5	26.4
	50	0.89	88.5	78.7	70.8	64.4	59.0	54.5	50.6	47.2	44.3	41.6	39.3	37.3	35.4	33.7	32.2	30.8	29.5
	60	0.98	97.0	86.2	77.6	70.6	64.7	59.7	55.4	51.7	48.5	45.7	43.1	40.9	38.8	37.0	35.3	33.7	32.3
	75	1.10	108.9	96.8	87.1	79.2	72.6	67.0	62.2	58.1	54.5	51.2	48.4	45.9	43.6	41.5	39.6	37.9	36.3
	90	1.20	118.8	105.6	95.0	86.4	79.2	73.1	67.9	63.4	59.4	55.9	52.8	50.0	47.5	45.3	43.2	41.3	39.6

TURBO TEEJEET 110° 15" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
9.8	9.4	9.1	8.8	8.5	8.2	7.9	7.7	7.4	7.2	7.0	6.8	6.6	6.5	6.3	6.1	0.31	15	TT11005VS 50 MESH BROWN
11.2	10.8	10.4	10.0	9.7	9.3	9.0	8.8	8.5	8.2	8.0	7.8	7.6	7.4	7.2	7.0	0.35	20	
13.7	13.2	12.7	12.2	11.8	11.4	11.1	10.7	10.4	10.1	9.8	9.5	9.3	9.0	8.8	8.6	0.43	30	
15.8	15.2	14.7	14.1	13.7	13.2	12.8	12.4	12.0	11.6	11.3	11.0	10.7	10.4	10.2	9.9	0.50	40	
17.7	17.0	16.4	15.8	15.3	14.8	14.3	13.8	13.4	13.0	12.6	12.3	12.0	11.7	11.4	11.1	0.56	50	
19.4	18.6	18.0	17.3	16.7	16.2	15.6	15.1	14.7	14.3	13.8	13.5	13.1	12.8	12.4	12.1	0.61	60	
21.5	20.7	19.9	19.2	18.6	18.0	17.4	16.8	16.3	15.8	15.4	15.0	14.6	14.2	13.8	13.5	0.68	75	
23.8	22.8	22.0	21.2	20.5	19.8	19.2	18.6	18.0	17.5	17.0	16.5	16.1	15.6	15.2	14.9	0.75	90	
11.7	11.3	10.9	10.5	10.1	9.8	9.5	9.2	8.9	8.6	8.4	8.1	7.9	7.7	7.5	7.3	0.37	15	TT11006VS 50 MESH GRAY
13.4	12.9	12.4	12.0	11.6	11.2	10.8	10.5	10.2	9.9	9.6	9.3	9.1	8.8	8.6	8.4	0.42	20	
16.5	15.8	15.3	14.7	14.2	13.7	13.3	12.9	12.5	12.1	11.8	11.4	11.1	10.8	10.6	10.3	0.52	30	
19.0	18.3	17.6	17.0	16.4	15.8	15.3	14.9	14.4	14.0	13.6	13.2	12.8	12.5	12.2	11.9	0.60	40	
21.3	20.4	19.7	19.0	18.3	17.7	17.1	16.6	16.1	15.6	15.2	14.8	14.4	14.0	13.6	13.3	0.67	50	
23.3	22.4	21.6	20.8	20.1	19.4	18.8	18.2	17.6	17.1	16.6	16.2	15.7	15.3	14.9	14.6	0.74	60	
26.0	25.0	24.1	23.2	22.4	21.6	20.9	20.3	19.7	19.1	18.6	18.0	17.6	17.1	16.7	16.2	0.82	75	
28.5	27.4	26.4	25.5	24.6	23.8	23.0	22.3	21.6	21.0	20.4	19.8	19.3	18.8	18.3	17.8	0.90	90	
15.5	14.9	14.4	13.9	13.4	12.9	12.5	12.1	11.8	11.4	11.1	10.8	10.5	10.2	10.0	9.7	0.49	15	TT11008VS 50 MESH WHITE
17.9	17.2	16.6	16.0	15.5	14.9	14.5	14.0	13.6	13.2	12.8	12.5	12.1	11.8	11.5	11.2	0.57	20	
22.0	21.1	20.3	19.6	18.9	18.3	17.7	17.2	16.6	16.1	15.7	15.2	14.8	14.4	14.1	13.7	0.69	30	
25.3	24.4	23.5	22.6	21.8	21.1	20.4	19.8	19.2	18.6	18.1	17.6	17.1	16.7	16.2	15.8	0.80	40	
28.3	27.2	26.2	25.3	24.4	23.6	22.8	22.1	21.5	20.8	20.2	19.7	19.1	18.6	18.2	17.7	0.89	50	
31.0	29.9	28.7	27.7	26.8	25.9	25.0	24.3	23.5	22.8	22.2	21.6	21.0	20.4	19.9	19.4	0.98	60	
34.8	33.5	32.3	31.1	30.0	29.0	28.1	27.2	26.4	25.6	24.9	24.2	23.5	22.9	22.3	21.8	1.10	75	
38.0	36.6	35.2	33.9	32.8	31.7	30.7	29.7	28.8	28.0	27.2	26.4	25.7	25.0	24.4	23.8	1.20	90	