

TURBO TEEJEET 110° 18" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
psi gpm																			
TT11001VS 100 MESH ORANGE	15	0.06	5.0	4.5	4.0	3.7	3.4	3.1	2.9	2.7	2.5	2.4	2.2	2.1	2.0	1.9	1.8	1.8	1.7
	20	0.07	5.9	5.2	4.7	4.3	3.9	3.6	3.3	3.1	2.9	2.8	2.6	2.5	2.3	2.2	2.1	2.0	2.0
	30	0.09	7.2	6.4	5.7	5.2	4.8	4.4	4.1	3.8	3.6	3.4	3.2	3.0	2.9	2.7	2.6	2.5	2.4
	40	0.10	8.3	7.3	6.6	6.0	5.5	5.1	4.7	4.4	4.1	3.9	3.7	3.5	3.3	3.1	3.0	2.9	2.8
	50	0.11	9.2	8.2	7.4	6.7	6.2	5.7	5.3	4.9	4.6	4.3	4.1	3.9	3.7	3.5	3.4	3.2	3.1
	60	0.12	10.1	8.9	8.1	7.3	6.7	6.2	5.8	5.4	5.0	4.7	4.5	4.2	4.0	3.8	3.7	3.5	3.4
	75	0.14	11.6	10.3	9.2	8.4	7.7	7.1	6.6	6.2	5.8	5.4	5.1	4.9	4.6	4.4	4.2	4.0	3.9
	90	0.15	12.4	11.0	9.9	9.0	8.3	7.6	7.1	6.6	6.2	5.8	5.5	5.2	5.0	4.7	4.5	4.3	4.1
TT110015VS 100 MESH GREEN	15	0.01	0.7	0.7	0.6	0.5	0.5	0.5	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2
	20	0.11	8.7	7.8	7.0	6.4	5.8	5.4	5.0	4.7	4.4	4.1	3.9	3.7	3.5	3.3	3.2	3.0	2.9
	30	0.13	10.7	9.5	8.6	7.8	7.2	6.6	6.1	5.7	5.4	5.0	4.8	4.5	4.3	4.1	3.9	3.7	3.6
	40	0.15	12.4	11.0	9.9	9.0	8.3	7.6	7.1	6.6	6.2	5.8	5.5	5.2	5.0	4.7	4.5	4.3	4.1
	50	0.17	13.9	12.3	11.1	10.1	9.2	8.5	7.9	7.4	6.9	6.5	6.2	5.8	5.5	5.3	5.0	4.8	4.6
	60	0.18	15.2	13.5	12.1	11.0	10.1	9.3	8.7	8.1	7.6	7.1	6.7	6.4	6.1	5.8	5.5	5.3	5.1
	75	0.21	17.3	15.4	13.9	12.6	11.6	10.7	9.9	9.2	8.7	8.2	7.7	7.3	6.9	6.6	6.3	6.0	5.8
	90	0.23	19.0	16.9	15.2	13.8	12.7	11.7	10.8	10.1	9.5	8.9	8.4	8.0	7.6	7.2	6.9	6.6	6.3
TT11002VS 50 MESH YELLOW	15	0.12	9.9	8.8	7.9	7.2	6.6	6.1	5.7	5.3	5.0	4.7	4.4	4.2	4.0	3.8	3.6	3.4	3.3
	20	0.14	11.6	10.3	9.3	8.5	7.8	7.2	6.6	6.2	5.8	5.5	5.2	4.9	4.7	4.4	4.2	4.0	3.9
	30	0.17	14.3	12.7	11.4	10.4	9.5	8.8	8.2	7.6	7.1	6.7	6.3	6.0	5.7	5.4	5.2	5.0	4.8
	40	0.20	16.5	14.7	13.2	12.0	11.0	10.2	9.4	8.8	8.3	7.8	7.3	6.9	6.6	6.3	6.0	5.7	5.5
	50	0.22	18.5	16.4	14.8	13.4	12.3	11.4	10.6	9.9	9.2	8.7	8.2	7.8	7.4	7.0	6.7	6.4	6.2
	60	0.25	20.2	18.0	16.2	14.7	13.5	12.4	11.6	10.8	10.1	9.5	9.0	8.5	8.1	7.7	7.4	7.0	6.7
	75	0.27	22.3	19.8	17.8	16.2	14.9	13.7	12.7	11.9	11.1	10.5	9.9	9.4	8.9	8.5	8.1	7.7	7.4
	90	0.30	24.8	22.0	19.8	18.0	16.5	15.2	14.1	13.2	12.4	11.6	11.0	10.4	9.9	9.4	9.0	8.6	8.3
TT11003VS 50 MESH BLUE	15	0.18	14.9	13.2	11.9	10.8	9.9	9.1	8.5	7.9	7.4	7.0	6.6	6.3	5.9	5.7	5.4	5.2	5.0
	20	0.21	17.5	15.5	14.0	12.7	11.7	10.8	10.0	9.3	8.7	8.2	7.8	7.4	7.0	6.7	6.4	6.1	5.8
	30	0.26	21.5	19.1	17.2	15.6	14.3	13.2	12.3	11.4	10.7	10.1	9.5	9.0	8.6	8.2	7.8	7.5	7.2
	40	0.30	24.8	22.0	19.8	18.0	16.5	15.2	14.1	13.2	12.4	11.6	11.0	10.4	9.9	9.4	9.0	8.6	8.3
	50	0.34	27.6	24.6	22.1	20.1	18.4	17.0	15.8	14.7	13.8	13.0	12.3	11.6	11.1	10.5	10.1	9.6	9.2
	60	0.37	30.3	26.9	24.2	22.0	20.2	18.6	17.3	16.1	15.1	14.2	13.5	12.7	12.1	11.5	11.0	10.5	10.1
	75	0.41	33.8	30.1	27.1	24.6	22.6	20.8	19.3	18.0	16.9	15.9	15.0	14.2	13.5	12.9	12.3	11.8	11.3
	90	0.45	37.1	33.0	29.7	27.0	24.8	22.8	21.2	19.8	18.6	17.5	16.5	15.6	14.9	14.1	13.5	12.9	12.4
TT11004VS 50 MESH RED	15	0.24	19.8	17.6	15.8	14.4	13.2	12.2	11.3	10.6	9.9	9.3	8.8	8.3	7.9	7.5	7.2	6.9	6.6
	20	0.28	23.3	20.8	18.7	17.0	15.6	14.4	13.3	12.5	11.7	11.0	10.4	9.8	9.3	8.9	8.5	8.1	7.8
	30	0.35	28.5	25.4	22.8	20.8	19.0	17.6	16.3	15.2	14.3	13.4	12.7	12.0	11.4	10.9	10.4	9.9	9.5
	40	0.40	33.0	29.3	26.4	24.0	22.0	20.3	18.9	17.6	16.5	15.5	14.7	13.9	13.2	12.6	12.0	11.5	11.0
	50	0.45	36.9	32.8	29.5	26.8	24.6	22.7	21.1	19.7	18.4	17.4	16.4	15.5	14.8	14.0	13.4	12.8	12.3
	60	0.49	40.4	35.9	32.3	29.4	27.0	24.9	23.1	21.6	20.2	19.0	18.0	17.0	16.2	15.4	14.7	14.1	13.5
	75	0.55	45.4	40.3	36.3	33.0	30.3	27.9	25.9	24.2	22.7	21.4	20.2	19.1	18.2	17.3	16.5	15.8	15.1
	90	0.60	49.5	44.0	39.6	36.0	33.0	30.5	28.3	26.4	24.8	23.3	22.0	20.8	19.8	18.9	18.0	17.2	16.5

TURBO TEEJET 110° 18" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
																	gpm psi	
1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	1.0	1.0	0.06	15	TT11001VS 100 MESH ORANGE
1.9	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	1.2	0.07	20	
2.3	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.7	1.7	1.6	1.6	1.6	1.5	1.5	1.4	0.09	30	
2.6	2.5	2.4	2.4	2.3	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.7	0.10	40	
3.0	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.2	2.2	2.1	2.1	2.0	1.9	1.9	1.8	0.11	50	
3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.1	2.0	0.12	60	
3.7	3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.4	2.3	0.14	75	
4.0	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	0.15	90	
0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.01	15	TT110015VS 100 MESH GREEN
2.8	2.7	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.8	1.7	0.11	20	
3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	2.1	0.13	30	
4.0	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	0.15	40	
4.4	4.3	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	0.17	50	
4.9	4.7	4.5	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	0.18	60	
5.5	5.3	5.1	5.0	4.8	4.6	4.5	4.3	4.2	4.1	4.0	3.9	3.7	3.6	3.6	3.5	0.21	75	
6.1	5.8	5.6	5.4	5.2	5.1	4.9	4.7	4.6	4.5	4.3	4.2	4.1	4.0	3.9	3.8	0.23	90	
3.2	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	0.12	15	TT11002VS 50 MESH YELLOW
3.7	3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.7	2.6	2.5	2.4	2.4	2.3	0.14	20	
4.6	4.4	4.2	4.1	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	0.17	30	
5.3	5.1	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	0.20	40	
5.9	5.7	5.5	5.3	5.1	4.9	4.8	4.6	4.5	4.3	4.2	4.1	4.0	3.9	3.8	3.7	0.22	50	
6.5	6.2	6.0	5.8	5.6	5.4	5.2	5.1	4.9	4.8	4.6	4.5	4.4	4.3	4.1	4.0	0.25	60	
7.1	6.9	6.6	6.4	6.1	5.9	5.7	5.6	5.4	5.2	5.1	5.0	4.8	4.7	4.6	4.5	0.27	75	
7.9	7.6	7.3	7.1	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.2	5.1	5.0	0.30	90	
4.8	4.6	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	0.18	15	TT11003VS 50 MESH BLUE
5.6	5.4	5.2	5.0	4.8	4.7	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	3.6	3.5	0.21	20	
6.9	6.6	6.4	6.1	5.9	5.7	5.5	5.4	5.2	5.0	4.9	4.8	4.6	4.5	4.4	4.3	0.26	30	
7.9	7.6	7.3	7.1	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.2	5.1	5.0	0.30	40	
8.8	8.5	8.2	7.9	7.6	7.4	7.1	6.9	6.7	6.5	6.3	6.1	6.0	5.8	5.7	5.5	0.34	50	
9.7	9.3	9.0	8.7	8.4	8.1	7.8	7.6	7.3	7.1	6.9	6.7	6.5	6.4	6.2	6.1	0.37	60	
10.8	10.4	10.0	9.7	9.3	9.0	8.7	8.5	8.2	8.0	7.7	7.5	7.3	7.1	6.9	6.8	0.41	75	
11.9	11.4	11.0	10.6	10.2	9.9	9.6	9.3	9.0	8.7	8.5	8.3	8.0	7.8	7.6	7.4	0.45	90	
6.3	6.1	5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.7	4.5	4.4	4.3	4.2	4.1	4.0	0.24	15	TT11004VS 50 MESH RED
7.5	7.2	6.9	6.7	6.4	6.2	6.0	5.8	5.7	5.5	5.3	5.2	5.0	4.9	4.8	4.7	0.28	20	
9.1	8.8	8.5	8.2	7.9	7.6	7.4	7.1	6.9	6.7	6.5	6.3	6.2	6.0	5.9	5.7	0.35	30	
10.6	10.2	9.8	9.4	9.1	8.8	8.5	8.3	8.0	7.8	7.5	7.3	7.1	6.9	6.8	6.6	0.40	40	
11.8	11.3	10.9	10.5	10.2	9.8	9.5	9.2	8.9	8.7	8.4	8.2	8.0	7.8	7.6	7.4	0.45	50	
12.9	12.4	12.0	11.6	11.2	10.8	10.4	10.1	9.8	9.5	9.2	9.0	8.7	8.5	8.3	8.1	0.49	60	
14.5	14.0	13.4	13.0	12.5	12.1	11.7	11.3	11.0	10.7	10.4	10.1	9.8	9.6	9.3	9.1	0.55	75	
15.8	15.2	14.7	14.1	13.7	13.2	12.8	12.4	12.0	11.6	11.3	11.0	10.7	10.4	10.2	9.9	0.60	90	

TURBO TEEJEET 110° 18" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0		
TT11005VS 50 MESH BROWN	15	0.31	25.6	22.7	20.5	18.6	17.1	15.7	14.6	13.6	12.8	12.0	11.4	10.8	10.2	9.7	9.3	8.9	8.5
	20	0.35	29.2	26.0	23.4	21.2	19.5	18.0	16.7	15.6	14.6	13.7	13.0	12.3	11.7	11.1	10.6	10.2	9.7
	30	0.43	35.7	31.8	28.6	26.0	23.8	22.0	20.4	19.1	17.9	16.8	15.9	15.0	14.3	13.6	13.0	12.4	11.9
	40	0.50	41.3	36.7	33.0	30.0	27.5	25.4	23.6	22.0	20.6	19.4	18.3	17.4	16.5	15.7	15.0	14.3	13.8
	50	0.56	46.1	41.0	36.9	33.5	30.7	28.4	26.4	24.6	23.1	21.7	20.5	19.4	18.4	17.6	16.8	16.0	15.4
	60	0.61	50.5	44.9	40.4	36.7	33.7	31.1	28.9	26.9	25.2	23.8	22.4	21.3	20.2	19.2	18.4	17.6	16.8
	75	0.68	56.1	49.9	44.9	40.8	37.4	34.5	32.1	29.9	28.1	26.4	24.9	23.6	22.4	21.4	20.4	19.5	18.7
	90	0.75	61.9	55.0	49.5	45.0	41.3	38.1	35.4	33.0	30.9	29.1	27.5	26.1	24.8	23.6	22.5	21.5	20.6
	TT11006VS 50 MESH GRAY	15	0.37	30.5	27.1	24.4	22.2	20.4	18.8	17.4	16.3	15.3	14.4	13.6	12.9	12.2	11.6	11.1	10.6
20		0.42	35.0	31.1	28.0	25.4	23.3	21.5	20.0	18.7	17.5	16.5	15.5	14.7	14.0	13.3	12.7	12.2	11.7
30		0.52	42.9	38.1	34.3	31.2	28.6	26.4	24.5	22.9	21.5	20.2	19.1	18.1	17.2	16.3	15.6	14.9	14.3
40		0.60	49.5	44.0	39.6	36.0	33.0	30.5	28.3	26.4	24.8	23.3	22.0	20.8	19.8	18.9	18.0	17.2	16.5
50		0.67	55.4	49.2	44.3	40.3	36.9	34.1	31.6	29.5	27.7	26.1	24.6	23.3	22.1	21.1	20.1	19.3	18.5
60		0.74	60.6	53.9	48.5	44.1	40.4	37.3	34.7	32.3	30.3	28.5	27.0	25.5	24.3	23.1	22.1	21.1	20.2
75		0.82	67.7	60.1	54.1	49.2	45.1	41.6	38.7	36.1	33.8	31.8	30.1	28.5	27.1	25.8	24.6	23.5	22.6
90		0.90	74.3	66.0	59.4	54.0	49.5	45.7	42.4	39.6	37.1	34.9	33.0	31.3	29.7	28.3	27.0	25.8	24.8
TT11008VS 50 MESH WHITE		15	0.49	40.4	35.9	32.3	29.4	27.0	24.9	23.1	21.6	20.2	19.0	18.0	17.0	16.2	15.4	14.7	14.1
	20	0.57	46.7	41.5	37.4	34.0	31.1	28.7	26.7	24.9	23.3	22.0	20.8	19.7	18.7	17.8	17.0	16.2	15.6
	30	0.69	57.2	50.8	45.7	41.6	38.1	35.2	32.7	30.5	28.6	26.9	25.4	24.1	22.9	21.8	20.8	19.9	19.1
	40	0.80	66.0	58.7	52.8	48.0	44.0	40.6	37.7	35.2	33.0	31.1	29.3	27.8	26.4	25.1	24.0	23.0	22.0
	50	0.89	73.8	65.6	59.0	53.6	49.2	45.4	42.1	39.3	36.9	34.7	32.8	31.1	29.5	28.1	26.8	25.7	24.6
	60	0.98	80.9	71.9	64.7	58.8	53.9	49.8	46.2	43.1	40.4	38.0	35.9	34.0	32.3	30.8	29.4	28.1	27.0
	75	1.10	90.8	80.7	72.6	66.0	60.5	55.8	51.9	48.4	45.4	42.7	40.3	38.2	36.3	34.6	33.0	31.6	30.3
	90	1.20	99.0	88.0	79.2	72.0	66.0	60.9	56.6	52.8	49.5	46.6	44.0	41.7	39.6	37.7	36.0	34.4	33.0

TURBO TEEJEET 110° 18" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
8.2	7.9	7.6	7.3	7.1	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.2	5.1	0.31	15	TT11005VS 50 MESH BROWN
9.3	9.0	8.7	8.3	8.1	7.8	7.5	7.3	7.1	6.9	6.7	6.5	6.3	6.1	6.0	5.8	0.35	20	
11.4	11.0	10.6	10.2	9.9	9.5	9.2	8.9	8.7	8.4	8.2	7.9	7.7	7.5	7.3	7.1	0.43	30	
13.2	12.7	12.2	11.8	11.4	11.0	10.6	10.3	10.0	9.7	9.4	9.2	8.9	8.7	8.5	8.3	0.50	40	
14.8	14.2	13.7	13.2	12.7	12.3	11.9	11.5	11.2	10.9	10.5	10.2	10.0	9.7	9.5	9.2	0.56	50	
16.2	15.5	15.0	14.4	13.9	13.5	13.0	12.6	12.2	11.9	11.5	11.2	10.9	10.6	10.4	10.1	0.61	60	
18.0	17.3	16.6	16.0	15.5	15.0	14.5	14.0	13.6	13.2	12.8	12.5	12.1	11.8	11.5	11.2	0.68	75	
19.8	19.0	18.3	17.7	17.1	16.5	16.0	15.5	15.0	14.6	14.1	13.8	13.4	13.0	12.7	12.4	0.75	90	
9.8	9.4	9.0	8.7	8.4	8.1	7.9	7.6	7.4	7.2	7.0	6.8	6.6	6.4	6.3	6.1	0.37	15	TT11006VS 50 MESH GRAY
11.2	10.8	10.4	10.0	9.6	9.3	9.0	8.7	8.5	8.2	8.0	7.8	7.6	7.4	7.2	7.0	0.42	20	
13.7	13.2	12.7	12.3	11.8	11.4	11.1	10.7	10.4	10.1	9.8	9.5	9.3	9.0	8.8	8.6	0.52	30	
15.8	15.2	14.7	14.1	13.7	13.2	12.8	12.4	12.0	11.6	11.3	11.0	10.7	10.4	10.2	9.9	0.60	40	
17.7	17.0	16.4	15.8	15.3	14.8	14.3	13.8	13.4	13.0	12.7	12.3	12.0	11.7	11.4	11.1	0.67	50	
19.4	18.7	18.0	17.3	16.7	16.2	15.6	15.2	14.7	14.3	13.9	13.5	13.1	12.8	12.4	12.1	0.74	60	
21.6	20.8	20.0	19.3	18.7	18.0	17.5	16.9	16.4	15.9	15.5	15.0	14.6	14.2	13.9	13.5	0.82	75	
23.8	22.8	22.0	21.2	20.5	19.8	19.2	18.6	18.0	17.5	17.0	16.5	16.1	15.6	15.2	14.9	0.90	90	
12.9	12.4	12.0	11.6	11.2	10.8	10.4	10.1	9.8	9.5	9.2	9.0	8.7	8.5	8.3	8.1	0.49	15	TT11008VS 50 MESH WHITE
14.9	14.4	13.8	13.3	12.9	12.5	12.1	11.7	11.3	11.0	10.7	10.4	10.1	9.8	9.6	9.3	0.57	20	
18.3	17.6	16.9	16.3	15.8	15.2	14.8	14.3	13.9	13.5	13.1	12.7	12.4	12.0	11.7	11.4	0.69	30	
21.1	20.3	19.6	18.9	18.2	17.6	17.0	16.5	16.0	15.5	15.1	14.7	14.3	13.9	13.5	13.2	0.80	40	
23.6	22.7	21.9	21.1	20.3	19.7	19.0	18.4	17.9	17.4	16.9	16.4	15.9	15.5	15.1	14.8	0.89	50	
25.9	24.9	24.0	23.1	22.3	21.6	20.9	20.2	19.6	19.0	18.5	18.0	17.5	17.0	16.6	16.2	0.98	60	
29.0	27.9	26.9	25.9	25.0	24.2	23.4	22.7	22.0	21.4	20.7	20.2	19.6	19.1	18.6	18.2	1.10	75	
31.7	30.5	29.3	28.3	27.3	26.4	25.5	24.8	24.0	23.3	22.6	22.0	21.4	20.8	20.3	19.8	1.20	90	