

TURBO TEEJEET 110° 38" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
psi gpm																			
TT11001VS 100 MESH ORANGE	15	0.06	2.4	2.1	1.9	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.1	1.0	1.0	0.9	0.9	0.8	0.8
	20	0.07	2.8	2.5	2.2	2.0	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1	1.1	1.0	1.0	0.9
	30	0.09	3.4	3.0	2.7	2.5	2.3	2.1	1.9	1.8	1.7	1.6	1.5	1.4	1.4	1.3	1.2	1.2	1.1
	40	0.10	3.9	3.5	3.1	2.8	2.6	2.4	2.2	2.1	2.0	1.8	1.7	1.6	1.6	1.5	1.4	1.4	1.3
	50	0.11	4.4	3.9	3.5	3.2	2.9	2.7	2.5	2.3	2.2	2.1	1.9	1.8	1.8	1.7	1.6	1.5	1.5
	60	0.12	4.8	4.2	3.8	3.5	3.2	2.9	2.7	2.5	2.4	2.2	2.1	2.0	1.9	1.8	1.7	1.7	1.6
	75	0.14	5.5	4.9	4.4	4.0	3.6	3.4	3.1	2.9	2.7	2.6	2.4	2.3	2.2	2.1	2.0	1.9	1.8
	90	0.15	5.9	5.2	4.7	4.3	3.9	3.6	3.3	3.1	2.9	2.8	2.6	2.5	2.3	2.2	2.1	2.0	2.0
TT110015VS 100 MESH GREEN	15	0.01	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1
	20	0.11	4.1	3.7	3.3	3.0	2.8	2.5	2.4	2.2	2.1	1.9	1.8	1.7	1.7	1.6	1.5	1.4	1.4
	30	0.13	5.1	4.5	4.1	3.7	3.4	3.1	2.9	2.7	2.5	2.4	2.3	2.1	2.0	1.9	1.8	1.8	1.7
	40	0.15	5.9	5.2	4.7	4.3	3.9	3.6	3.3	3.1	2.9	2.8	2.6	2.5	2.3	2.2	2.1	2.0	2.0
	50	0.17	6.6	5.8	5.3	4.8	4.4	4.0	3.8	3.5	3.3	3.1	2.9	2.8	2.6	2.5	2.4	2.3	2.2
	60	0.18	7.2	6.4	5.8	5.2	4.8	4.4	4.1	3.8	3.6	3.4	3.2	3.0	2.9	2.7	2.6	2.5	2.4
	75	0.21	8.2	7.3	6.6	6.0	5.5	5.1	4.7	4.4	4.1	3.9	3.6	3.5	3.3	3.1	3.0	2.9	2.7
	90	0.23	9.0	8.0	7.2	6.5	6.0	5.5	5.1	4.8	4.5	4.2	4.0	3.8	3.6	3.4	3.3	3.1	3.0
TT11002VS 50 MESH YELLOW	15	0.12	4.7	4.2	3.8	3.4	3.1	2.9	2.7	2.5	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.6
	20	0.14	5.5	4.9	4.4	4.0	3.7	3.4	3.1	2.9	2.8	2.6	2.4	2.3	2.2	2.1	2.0	1.9	1.8
	30	0.17	6.8	6.0	5.4	4.9	4.5	4.2	3.9	3.6	3.4	3.2	3.0	2.8	2.7	2.6	2.5	2.4	2.3
	40	0.20	7.8	6.9	6.3	5.7	5.2	4.8	4.5	4.2	3.9	3.7	3.5	3.3	3.1	3.0	2.8	2.7	2.6
	50	0.22	8.8	7.8	7.0	6.4	5.8	5.4	5.0	4.7	4.4	4.1	3.9	3.7	3.5	3.3	3.2	3.0	2.9
	60	0.25	9.6	8.5	7.7	7.0	6.4	5.9	5.5	5.1	4.8	4.5	4.3	4.0	3.8	3.6	3.5	3.3	3.2
	75	0.27	10.6	9.4	8.4	7.7	7.0	6.5	6.0	5.6	5.3	5.0	4.7	4.4	4.2	4.0	3.8	3.7	3.5
	90	0.30	11.7	10.4	9.4	8.5	7.8	7.2	6.7	6.3	5.9	5.5	5.2	4.9	4.7	4.5	4.3	4.1	3.9
TT11003VS 50 MESH BLUE	15	0.18	7.0	6.3	5.6	5.1	4.7	4.3	4.0	3.8	3.5	3.3	3.1	3.0	2.8	2.7	2.6	2.4	2.3
	20	0.21	8.3	7.4	6.6	6.0	5.5	5.1	4.7	4.4	4.1	3.9	3.7	3.5	3.3	3.2	3.0	2.9	2.8
	30	0.26	10.2	9.0	8.1	7.4	6.8	6.3	5.8	5.4	5.1	4.8	4.5	4.3	4.1	3.9	3.7	3.5	3.4
	40	0.30	11.7	10.4	9.4	8.5	7.8	7.2	6.7	6.3	5.9	5.5	5.2	4.9	4.7	4.5	4.3	4.1	3.9
	50	0.34	13.1	11.6	10.5	9.5	8.7	8.1	7.5	7.0	6.5	6.2	5.8	5.5	5.2	5.0	4.8	4.6	4.4
	60	0.37	14.3	12.7	11.5	10.4	9.6	8.8	8.2	7.6	7.2	6.7	6.4	6.0	5.7	5.5	5.2	5.0	4.8
	75	0.41	16.0	14.2	12.8	11.7	10.7	9.9	9.2	8.5	8.0	7.5	7.1	6.7	6.4	6.1	5.8	5.6	5.3
	90	0.45	17.6	15.6	14.1	12.8	11.7	10.8	10.0	9.4	8.8	8.3	7.8	7.4	7.0	6.7	6.4	6.1	5.9
TT11004VS 50 MESH RED	15	0.24	9.4	8.3	7.5	6.8	6.3	5.8	5.4	5.0	4.7	4.4	4.2	3.9	3.8	3.6	3.4	3.3	3.1
	20	0.28	11.1	9.8	8.8	8.0	7.4	6.8	6.3	5.9	5.5	5.2	4.9	4.7	4.4	4.2	4.0	3.8	3.7
	30	0.35	13.5	12.0	10.8	9.8	9.0	8.3	7.7	7.2	6.8	6.4	6.0	5.7	5.4	5.2	4.9	4.7	4.5
	40	0.40	15.6	13.9	12.5	11.4	10.4	9.6	8.9	8.3	7.8	7.4	6.9	6.6	6.3	6.0	5.7	5.4	5.2
	50	0.45	17.5	15.5	14.0	12.7	11.6	10.7	10.0	9.3	8.7	8.2	7.8	7.4	7.0	6.7	6.4	6.1	5.8
	60	0.49	19.1	17.0	15.3	13.9	12.8	11.8	10.9	10.2	9.6	9.0	8.5	8.1	7.7	7.3	7.0	6.7	6.4
	75	0.55	21.5	19.1	17.2	15.6	14.3	13.2	12.3	11.5	10.7	10.1	9.6	9.0	8.6	8.2	7.8	7.5	7.2
	90	0.60	23.4	20.8	18.8	17.1	15.6	14.4	13.4	12.5	11.7	11.0	10.4	9.9	9.4	8.9	8.5	8.2	7.8

TURBO TEEJET 110° 38" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

																mph			
12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0			gpm psi	
0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.06	15	100 MESH	ORANGE
0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.07	20		
1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.09	30		
1.3	1.2	1.2	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.10	40		
1.4	1.3	1.3	1.3	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.11	50		
1.5	1.5	1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	1.0	0.12	60		
1.8	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	1.2	1.1	1.1	0.14	75		
1.9	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	1.2	0.15	90		
0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.01	15	100 MESH	GREEN
1.3	1.3	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.8	0.8	0.11	20		
1.6	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	1.0	1.0	0.13	30		
1.9	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	1.2	0.15	40		
2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.6	1.6	1.5	1.5	1.5	1.4	1.4	1.3	1.3	0.17	50		
2.3	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.7	1.7	1.6	1.6	1.6	1.5	1.5	1.4	0.18	60		
2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.6	0.21	75		
2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.8	0.23	90		
1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	1.0	0.9	0.12	15	50 MESH	YELLOW
1.8	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	1.2	1.1	1.1	0.14	20		
2.2	2.1	2.0	1.9	1.9	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.5	1.4	1.4	1.4	0.17	30		
2.5	2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.6	0.20	40		
2.8	2.7	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.8	1.8	0.22	50		
3.1	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	1.9	0.25	60		
3.4	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.3	2.3	2.2	2.2	2.1	0.27	75		
3.8	3.6	3.5	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	2.4	2.3	0.30	90		
2.3	2.2	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	0.18	15	50 MESH	BLUE
2.7	2.5	2.5	2.4	2.3	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.7	0.21	20		
3.3	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	0.26	30		
3.8	3.6	3.5	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	2.4	2.3	0.30	40		
4.2	4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	0.34	50		
4.6	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	0.37	60		
5.1	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	0.41	75		
5.6	5.4	5.2	5.0	4.9	4.7	4.5	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	0.45	90		
3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	1.9	1.9	0.24	15	50 MESH	RED
3.5	3.4	3.3	3.2	3.1	2.9	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.2	2.2	0.28	20		
4.3	4.2	4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	0.35	30		
5.0	4.8	4.6	4.5	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	0.40	40		
5.6	5.4	5.2	5.0	4.8	4.7	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	3.6	3.5	0.45	50		
6.1	5.9	5.7	5.5	5.3	5.1	4.9	4.8	4.6	4.5	4.4	4.3	4.1	4.0	3.9	3.8	0.49	60		
6.9	6.6	6.4	6.1	5.9	5.7	5.5	5.4	5.2	5.1	4.9	4.8	4.6	4.5	4.4	4.3	0.55	75		
7.5	7.2	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.4	5.2	5.1	4.9	4.8	4.7	0.60	90		

TURBO TEEJEET 110° 38" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0		
TT11005VS 50 MESH BROWN	15	0.31	12.1	10.8	9.7	8.8	8.1	7.5	6.9	6.5	6.1	5.7	5.4	5.1	4.8	4.6	4.4	4.2	4.0
	20	0.35	13.8	12.3	11.1	10.1	9.2	8.5	7.9	7.4	6.9	6.5	6.1	5.8	5.5	5.3	5.0	4.8	4.6
	30	0.43	16.9	15.0	13.5	12.3	11.3	10.4	9.7	9.0	8.5	8.0	7.5	7.1	6.8	6.4	6.2	5.9	5.6
	40	0.50	19.5	17.4	15.6	14.2	13.0	12.0	11.2	10.4	9.8	9.2	8.7	8.2	7.8	7.4	7.1	6.8	6.5
	50	0.56	21.8	19.4	17.5	15.9	14.6	13.4	12.5	11.7	10.9	10.3	9.7	9.2	8.7	8.3	7.9	7.6	7.3
	60	0.61	23.9	21.3	19.1	17.4	15.9	14.7	13.7	12.8	12.0	11.3	10.6	10.1	9.6	9.1	8.7	8.3	8.0
	75	0.68	26.6	23.6	21.3	19.3	17.7	16.4	15.2	14.2	13.3	12.5	11.8	11.2	10.6	10.1	9.7	9.2	8.9
	90	0.75	29.3	26.1	23.4	21.3	19.5	18.0	16.7	15.6	14.7	13.8	13.0	12.3	11.7	11.2	10.7	10.2	9.8
	TT11006VS 50 MESH GRAY	15	0.37	14.5	12.9	11.6	10.5	9.6	8.9	8.3	7.7	7.2	6.8	6.4	6.1	5.8	5.5	5.3	5.0
20		0.42	16.6	14.7	13.3	12.1	11.0	10.2	9.5	8.8	8.3	7.8	7.4	7.0	6.6	6.3	6.0	5.8	5.5
30		0.52	20.3	18.1	16.3	14.8	13.5	12.5	11.6	10.8	10.2	9.6	9.0	8.6	8.1	7.7	7.4	7.1	6.8
40		0.60	23.4	20.8	18.8	17.1	15.6	14.4	13.4	12.5	11.7	11.0	10.4	9.9	9.4	8.9	8.5	8.2	7.8
50		0.67	26.2	23.3	21.0	19.1	17.5	16.1	15.0	14.0	13.1	12.3	11.7	11.0	10.5	10.0	9.5	9.1	8.7
60		0.74	28.7	25.5	23.0	20.9	19.1	17.7	16.4	15.3	14.4	13.5	12.8	12.1	11.5	10.9	10.4	10.0	9.6
75		0.82	32.0	28.5	25.6	23.3	21.4	19.7	18.3	17.1	16.0	15.1	14.2	13.5	12.8	12.2	11.7	11.1	10.7
90		0.90	35.2	31.3	28.1	25.6	23.4	21.6	20.1	18.8	17.6	16.6	15.6	14.8	14.1	13.4	12.8	12.2	11.7
TT11008VS 50 MESH WHITE		15	0.49	19.1	17.0	15.3	13.9	12.8	11.8	10.9	10.2	9.6	9.0	8.5	8.1	7.7	7.3	7.0	6.7
	20	0.57	22.1	19.7	17.7	16.1	14.7	13.6	12.6	11.8	11.1	10.4	9.8	9.3	8.8	8.4	8.0	7.7	7.4
	30	0.69	27.1	24.1	21.7	19.7	18.1	16.7	15.5	14.4	13.5	12.7	12.0	11.4	10.8	10.3	9.8	9.4	9.0
	40	0.80	31.3	27.8	25.0	22.7	20.8	19.2	17.9	16.7	15.6	14.7	13.9	13.2	12.5	11.9	11.4	10.9	10.4
	50	0.89	34.9	31.1	27.9	25.4	23.3	21.5	20.0	18.6	17.5	16.4	15.5	14.7	14.0	13.3	12.7	12.2	11.6
	60	0.98	38.3	34.0	30.6	27.9	25.5	23.6	21.9	20.4	19.1	18.0	17.0	16.1	15.3	14.6	13.9	13.3	12.8
	75	1.10	43.0	38.2	34.4	31.3	28.7	26.5	24.6	22.9	21.5	20.2	19.1	18.1	17.2	16.4	15.6	15.0	14.3
	90	1.20	46.9	41.7	37.5	34.1	31.3	28.9	26.8	25.0	23.4	22.1	20.8	19.7	18.8	17.9	17.1	16.3	15.6

TURBO TEEJEET 110° 38" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
3.9	3.7	3.6	3.5	3.3	3.2	3.1	3.0	2.9	2.9	2.8	2.7	2.6	2.6	2.5	2.4	0.31	15	TT11005VS 50 MESH BROWN
4.4	4.3	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	0.35	20	
5.4	5.2	5.0	4.8	4.7	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	0.43	30	
6.3	6.0	5.8	5.6	5.4	5.2	5.0	4.9	4.7	4.6	4.5	4.3	4.2	4.1	4.0	3.9	0.50	40	
7.0	6.7	6.5	6.2	6.0	5.8	5.6	5.5	5.3	5.1	5.0	4.9	4.7	4.6	4.5	4.4	0.56	50	
7.7	7.4	7.1	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.5	5.3	5.2	5.0	4.9	4.8	0.61	60	
8.5	8.2	7.9	7.6	7.3	7.1	6.9	6.6	6.4	6.3	6.1	5.9	5.7	5.6	5.5	5.3	0.68	75	
9.4	9.0	8.7	8.4	8.1	7.8	7.6	7.3	7.1	6.9	6.7	6.5	6.3	6.2	6.0	5.9	0.75	90	
4.6	4.4	4.3	4.1	4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	2.9	0.37	15	TT11006VS 50 MESH GRAY
5.3	5.1	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	0.42	20	
6.5	6.3	6.0	5.8	5.6	5.4	5.2	5.1	4.9	4.8	4.6	4.5	4.4	4.3	4.2	4.1	0.52	30	
7.5	7.2	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.4	5.2	5.1	4.9	4.8	4.7	0.60	40	
8.4	8.1	7.8	7.5	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.2	0.67	50	
9.2	8.8	8.5	8.2	7.9	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.9	5.7	0.74	60	
10.3	9.9	9.5	9.2	8.8	8.5	8.3	8.0	7.8	7.5	7.3	7.1	6.9	6.7	6.6	6.4	0.82	75	
11.3	10.8	10.4	10.0	9.7	9.4	9.1	8.8	8.5	8.3	8.0	7.8	7.6	7.4	7.2	7.0	0.90	90	
6.1	5.9	5.7	5.5	5.3	5.1	4.9	4.8	4.6	4.5	4.4	4.3	4.1	4.0	3.9	3.8	0.49	15	TT11008VS 50 MESH WHITE
7.1	6.8	6.6	6.3	6.1	5.9	5.7	5.5	5.4	5.2	5.1	4.9	4.8	4.7	4.5	4.4	0.57	20	
8.7	8.3	8.0	7.7	7.5	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.9	5.7	5.6	5.4	0.69	30	
10.0	9.6	9.3	8.9	8.6	8.3	8.1	7.8	7.6	7.4	7.1	6.9	6.8	6.6	6.4	6.3	0.80	40	
11.2	10.7	10.4	10.0	9.6	9.3	9.0	8.7	8.5	8.2	8.0	7.8	7.6	7.4	7.2	7.0	0.89	50	
12.3	11.8	11.3	10.9	10.6	10.2	9.9	9.6	9.3	9.0	8.8	8.5	8.3	8.1	7.9	7.7	0.98	60	
13.8	13.2	12.7	12.3	11.9	11.5	11.1	10.7	10.4	10.1	9.8	9.6	9.3	9.0	8.8	8.6	1.10	75	
15.0	14.4	13.9	13.4	12.9	12.5	12.1	11.7	11.4	11.0	10.7	10.4	10.1	9.9	9.6	9.4	1.20	90	