

TURBO TURFJET 15" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
psi gpm																			
1/4TTJ02 50 MESH YELLOW	20	0.141	14.0	12.4	11.2	10.2	9.3	8.6	8.0	7.5	7.0	6.6	6.2	5.9	5.6	5.3	5.1	4.9	4.7
	30	0.173	17.1	15.2	13.7	12.5	11.4	10.6	9.8	9.1	8.6	8.1	7.6	7.2	6.9	6.5	6.2	6.0	5.7
	40	0.200	19.8	17.6	15.8	14.4	13.2	12.2	11.3	10.6	9.9	9.3	8.8	8.3	7.9	7.5	7.2	6.9	6.6
	50	0.224	22.1	19.7	17.7	16.1	14.8	13.6	12.6	11.8	11.1	10.4	9.8	9.3	8.9	8.4	8.0	7.7	7.4
	60	0.245	24.2	21.6	19.4	17.6	16.2	14.9	13.9	12.9	12.1	11.4	10.8	10.2	9.7	9.2	8.8	8.4	8.1
	70	0.265	26.2	23.3	21.0	19.0	17.5	16.1	15.0	14.0	13.1	12.3	11.6	11.0	10.5	10.0	9.5	9.1	8.7
	75	0.274	27.1	24.1	21.7	19.7	18.1	16.7	15.5	14.5	13.6	12.8	12.0	11.4	10.8	10.3	9.9	9.4	9.0
1/4TTJ04 50 MESH RED	20	0.283	28.0	24.9	22.4	20.4	18.7	17.2	16.0	14.9	14.0	13.2	12.5	11.8	11.2	10.7	10.2	9.7	9.3
	30	0.346	34.3	30.4	27.4	24.9	22.8	21.1	19.6	18.3	17.1	16.1	15.2	14.4	13.7	13.0	12.5	11.9	11.4
	40	0.400	39.6	35.2	31.7	28.8	26.4	24.4	22.6	21.1	19.8	18.6	17.6	16.7	15.8	15.1	14.4	13.8	13.2
	50	0.447	44.3	39.3	35.4	32.2	29.5	27.2	25.3	23.6	22.1	20.8	19.7	18.6	17.7	16.9	16.1	15.4	14.8
	60	0.490	48.5	43.1	38.8	35.3	32.3	29.9	27.7	25.9	24.3	22.8	21.6	20.4	19.4	18.5	17.6	16.9	16.2
	70	0.529	52.4	46.6	41.9	38.1	34.9	32.2	29.9	27.9	26.2	24.7	23.3	22.1	21.0	20.0	19.0	18.2	17.5
	75	0.550	54.5	48.4	43.6	39.6	36.3	33.5	31.1	29.0	27.2	25.6	24.2	22.9	21.8	20.7	19.8	18.9	18.2
1/4TTJ05 50 MESH BROWN	20	0.354	35.0	31.2	28.0	25.5	23.4	21.6	20.0	18.7	17.5	16.5	15.6	14.8	14.0	13.4	12.7	12.2	11.7
	30	0.433	42.9	38.1	34.3	31.2	28.6	26.4	24.5	22.9	21.4	20.2	19.1	18.0	17.1	16.3	15.6	14.9	14.3
	40	0.500	49.5	44.0	39.6	36.0	33.0	30.5	28.3	26.4	24.8	23.3	22.0	20.8	19.8	18.9	18.0	17.2	16.5
	50	0.559	55.3	49.2	44.3	40.2	36.9	34.1	31.6	29.5	27.7	26.0	24.6	23.3	22.1	21.1	20.1	19.2	18.4
	60	0.612	60.6	53.9	48.5	44.1	40.4	37.3	34.6	32.3	30.3	28.5	26.9	25.5	24.2	23.1	22.0	21.1	20.2
	70	0.661	65.5	58.2	52.4	47.6	43.7	40.3	37.4	34.9	32.7	30.8	29.1	27.6	26.2	24.9	23.8	22.8	21.8
	75	0.680	67.3	59.8	53.9	49.0	44.9	41.4	38.5	35.9	33.7	31.7	29.9	28.3	26.9	25.6	24.5	23.4	22.4
1/4TTJ06 50 MESH GRAY	20	0.424	42.0	37.3	33.6	30.5	28.0	25.8	24.0	22.4	21.0	19.8	18.7	17.7	16.8	16.0	15.3	14.6	14.0
	30	0.520	51.5	45.8	41.2	37.4	34.3	31.7	29.4	27.5	25.7	24.2	22.9	21.7	20.6	19.6	18.7	17.9	17.2
	40	0.600	59.4	52.8	47.5	43.2	39.6	36.6	33.9	31.7	29.7	28.0	26.4	25.0	23.8	22.6	21.6	20.7	19.8
	50	0.671	66.4	59.0	53.1	48.3	44.3	40.9	38.0	35.4	33.2	31.3	29.5	28.0	26.6	25.3	24.2	23.1	22.1
	60	0.735	72.8	64.7	58.2	52.9	48.5	44.8	41.6	38.8	36.4	34.2	32.3	30.6	29.1	27.7	26.5	25.3	24.3
	70	0.794	78.6	69.8	62.9	57.1	52.4	48.4	44.9	41.9	39.3	37.0	34.9	33.1	31.4	29.9	28.6	27.3	26.2
	75	0.820	81.2	72.2	64.9	59.0	54.1	50.0	46.4	43.3	40.6	38.2	36.1	34.2	32.5	30.9	29.5	28.2	27.1

TURBO TURFJET 15" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
1/4TTJ08 50 MESH RED	20	0.566	56.0	49.8	44.8	40.8	37.4	34.5	32.0	29.9	28.0	26.4	24.9	23.6	22.4	21.3	20.4	19.5	18.7
	30	0.693	68.6	61.0	54.9	49.9	45.7	42.2	39.2	36.6	34.3	32.3	30.5	28.9	27.4	26.1	24.9	23.9	22.9
	40	0.800	79.2	70.4	63.4	57.6	52.8	48.7	45.3	42.2	39.6	37.3	35.2	33.3	31.7	30.2	28.8	27.5	26.4
	50	0.894	88.5	78.7	70.8	64.4	59.0	54.5	50.6	47.2	44.3	41.6	39.3	37.3	35.4	33.7	32.2	30.8	29.5
	60	0.980	97.0	86.2	77.6	70.6	64.7	59.7	55.4	51.7	48.5	45.7	43.1	40.9	38.8	37.0	35.3	33.7	32.3
	70	1.058	104.8	93.1	83.8	76.2	69.8	64.5	59.9	55.9	52.4	49.3	46.6	44.1	41.9	39.9	38.1	36.4	34.9
	75	1.100	108.9	96.8	87.1	79.2	72.6	67.0	62.2	58.1	54.5	51.2	48.4	45.9	43.6	41.5	39.6	37.9	36.3
1/4TTJ10 50 MESH BROWN	20	0.707	70.0	62.2	56.0	50.9	46.7	43.1	40.0	37.3	35.0	32.9	31.1	29.5	28.0	26.7	25.5	24.3	23.3
	30	0.866	85.7	76.2	68.6	62.4	57.2	52.8	49.0	45.7	42.9	40.3	38.1	36.1	34.3	32.7	31.2	29.8	28.6
	40	1.000	99.0	88.0	79.2	72.0	66.0	60.9	56.6	52.8	49.5	46.6	44.0	41.7	39.6	37.7	36.0	34.4	33.0
	50	1.118	110.7	98.4	88.5	80.5	73.8	68.1	63.2	59.0	55.3	52.1	49.2	46.6	44.3	42.2	40.2	38.5	36.9
	60	1.225	121.3	107.8	97.0	88.2	80.9	74.6	69.3	64.7	60.6	57.1	53.9	51.1	48.5	46.2	44.1	42.2	40.4
	70	1.323	131.0	116.4	104.8	95.2	87.3	80.6	74.8	69.8	65.5	61.6	58.2	55.1	52.4	49.9	47.6	45.6	43.7
	75	1.370	135.6	120.6	108.5	98.6	90.4	83.5	77.5	72.3	67.8	63.8	60.3	57.1	54.3	51.7	49.3	47.2	45.2
1/4TTJ15 50 MESH GRAY	20	1.061	105.0	93.3	84.0	76.4	70.0	64.6	60.0	56.0	52.5	49.4	46.7	44.2	42.0	40.0	38.2	36.5	35.0
	30	1.299	128.6	114.3	102.9	93.5	85.7	79.1	73.5	68.6	64.3	60.5	57.2	54.1	51.4	49.0	46.8	44.7	42.9
	40	1.500	148.5	132.0	118.8	108.0	99.0	91.4	84.9	79.2	74.3	69.9	66.0	62.5	59.4	56.6	54.0	51.7	49.5
	50	1.677	166.0	147.6	132.8	120.7	110.7	102.2	94.9	88.5	83.0	78.1	73.8	69.9	66.4	63.2	60.4	57.7	55.3
	60	1.837	181.9	161.7	145.5	132.3	121.2	111.9	103.9	97.0	90.9	85.6	80.8	76.6	72.7	69.3	66.1	63.3	60.6
	70	1.984	196.4	174.6	157.2	142.9	131.0	120.9	112.3	104.8	98.2	92.4	87.3	82.7	78.6	74.8	71.4	68.3	65.5
	75	2.054	203.3	180.7	162.7	147.9	135.6	125.1	116.2	108.4	101.7	95.7	90.4	85.6	81.3	77.5	73.9	70.7	67.8

TURBO TURFJET 15" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph				
17.9	17.2	16.6	16.0	15.5	14.9	14.5	14.0	13.6	13.2	12.8	12.5	12.1	11.8	11.5	11.2	0.566	20	1/4TTJ08		
22.0	21.1	20.3	19.6	18.9	18.3	17.7	17.2	16.6	16.1	15.7	15.2	14.8	14.4	14.1	13.7	0.693	30	50 MESH RED		
25.3	24.4	23.5	22.6	21.8	21.1	20.4	19.8	19.2	18.6	18.1	17.6	17.1	16.7	16.2	15.8	0.800	40			
28.3	27.2	26.2	25.3	24.4	23.6	22.8	22.1	21.5	20.8	20.2	19.7	19.1	18.6	18.2	17.7	0.894	50			
31.0	29.9	28.7	27.7	26.8	25.9	25.0	24.3	23.5	22.8	22.2	21.6	21.0	20.4	19.9	19.4	0.980	60			
33.5	32.2	31.0	29.9	28.9	27.9	27.0	26.2	25.4	24.7	23.9	23.3	22.7	22.1	21.5	21.0	1.058	70			
34.8	33.5	32.3	31.1	30.0	29.0	28.1	27.2	26.4	25.6	24.9	24.2	23.5	22.9	22.3	21.8	1.100	75			
22.4	21.5	20.7	20.0	19.3	18.7	18.1	17.5	17.0	16.5	16.0	15.6	15.1	14.7	14.4	14.0	0.707	20	1/4TTJ10		
27.4	26.4	25.4	24.5	23.7	22.9	22.1	21.4	20.8	20.2	19.6	19.1	18.5	18.0	17.6	17.1	0.866	30	50 MESH BROWN		
31.7	30.5	29.3	28.3	27.3	26.4	25.5	24.8	24.0	23.3	22.6	22.0	21.4	20.8	20.3	19.8	1.000	40			
35.4	34.1	32.8	31.6	30.5	29.5	28.6	27.7	26.8	26.0	25.3	24.6	23.9	23.3	22.7	22.1	1.118	50			
38.8	37.3	35.9	34.7	33.5	32.3	31.3	30.3	29.4	28.5	27.7	27.0	26.2	25.5	24.9	24.3	1.225	60			
41.9	40.3	38.8	37.4	36.1	34.9	33.8	32.7	31.7	30.8	29.9	29.1	28.3	27.6	26.9	26.2	1.323	70			
43.4	41.7	40.2	38.8	37.4	36.2	35.0	33.9	32.9	31.9	31.0	30.1	29.3	28.6	27.8	27.1	1.370	75			
33.6	32.3	31.1	30.0	29.0	28.0	27.1	26.3	25.5	24.7	24.0	23.3	22.7	22.1	21.5	21.0	1.061	20	1/4TTJ15		
41.2	39.6	38.1	36.7	35.5	34.3	33.2	32.2	31.2	30.3	29.4	28.6	27.8	27.1	26.4	25.7	1.299	30	50 MESH GRAY		
47.5	45.7	44.0	42.4	41.0	39.6	38.3	37.1	36.0	34.9	33.9	33.0	32.1	31.3	30.5	29.7	1.500	40			
53.1	51.1	49.2	47.4	45.8	44.3	42.8	41.5	40.2	39.1	37.9	36.9	35.9	35.0	34.1	33.2	1.677	50			
58.2	56.0	53.9	52.0	50.2	48.5	46.9	45.5	44.1	42.8	41.6	40.4	39.3	38.3	37.3	36.4	1.837	60			
62.9	60.4	58.2	56.1	54.2	52.4	50.7	49.1	47.6	46.2	44.9	43.7	42.5	41.4	40.3	39.3	1.984	70			
65.1	62.6	60.2	58.1	56.1	54.2	52.5	50.8	49.3	47.8	46.5	45.2	44.0	42.8	41.7	40.7	2.054	75			