

TURBO TURFJET 32" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	
psi gpm																		
1/4TTJ02 50 MESH YELLOW	20	0.141	6.6	5.8	5.3	4.8	4.4	4.0	3.8	3.5	3.3	3.1	2.9	2.8	2.6	2.5	2.4	2.3
	30	0.173	8.0	7.1	6.4	5.8	5.4	4.9	4.6	4.3	4.0	3.8	3.6	3.4	3.2	3.1	2.9	2.8
	40	0.200	9.3	8.3	7.4	6.8	6.2	5.7	5.3	5.0	4.6	4.4	4.1	3.9	3.7	3.5	3.4	3.2
	50	0.224	10.4	9.2	8.3	7.5	6.9	6.4	5.9	5.5	5.2	4.9	4.6	4.4	4.2	4.0	3.8	3.6
	60	0.245	11.4	10.1	9.1	8.3	7.6	7.0	6.5	6.1	5.7	5.3	5.1	4.8	4.5	4.3	4.1	4.0
	70	0.265	12.3	10.9	9.8	8.9	8.2	7.6	7.0	6.5	6.1	5.8	5.5	5.2	4.9	4.7	4.5	4.3
	75	0.274	12.7	11.3	10.2	9.2	8.5	7.8	7.3	6.8	6.4	6.0	5.6	5.4	5.1	4.8	4.6	4.4
1/4TTJ04 50 MESH RED	20	0.283	13.1	11.7	10.5	9.6	8.8	8.1	7.5	7.0	6.6	6.2	5.8	5.5	5.3	5.0	4.8	4.6
	30	0.346	16.1	14.3	12.8	11.7	10.7	9.9	9.2	8.6	8.0	7.6	7.1	6.8	6.4	6.1	5.8	5.6
	40	0.400	18.6	16.5	14.9	13.5	12.4	11.4	10.6	9.9	9.3	8.7	8.3	7.8	7.4	7.1	6.8	6.5
	50	0.447	20.7	18.4	16.6	15.1	13.8	12.8	11.9	11.1	10.4	9.8	9.2	8.7	8.3	7.9	7.5	7.2
	60	0.490	22.7	20.2	18.2	16.5	15.2	14.0	13.0	12.1	11.4	10.7	10.1	9.6	9.1	8.7	8.3	7.9
	70	0.529	24.6	21.8	19.6	17.9	16.4	15.1	14.0	13.1	12.3	11.6	10.9	10.3	9.8	9.4	8.9	8.5
	75	0.550	25.5	22.7	20.4	18.6	17.0	15.7	14.6	13.6	12.8	12.0	11.3	10.7	10.2	9.7	9.3	8.9
1/4TTJ05 50 MESH BROWN	20	0.354	16.4	14.6	13.1	11.9	11.0	10.1	9.4	8.8	8.2	7.7	7.3	6.9	6.6	6.3	6.0	5.7
	30	0.433	20.1	17.9	16.1	14.6	13.4	12.4	11.5	10.7	10.0	9.5	8.9	8.5	8.0	7.7	7.3	7.0
	40	0.500	23.2	20.6	18.6	16.9	15.5	14.3	13.3	12.4	11.6	10.9	10.3	9.8	9.3	8.8	8.4	8.1
	50	0.559	25.9	23.1	20.8	18.9	17.3	16.0	14.8	13.8	13.0	12.2	11.5	10.9	10.4	9.9	9.4	9.0
	60	0.612	28.4	25.2	22.7	20.7	18.9	17.5	16.2	15.1	14.2	13.4	12.6	12.0	11.4	10.8	10.3	9.9
	70	0.661	30.7	27.3	24.6	22.3	20.5	18.9	17.5	16.4	15.3	14.4	13.6	12.9	12.3	11.7	11.2	10.7
	75	0.680	31.6	28.1	25.2	23.0	21.0	19.4	18.0	16.8	15.8	14.9	14.0	13.3	12.6	12.0	11.5	11.0
1/4TTJ06 50 MESH GRAY	20	0.424	19.7	17.5	15.7	14.3	13.1	12.1	11.2	10.5	9.8	9.3	8.7	8.3	7.9	7.5	7.2	6.8
	30	0.520	24.1	21.5	19.3	17.6	16.1	14.9	13.8	12.9	12.1	11.4	10.7	10.2	9.7	9.2	8.8	8.4
	40	0.600	27.8	24.8	22.3	20.3	18.6	17.1	15.9	14.9	13.9	13.1	12.4	11.7	11.1	10.6	10.1	9.7
	50	0.671	31.1	27.7	24.9	22.6	20.8	19.2	17.8	16.6	15.6	14.7	13.8	13.1	12.5	11.9	11.3	10.8
	60	0.735	34.1	30.3	27.3	24.8	22.7	21.0	19.5	18.2	17.1	16.1	15.2	14.4	13.6	13.0	12.4	11.9
	70	0.794	36.8	32.7	29.5	26.8	24.6	22.7	21.0	19.6	18.4	17.3	16.4	15.5	14.7	14.0	13.4	12.8
	75	0.820	38.1	33.8	30.4	27.7	25.4	23.4	21.7	20.3	19.0	17.9	16.9	16.0	15.2	14.5	13.8	13.2

TURBO TURFJET 32" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.0	12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph				
																		gpm		psi	
2.2	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.6	1.6	1.5	1.5	1.5	1.4	1.4	1.3	1.3	0.141	20	1/4TTJ02 50 MESH YELLOW		
2.7	2.6	2.5	2.4	2.3	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.6	1.6	0.173	30			
3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	1.9	1.9	0.200	40			
3.5	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.1	0.224	50			
3.8	3.6	3.5	3.4	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	0.245	60			
4.1	3.9	3.8	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.7	2.6	2.5	2.5	0.265	70			
4.2	4.1	3.9	3.8	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.7	2.6	2.5	0.274	75			
4.4	4.2	4.0	3.9	3.8	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	0.283	20	1/4TTJ04 50 MESH RED		
5.4	5.1	4.9	4.8	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	0.346	30			
6.2	5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.6	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	0.400	40			
6.9	6.6	6.4	6.1	5.9	5.7	5.5	5.4	5.2	5.0	4.9	4.7	4.6	4.5	4.4	4.3	4.1	0.447	50			
7.6	7.3	7.0	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.4	5.2	5.1	4.9	4.8	4.7	4.5	0.490	60			
8.2	7.9	7.6	7.3	7.0	6.8	6.5	6.3	6.1	6.0	5.8	5.6	5.5	5.3	5.2	5.0	4.9	0.529	70			
8.5	8.2	7.9	7.6	7.3	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.2	5.1	0.550	75			
5.5	5.3	5.1	4.9	4.7	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	0.354	20	1/4TTJ05 50 MESH BROWN		
6.7	6.4	6.2	6.0	5.7	5.5	5.4	5.2	5.0	4.9	4.7	4.6	4.5	4.3	4.2	4.1	4.0	0.433	30			
7.7	7.4	7.1	6.9	6.6	6.4	6.2	6.0	5.8	5.6	5.5	5.3	5.2	5.0	4.9	4.8	4.6	0.500	40			
8.6	8.3	8.0	7.7	7.4	7.2	6.9	6.7	6.5	6.3	6.1	5.9	5.8	5.6	5.5	5.3	5.2	0.559	50			
9.5	9.1	8.7	8.4	8.1	7.8	7.6	7.3	7.1	6.9	6.7	6.5	6.3	6.1	6.0	5.8	5.7	0.612	60			
10.2	9.8	9.4	9.1	8.8	8.5	8.2	7.9	7.7	7.4	7.2	7.0	6.8	6.6	6.5	6.3	6.1	0.661	70			
10.5	10.1	9.7	9.4	9.0	8.7	8.4	8.1	7.9	7.7	7.4	7.2	7.0	6.8	6.6	6.5	6.3	0.680	75			
6.6	6.3	6.1	5.8	5.6	5.4	5.2	5.1	4.9	4.8	4.6	4.5	4.4	4.3	4.1	4.0	3.9	0.424	20	1/4TTJ06 50 MESH GRAY		
8.0	7.7	7.4	7.2	6.9	6.7	6.4	6.2	6.0	5.9	5.7	5.5	5.4	5.2	5.1	5.0	4.8	0.520	30			
9.3	8.9	8.6	8.3	8.0	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.9	5.7	5.6	0.600	40			
10.4	10.0	9.6	9.2	8.9	8.6	8.3	8.0	7.8	7.5	7.3	7.1	6.9	6.7	6.6	6.4	6.2	0.671	50			
11.4	10.9	10.5	10.1	9.7	9.4	9.1	8.8	8.5	8.3	8.0	7.8	7.6	7.4	7.2	7.0	6.8	0.735	60			
12.3	11.8	11.3	10.9	10.5	10.2	9.8	9.5	9.2	8.9	8.7	8.4	8.2	8.0	7.8	7.6	7.4	0.794	70			
12.7	12.2	11.7	11.3	10.9	10.5	10.1	9.8	9.5	9.2	9.0	8.7	8.5	8.2	8.0	7.8	7.6	0.820	75			

TURBO TURFJET 32" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	
1/4TTJ08 50 MESH RED	20	0.566	26.3	23.3	21.0	19.1	17.5	16.2	15.0	14.0	13.1	12.4	11.7	11.1	10.5	10.0	9.6	9.1
	30	0.693	32.2	28.6	25.7	23.4	21.4	19.8	18.4	17.2	16.1	15.1	14.3	13.5	12.9	12.3	11.7	11.2
	40	0.800	37.1	33.0	29.7	27.0	24.8	22.8	21.2	19.8	18.6	17.5	16.5	15.6	14.9	14.1	13.5	12.9
	50	0.894	41.5	36.9	33.2	30.2	27.7	25.5	23.7	22.1	20.7	19.5	18.4	17.5	16.6	15.8	15.1	14.4
	60	0.980	45.5	40.4	36.4	33.1	30.3	28.0	26.0	24.3	22.7	21.4	20.2	19.1	18.2	17.3	16.5	15.8
	70	1.058	49.1	43.7	39.3	35.7	32.7	30.2	28.1	26.2	24.6	23.1	21.8	20.7	19.6	18.7	17.9	17.1
	75	1.100	51.0	45.4	40.8	37.1	34.0	31.4	29.2	27.2	25.5	24.0	22.7	21.5	20.4	19.4	18.6	17.8
1/4TTJ10 50 MESH BROWN	20	0.707	32.8	29.2	26.2	23.9	21.9	20.2	18.7	17.5	16.4	15.4	14.6	13.8	13.1	12.5	11.9	11.4
	30	0.866	40.2	35.7	32.2	29.2	26.8	24.7	23.0	21.4	20.1	18.9	17.9	16.9	16.1	15.3	14.6	14.0
	40	1.000	46.4	41.3	37.1	33.8	30.9	28.6	26.5	24.8	23.2	21.8	20.6	19.5	18.6	17.7	16.9	16.1
	50	1.118	51.9	46.1	41.5	37.7	34.6	31.9	29.6	27.7	25.9	24.4	23.1	21.8	20.8	19.8	18.9	18.0
	60	1.225	56.8	50.5	45.5	41.3	37.9	35.0	32.5	30.3	28.4	26.8	25.3	23.9	22.7	21.7	20.7	19.8
	70	1.323	61.4	54.6	49.1	44.6	40.9	37.8	35.1	32.7	30.7	28.9	27.3	25.8	24.6	23.4	22.3	21.4
	75	1.370	63.6	56.5	50.9	46.2	42.4	39.1	36.3	33.9	31.8	29.9	28.3	26.8	25.4	24.2	23.1	22.1
1/4TTJ15 50 MESH GRAY	20	1.061	49.2	43.8	39.4	35.8	32.8	30.3	28.1	26.3	24.6	23.2	21.9	20.7	19.7	18.8	17.9	17.1
	30	1.299	60.3	53.6	48.2	43.8	40.2	37.1	34.4	32.2	30.1	28.4	26.8	25.4	24.1	23.0	21.9	21.0
	40	1.500	69.6	61.9	55.7	50.6	46.4	42.8	39.8	37.1	34.8	32.8	30.9	29.3	27.8	26.5	25.3	24.2
	50	1.677	77.8	69.2	62.3	56.6	51.9	47.9	44.5	41.5	38.9	36.6	34.6	32.8	31.1	29.6	28.3	27.1
	60	1.837	85.3	75.8	68.2	62.0	56.8	52.5	48.7	45.5	42.6	40.1	37.9	35.9	34.1	32.5	31.0	29.7
	70	1.984	92.1	81.9	73.7	67.0	61.4	56.7	52.6	49.1	46.0	43.3	40.9	38.8	36.8	35.1	33.5	32.0
	75	2.054	95.3	84.7	76.3	69.3	63.5	58.7	54.5	50.8	47.7	44.9	42.4	40.1	38.1	36.3	34.7	33.2

TURBO TURFJET 32" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.0	12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph			
8.8	8.4	8.1	7.8	7.5	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.3	0.566	20	1/4TTJ08	
10.7	10.3	9.9	9.5	9.2	8.9	8.6	8.3	8.0	7.8	7.6	7.4	7.1	7.0	6.8	6.6	6.4	0.693	30		
12.4	11.9	11.4	11.0	10.6	10.2	9.9	9.6	9.3	9.0	8.7	8.5	8.3	8.0	7.8	7.6	7.4	0.800	40	50 MESH	
13.8	13.3	12.8	12.3	11.9	11.4	11.1	10.7	10.4	10.1	9.8	9.5	9.2	9.0	8.7	8.5	8.3	0.894	50	RED	
15.2	14.6	14.0	13.5	13.0	12.5	12.1	11.7	11.4	11.0	10.7	10.4	10.1	9.8	9.6	9.3	9.1	0.980	60		
16.4	15.7	15.1	14.6	14.0	13.5	13.1	12.7	12.3	11.9	11.6	11.2	10.9	10.6	10.3	10.1	9.8	1.058	70		
17.0	16.3	15.7	15.1	14.6	14.1	13.6	13.2	12.8	12.4	12.0	11.7	11.3	11.0	10.7	10.5	10.2	1.100	75		
10.9	10.5	10.1	9.7	9.4	9.1	8.7	8.5	8.2	8.0	7.7	7.5	7.3	7.1	6.9	6.7	6.6	0.707	20	1/4TTJ10	
13.4	12.9	12.4	11.9	11.5	11.1	10.7	10.4	10.0	9.7	9.5	9.2	8.9	8.7	8.5	8.2	8.0	0.866	30		
15.5	14.9	14.3	13.8	13.3	12.8	12.4	12.0	11.6	11.3	10.9	10.6	10.3	10.0	9.8	9.5	9.3	1.000	40	50 MESH	
17.3	16.6	16.0	15.4	14.8	14.3	13.8	13.4	13.0	12.6	12.2	11.9	11.5	11.2	10.9	10.6	10.4	1.118	50	BROWN	
18.9	18.2	17.5	16.8	16.2	15.7	15.2	14.7	14.2	13.8	13.4	13.0	12.6	12.3	12.0	11.7	11.4	1.225	60		
20.5	19.6	18.9	18.2	17.5	16.9	16.4	15.8	15.3	14.9	14.4	14.0	13.6	13.3	12.9	12.6	12.3	1.323	70		
21.2	20.3	19.6	18.8	18.2	17.5	17.0	16.4	15.9	15.4	15.0	14.5	14.1	13.7	13.4	13.0	12.7	1.370	75		
16.4	15.8	15.1	14.6	14.1	13.6	13.1	12.7	12.3	11.9	11.6	11.3	10.9	10.6	10.4	10.1	9.8	1.061	20	1/4TTJ15	
20.1	19.3	18.5	17.9	17.2	16.6	16.1	15.6	15.1	14.6	14.2	13.8	13.4	13.0	12.7	12.4	12.1	1.299	30		
23.2	22.3	21.4	20.6	19.9	19.2	18.6	18.0	17.4	16.9	16.4	15.9	15.5	15.1	14.7	14.3	13.9	1.500	40	50 MESH	
25.9	24.9	23.9	23.1	22.2	21.5	20.8	20.1	19.5	18.9	18.3	17.8	17.3	16.8	16.4	16.0	15.6	1.677	50	GRAY	
28.4	27.3	26.2	25.3	24.4	23.5	22.7	22.0	21.3	20.7	20.1	19.5	18.9	18.4	17.9	17.5	17.1	1.837	60		
30.7	29.5	28.3	27.3	26.3	25.4	24.6	23.8	23.0	22.3	21.7	21.0	20.5	19.9	19.4	18.9	18.4	1.984	70		
31.8	30.5	29.3	28.2	27.2	26.3	25.4	24.6	23.8	23.1	22.4	21.8	21.2	20.6	20.1	19.6	19.1	2.054	75		