

### DRIFT GUARD 95° EVEN 36" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
psi gpm																			
DG95015EVS  100 MESH GREEN	30	0.130	5.4	4.8	4.3	3.9	3.6	3.3	3.1	2.9	2.7	2.5	2.4	2.3	2.1	2.0	1.9	1.9	1.8
	40	0.150	6.2	5.5	5.0	4.5	4.1	3.8	3.5	3.3	3.1	2.9	2.8	2.6	2.5	2.4	2.3	2.2	2.1
	50	0.168	6.9	6.1	5.5	5.0	4.6	4.3	4.0	3.7	3.5	3.3	3.1	2.9	2.8	2.6	2.5	2.4	2.3
	60	0.184	7.6	6.7	6.1	5.5	5.1	4.7	4.3	4.0	3.8	3.6	3.4	3.2	3.0	2.9	2.8	2.6	2.5
DG9502EVS  50 MESH YELLOW	30	0.217	8.9	7.9	7.1	6.5	6.0	5.5	5.1	4.8	4.5	4.2	4.0	3.8	3.6	3.4	3.2	3.1	3.0
	40	0.250	10.3	9.2	8.3	7.5	6.9	6.3	5.9	5.5	5.2	4.9	4.6	4.3	4.1	3.9	3.8	3.6	3.4
	50	0.280	11.5	10.2	9.2	8.4	7.7	7.1	6.6	6.1	5.8	5.4	5.1	4.9	4.6	4.4	4.2	4.0	3.8
	60	0.306	12.6	11.2	10.1	9.2	8.4	7.8	7.2	6.7	6.3	5.9	5.6	5.3	5.1	4.8	4.6	4.4	4.2
DG9503EVS  50 MESH BLUE	30	0.260	10.7	9.5	8.6	7.8	7.1	6.6	6.1	5.7	5.4	5.0	4.8	4.5	4.3	4.1	3.9	3.7	3.6
	40	0.300	12.4	11.0	9.9	9.0	8.3	7.6	7.1	6.6	6.2	5.8	5.5	5.2	5.0	4.7	4.5	4.3	4.1
	50	0.335	13.8	12.3	11.1	10.1	9.2	8.5	7.9	7.4	6.9	6.5	6.1	5.8	5.5	5.3	5.0	4.8	4.6
	60	0.367	15.2	13.5	12.1	11.0	10.1	9.3	8.7	8.1	7.6	7.1	6.7	6.4	6.1	5.8	5.5	5.3	5.1
DG9504EVS  50 MESH RED	30	0.346	14.3	12.7	11.4	10.4	9.5	8.8	8.2	7.6	7.1	6.7	6.4	6.0	5.7	5.4	5.2	5.0	4.8
	40	0.400	16.5	14.7	13.2	12.0	11.0	10.2	9.4	8.8	8.3	7.8	7.3	6.9	6.6	6.3	6.0	5.7	5.5
	50	0.447	18.4	16.4	14.8	13.4	12.3	11.4	10.5	9.8	9.2	8.7	8.2	7.8	7.4	7.0	6.7	6.4	6.1
	60	0.490	20.2	18.0	16.2	14.7	13.5	12.4	11.5	10.8	10.1	9.5	9.0	8.5	8.1	7.7	7.3	7.0	6.7
DG9505EVS  50 MESH BROWN	30	0.433	17.9	15.9	14.3	13.0	11.9	11.0	10.2	9.5	8.9	8.4	7.9	7.5	7.1	6.8	6.5	6.2	6.0
	40	0.500	20.6	18.3	16.5	15.0	13.8	12.7	11.8	11.0	10.3	9.7	9.2	8.7	8.3	7.9	7.5	7.2	6.9
	50	0.559	23.1	20.5	18.4	16.8	15.4	14.2	13.2	12.3	11.5	10.9	10.2	9.7	9.2	8.8	8.4	8.0	7.7
	60	0.612	25.3	22.5	20.2	18.4	16.8	15.5	14.4	13.5	12.6	11.9	11.2	10.6	10.1	9.6	9.2	8.8	8.4

**DRIFT GUARD 95° EVEN 36" TIP SPACING**

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
																	gpm	psi
1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	0.130	30	DG95015EVS  100 MESH GREEN
2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.5	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	0.150	40	
2.2	2.1	2.0	2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.5	1.4	1.4	0.168	50	
2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.6	1.5	0.184	60	
2.9	2.7	2.6	2.6	2.5	2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.8	0.217	30	DG9502EVS  50 MESH YELLOW
3.3	3.2	3.1	2.9	2.8	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.1	0.250	40	
3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.4	2.3	0.280	50	
4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.7	2.6	2.5	0.306	60	
3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.3	2.2	2.1	0.260	30	DG9503EVS  50 MESH BLUE
4.0	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	0.300	40	
4.4	4.3	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	0.335	50	
4.8	4.7	4.5	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	0.367	60	
4.6	4.4	4.2	4.1	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	0.346	30	DG9504EVS  50 MESH RED
5.3	5.1	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	0.400	40	
5.9	5.7	5.5	5.3	5.1	4.9	4.8	4.6	4.5	4.3	4.2	4.1	4.0	3.9	3.8	3.7	0.447	50	
6.5	6.2	6.0	5.8	5.6	5.4	5.2	5.1	4.9	4.8	4.6	4.5	4.4	4.3	4.1	4.0	0.490	60	
5.7	5.5	5.3	5.1	4.9	4.8	4.6	4.5	4.3	4.2	4.1	4.0	3.9	3.8	3.7	3.6	0.433	30	DG9505EVS  50 MESH BROWN
6.6	6.3	6.1	5.9	5.7	5.5	5.3	5.2	5.0	4.9	4.7	4.6	4.5	4.3	4.2	4.1	0.500	40	
7.4	7.1	6.8	6.6	6.4	6.1	6.0	5.8	5.6	5.4	5.3	5.1	5.0	4.9	4.7	4.6	0.559	50	
8.1	7.8	7.5	7.2	7.0	6.7	6.5	6.3	6.1	5.9	5.8	5.6	5.5	5.3	5.2	5.1	0.612	60	