

TURBO TEEJEET 110° 16" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
	psi gpm																		
TT11001VS 100 MESH ORANGE	15	0.06	5.7	5.0	4.5	4.1	3.8	3.5	3.2	3.0	2.8	2.7	2.5	2.4	2.3	2.2	2.1	2.0	1.9
	20	0.07	6.6	5.9	5.3	4.8	4.4	4.1	3.8	3.5	3.3	3.1	2.9	2.8	2.6	2.5	2.4	2.3	2.2
	30	0.09	8.1	7.2	6.5	5.9	5.4	5.0	4.6	4.3	4.0	3.8	3.6	3.4	3.2	3.1	2.9	2.8	2.7
	40	0.10	9.3	8.3	7.4	6.8	6.2	5.7	5.3	5.0	4.6	4.4	4.1	3.9	3.7	3.5	3.4	3.2	3.1
	50	0.11	10.4	9.2	8.3	7.6	6.9	6.4	5.9	5.5	5.2	4.9	4.6	4.4	4.2	4.0	3.8	3.6	3.5
	60	0.12	11.3	10.1	9.1	8.2	7.5	7.0	6.5	6.0	5.7	5.3	5.0	4.8	4.5	4.3	4.1	3.9	3.8
	75	0.14	13.0	11.6	10.4	9.5	8.7	8.0	7.4	6.9	6.5	6.1	5.8	5.5	5.2	5.0	4.7	4.5	4.3
TT110015VS 100 MESH GREEN	15	0.01	0.8	0.7	0.7	0.6	0.6	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3
	20	0.11	9.8	8.7	7.9	7.2	6.6	6.1	5.6	5.2	4.9	4.6	4.4	4.1	3.9	3.7	3.6	3.4	3.3
	30	0.13	12.1	10.7	9.7	8.8	8.0	7.4	6.9	6.4	6.0	5.7	5.4	5.1	4.8	4.6	4.4	4.2	4.0
	40	0.15	13.9	12.4	11.1	10.1	9.3	8.6	8.0	7.4	7.0	6.6	6.2	5.9	5.6	5.3	5.1	4.8	4.6
	50	0.17	15.6	13.9	12.5	11.3	10.4	9.6	8.9	8.3	7.8	7.3	6.9	6.6	6.2	5.9	5.7	5.4	5.2
	60	0.18	17.1	15.2	13.7	12.4	11.4	10.5	9.8	9.1	8.5	8.0	7.6	7.2	6.8	6.5	6.2	5.9	5.7
	75	0.21	19.5	17.3	15.6	14.2	13.0	12.0	11.1	10.4	9.7	9.2	8.7	8.2	7.8	7.4	7.1	6.8	6.5
90	0.23	21.3	19.0	17.1	15.5	14.2	13.1	12.2	11.4	10.7	10.0	9.5	9.0	8.5	8.1	7.8	7.4	7.1	
TT11002VS 50 MESH YELLOW	15	0.12	11.1	9.9	8.9	8.1	7.4	6.9	6.4	5.9	5.6	5.2	5.0	4.7	4.5	4.2	4.1	3.9	3.7
	20	0.14	13.1	11.6	10.5	9.5	8.7	8.1	7.5	7.0	6.5	6.2	5.8	5.5	5.2	5.0	4.8	4.6	4.4
	30	0.17	16.1	14.3	12.8	11.7	10.7	9.9	9.2	8.6	8.0	7.6	7.1	6.8	6.4	6.1	5.8	5.6	5.4
	40	0.20	18.6	16.5	14.9	13.5	12.4	11.4	10.6	9.9	9.3	8.7	8.3	7.8	7.4	7.1	6.8	6.5	6.2
	50	0.22	20.8	18.5	16.6	15.1	13.9	12.8	11.9	11.1	10.4	9.8	9.2	8.8	8.3	7.9	7.6	7.2	6.9
	60	0.25	22.7	20.2	18.2	16.5	15.2	14.0	13.0	12.1	11.4	10.7	10.1	9.6	9.1	8.7	8.3	7.9	7.6
	75	0.27	25.1	22.3	20.0	18.2	16.7	15.4	14.3	13.4	12.5	11.8	11.1	10.6	10.0	9.5	9.1	8.7	8.4
90	0.30	27.8	24.8	22.3	20.3	18.6	17.1	15.9	14.9	13.9	13.1	12.4	11.7	11.1	10.6	10.1	9.7	9.3	
TT110025VS 50 MESH PURPLE	15	0.15	13.9	12.4	11.1	10.1	9.3	8.6	8.0	7.4	7.0	6.6	6.2	5.9	5.6	5.3	5.1	4.8	4.6
	20	0.18	16.7	14.9	13.4	12.2	11.1	10.3	9.5	8.9	8.4	7.9	7.4	7.0	6.7	6.4	6.1	5.8	5.6
	30	0.22	20.4	18.2	16.3	14.9	13.6	12.6	11.7	10.9	10.2	9.6	9.1	8.6	8.2	7.8	7.4	7.1	6.8
	40	0.25	23.2	20.6	18.6	16.9	15.5	14.3	13.3	12.4	11.6	10.9	10.3	9.8	9.3	8.8	8.4	8.1	7.7
	50	0.28	26.0	23.1	20.8	18.9	17.3	16.0	14.9	13.9	13.0	12.2	11.6	10.9	10.4	9.9	9.5	9.0	8.7
	60	0.31	28.8	25.6	23.0	20.9	19.2	17.7	16.4	15.3	14.4	13.5	12.8	12.1	11.5	11.0	10.5	10.0	9.6
	75	0.34	31.6	28.1	25.2	23.0	21.0	19.4	18.0	16.8	15.8	14.9	14.0	13.3	12.6	12.0	11.5	11.0	10.5
90	0.38	35.3	31.4	28.2	25.7	23.5	21.7	20.2	18.8	17.6	16.6	15.7	14.9	14.1	13.4	12.8	12.3	11.8	
TT11003VS 50 MESH BLUE	15	0.18	16.7	14.9	13.4	12.2	11.1	10.3	9.5	8.9	8.4	7.9	7.4	7.0	6.7	6.4	6.1	5.8	5.6
	20	0.21	19.7	17.5	15.7	14.3	13.1	12.1	11.2	10.5	9.8	9.3	8.7	8.3	7.9	7.5	7.2	6.8	6.6
	30	0.26	24.1	21.5	19.3	17.6	16.1	14.9	13.8	12.9	12.1	11.4	10.7	10.2	9.7	9.2	8.8	8.4	8.0
	40	0.30	27.8	24.8	22.3	20.3	18.6	17.1	15.9	14.9	13.9	13.1	12.4	11.7	11.1	10.6	10.1	9.7	9.3
	50	0.34	31.1	27.6	24.9	22.6	20.7	19.1	17.8	16.6	15.5	14.6	13.8	13.1	12.4	11.8	11.3	10.8	10.4
	60	0.37	34.1	30.3	27.2	24.8	22.7	21.0	19.5	18.2	17.0	16.0	15.1	14.3	13.6	13.0	12.4	11.8	11.4
	75	0.41	38.1	33.8	30.4	27.7	25.4	23.4	21.7	20.3	19.0	17.9	16.9	16.0	15.2	14.5	13.8	13.2	12.7
90	0.45	41.8	37.1	33.4	30.4	27.8	25.7	23.9	22.3	20.9	19.7	18.6	17.6	16.7	15.9	15.2	14.5	13.9	
TT11004VS 50 MESH RED	15	0.24	22.3	19.8	17.8	16.2	14.9	13.7	12.7	11.9	11.1	10.5	9.9	9.4	8.9	8.5	8.1	7.7	7.4
	20	0.28	26.3	23.3	21.0	19.1	17.5	16.2	15.0	14.0	13.1	12.4	11.7	11.1	10.5	10.0	9.6	9.1	8.8
	30	0.35	32.1	28.5	25.7	23.4	21.4	19.8	18.4	17.1	16.1	15.1	14.3	13.5	12.8	12.2	11.7	11.2	10.7
	40	0.40	37.1	33.0	29.7	27.0	24.8	22.8	21.2	19.8	18.6	17.5	16.5	15.6	14.9	14.1	13.5	12.9	12.4
	50	0.45	41.5	36.9	33.2	30.2	27.7	25.5	23.7	22.1	20.7	19.5	18.4	17.5	16.6	15.8	15.1	14.4	13.8
	60	0.49	45.5	40.4	36.4	33.1	30.3	28.0	26.0	24.3	22.7	21.4	20.2	19.1	18.2	17.3	16.5	15.8	15.2
	75	0.55	51.0	45.4	40.8	37.1	34.0	31.4	29.2	27.2	25.5	24.0	22.7	21.5	20.4	19.4	18.6	17.8	17.0
90	0.60	55.7	49.5	44.6	40.5	37.1	34.3	31.8	29.7	27.8	26.2	24.8	23.4	22.3	21.2	20.3	19.4	18.6	

TURBO TEEJEET 110° 16" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

																		mph	
12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0				
																gpm		psi	
1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	1.2	1.1	0.06	15	100 MESH	TT11001VS
2.1	2.0	2.0	1.9	1.8	1.8	1.7	1.6	1.6	1.6	1.5	1.5	1.4	1.4	1.4	1.3	0.07	20		ORANGE
2.6	2.5	2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.8	1.8	1.7	1.7	1.7	1.6	0.09	30		
3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	1.9	1.9	0.10	40		
3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.1	0.11	50		
3.6	3.5	3.4	3.2	3.1	3.0	2.9	2.8	2.7	2.7	2.6	2.5	2.4	2.4	2.3	2.3	0.12	60		
4.2	4.0	3.9	3.7	3.6	3.5	3.4	3.2	3.2	3.1	3.0	2.9	2.8	2.7	2.7	2.6	0.14	75		
4.5	4.3	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	0.15	90		
0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.01	15	100 MESH	TT110015VS
3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.2	2.2	2.1	2.1	2.0	2.0	0.11	20		GREEN
3.9	3.7	3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	2.4	0.13	30		
4.5	4.3	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	0.15	40		
5.0	4.8	4.6	4.5	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	0.17	50		
5.5	5.3	5.1	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	0.18	60		
6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.9	4.7	4.6	4.5	4.3	4.2	4.1	4.0	3.9	0.21	75		
6.8	6.6	6.3	6.1	5.9	5.7	5.5	5.3	5.2	5.0	4.9	4.7	4.6	4.5	4.4	4.3	0.23	90		
3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	0.12	15	50 MESH	TT11002VS
4.2	4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	0.14	20		YELLOW
5.1	4.9	4.8	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	0.17	30		
5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.6	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	0.20	40		
6.7	6.4	6.2	5.9	5.7	5.5	5.4	5.2	5.0	4.9	4.8	4.6	4.5	4.4	4.3	4.2	0.22	50		
7.3	7.0	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.4	5.2	5.1	4.9	4.8	4.7	4.5	0.25	60		
8.0	7.7	7.4	7.2	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.6	5.4	5.3	5.1	5.0	0.27	75		
8.9	8.6	8.3	8.0	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.9	5.7	5.6	0.30	90		
4.5	4.3	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	0.15	15	50 MESH	TT110025VS
5.3	5.1	5.0	4.8	4.6	4.5	4.3	4.2	4.1	3.9	3.8	3.7	3.6	3.5	3.4	3.3	0.18	20		PURPLE
6.5	6.3	6.1	5.8	5.6	5.4	5.3	5.1	5.0	4.8	4.7	4.5	4.4	4.3	4.2	4.1	0.22	30		
7.4	7.1	6.9	6.6	6.4	6.2	6.0	5.8	5.6	5.5	5.3	5.2	5.0	4.9	4.8	4.6	0.25	40		
8.3	8.0	7.7	7.4	7.2	6.9	6.7	6.5	6.3	6.1	5.9	5.8	5.6	5.5	5.3	5.2	0.28	50		
9.2	8.9	8.5	8.2	7.9	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.2	6.1	5.9	5.8	0.31	60		
10.1	9.7	9.4	9.0	8.7	8.4	8.1	7.9	7.7	7.4	7.2	7.0	6.8	6.6	6.5	6.3	0.34	75		
11.3	10.9	10.5	10.1	9.7	9.4	9.1	8.8	8.6	8.3	8.1	7.8	7.6	7.4	7.2	7.1	0.38	90		
5.3	5.1	5.0	4.8	4.6	4.5	4.3	4.2	4.1	3.9	3.8	3.7	3.6	3.5	3.4	3.3	0.18	15	50 MESH	TT11003VS
6.3	6.1	5.8	5.6	5.4	5.2	5.1	4.9	4.8	4.6	4.5	4.4	4.3	4.1	4.0	3.9	0.21	20		BLUE
7.7	7.4	7.2	6.9	6.7	6.4	6.2	6.0	5.9	5.7	5.5	5.4	5.2	5.1	5.0	4.8	0.26	30		
8.9	8.6	8.3	8.0	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.9	5.7	5.6	0.30	40		
9.9	9.6	9.2	8.9	8.6	8.3	8.0	7.8	7.5	7.3	7.1	6.9	6.7	6.5	6.4	6.2	0.34	50		
10.9	10.5	10.1	9.7	9.4	9.1	8.8	8.5	8.3	8.0	7.8	7.6	7.4	7.2	7.0	6.8	0.37	60		
12.2	11.7	11.3	10.9	10.5	10.1	9.8	9.5	9.2	9.0	8.7	8.5	8.2	8.0	7.8	7.6	0.41	75		
13.4	12.9	12.4	11.9	11.5	11.1	10.8	10.4	10.1	9.8	9.5	9.3	9.0	8.8	8.6	8.4	0.45	90		
7.1	6.9	6.6	6.4	6.1	5.9	5.7	5.6	5.4	5.2	5.1	5.0	4.8	4.7	4.6	4.5	0.24	15	50 MESH	TT11004VS
8.4	8.1	7.8	7.5	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.3	0.28	20		RED
10.3	9.9	9.5	9.2	8.9	8.6	8.3	8.0	7.8	7.6	7.3	7.1	6.9	6.8	6.6	6.4	0.35	30		
11.9	11.4	11.0	10.6	10.2	9.9	9.6	9.3	9.0	8.7	8.5	8.3	8.0	7.8	7.6	7.4	0.40	40		
13.3	12.8	12.3	11.9	11.4	11.1	10.7	10.4	10.1	9.8	9.5	9.2	9.0	8.7	8.5	8.3	0.45	50		
14.6	14.0	13.5	13.0	12.5	12.1	11.7	11.4	11.0	10.7	10.4	10.1	9.8	9.6	9.3	9.1	0.49	60		
16.3	15.7	15.1	14.6	14.1	13.6	13.2	12.8	12.4	12.0	11.7	11.3	11.0	10.7	10.5	10.2	0.55	75		
17.8	17.1	16.5	15.9	15.4	14.9	14.4	13.9	13.5	13.1	12.7	12.4	12.0	11.7	11.4	11.1	0.60	90		

TURBO TEEJEET 110° 16" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0		
TT11005VS 50 MESH BROWN	15	0.31	28.8	25.6	23.0	20.9	19.2	17.7	16.4	15.3	14.4	13.5	12.8	12.1	11.5	11.0	10.5	10.0	9.6
	20	0.35	32.9	29.2	26.3	23.9	21.9	20.2	18.8	17.5	16.4	15.5	14.6	13.8	13.1	12.5	11.9	11.4	11.0
	30	0.43	40.2	35.7	32.2	29.2	26.8	24.7	23.0	21.4	20.1	18.9	17.9	16.9	16.1	15.3	14.6	14.0	13.4
	40	0.50	46.4	41.3	37.1	33.8	30.9	28.6	26.5	24.8	23.2	21.8	20.6	19.5	18.6	17.7	16.9	16.1	15.5
	50	0.56	51.9	46.1	41.5	37.7	34.6	31.9	29.6	27.7	25.9	24.4	23.1	21.8	20.8	19.8	18.9	18.0	17.3
	60	0.61	56.8	50.5	45.4	41.3	37.9	35.0	32.5	30.3	28.4	26.7	25.2	23.9	22.7	21.6	20.7	19.8	18.9
	75	0.68	63.1	56.1	50.5	45.9	42.1	38.8	36.1	33.7	31.6	29.7	28.1	26.6	25.2	24.0	23.0	22.0	21.0
	90	0.75	69.6	61.9	55.7	50.6	46.4	42.8	39.8	37.1	34.8	32.8	30.9	29.3	27.8	26.5	25.3	24.2	23.2
TT11006VS 50 MESH GRAY	15	0.37	34.3	30.5	27.5	25.0	22.9	21.1	19.6	18.3	17.2	16.2	15.3	14.5	13.7	13.1	12.5	11.9	11.4
	20	0.42	39.4	35.0	31.5	28.6	26.2	24.2	22.5	21.0	19.7	18.5	17.5	16.6	15.7	15.0	14.3	13.7	13.1
	30	0.52	48.3	42.9	38.6	35.1	32.2	29.7	27.6	25.7	24.1	22.7	21.5	20.3	19.3	18.4	17.6	16.8	16.1
	40	0.60	55.7	49.5	44.6	40.5	37.1	34.3	31.8	29.7	27.8	26.2	24.8	23.4	22.3	21.2	20.3	19.4	18.6
	50	0.67	62.3	55.4	49.8	45.3	41.5	38.3	35.6	33.2	31.1	29.3	27.7	26.2	24.9	23.7	22.6	21.7	20.8
	60	0.74	68.2	60.6	54.6	49.6	45.5	42.0	39.0	36.4	34.1	32.1	30.3	28.7	27.3	26.0	24.8	23.7	22.7
	75	0.82	76.1	67.7	60.9	55.4	50.7	46.8	43.5	40.6	38.1	35.8	33.8	32.0	30.4	29.0	27.7	26.5	25.4
	90	0.90	83.5	74.3	66.8	60.8	55.7	51.4	47.7	44.6	41.8	39.3	37.1	35.2	33.4	31.8	30.4	29.1	27.8
TT11008VS 50 MESH WHITE	15	0.49	45.5	40.4	36.4	33.1	30.3	28.0	26.0	24.3	22.7	21.4	20.2	19.1	18.2	17.3	16.5	15.8	15.2
	20	0.57	52.5	46.7	42.0	38.2	35.0	32.3	30.0	28.0	26.3	24.7	23.3	22.1	21.0	20.0	19.1	18.3	17.5
	30	0.69	64.3	57.2	51.5	46.8	42.9	39.6	36.8	34.3	32.2	30.3	28.6	27.1	25.7	24.5	23.4	22.4	21.4
	40	0.80	74.3	66.0	59.4	54.0	49.5	45.7	42.4	39.6	37.1	34.9	33.0	31.3	29.7	28.3	27.0	25.8	24.8
	50	0.89	83.0	73.8	66.4	60.3	55.3	51.1	47.4	44.3	41.5	39.0	36.9	34.9	33.2	31.6	30.2	28.9	27.7
	60	0.98	91.0	80.9	72.8	66.2	60.6	56.0	52.0	48.5	45.5	42.8	40.4	38.3	36.4	34.7	33.1	31.6	30.3
	75	1.10	102.1	90.8	81.7	74.3	68.1	62.8	58.3	54.5	51.0	48.0	45.4	43.0	40.8	38.9	37.1	35.5	34.0
	90	1.20	111.4	99.0	89.1	81.0	74.3	68.5	63.6	59.4	55.7	52.4	49.5	46.9	44.6	42.4	40.5	38.7	37.1

TURBO TEEJEET 110° 16" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
9.2	8.9	8.5	8.2	7.9	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.2	6.1	5.9	5.8	0.31	15	TT11005VS 50 MESH BROWN
10.5	10.1	9.7	9.4	9.1	8.8	8.5	8.2	8.0	7.7	7.5	7.3	7.1	6.9	6.7	6.6	0.35	20	
12.9	12.4	11.9	11.5	11.1	10.7	10.4	10.0	9.7	9.5	9.2	8.9	8.7	8.5	8.2	8.0	0.43	30	
14.9	14.3	13.8	13.3	12.8	12.4	12.0	11.6	11.3	10.9	10.6	10.3	10.0	9.8	9.5	9.3	0.50	40	
16.6	16.0	15.4	14.8	14.3	13.8	13.4	13.0	12.6	12.2	11.9	11.5	11.2	10.9	10.6	10.4	0.56	50	
18.2	17.5	16.8	16.2	15.7	15.1	14.7	14.2	13.8	13.4	13.0	12.6	12.3	12.0	11.7	11.4	0.61	60	
20.2	19.4	18.7	18.0	17.4	16.8	16.3	15.8	15.3	14.9	14.4	14.0	13.6	13.3	12.9	12.6	0.68	75	
22.3	21.4	20.6	19.9	19.2	18.6	18.0	17.4	16.9	16.4	15.9	15.5	15.1	14.7	14.3	13.9	0.75	90	
11.0	10.6	10.2	9.8	9.5	9.2	8.9	8.6	8.3	8.1	7.8	7.6	7.4	7.2	7.0	6.9	0.37	15	
12.6	12.1	11.7	11.2	10.9	10.5	10.2	9.8	9.5	9.3	9.0	8.7	8.5	8.3	8.1	7.9	0.42	20	
15.4	14.9	14.3	13.8	13.3	12.9	12.5	12.1	11.7	11.4	11.0	10.7	10.4	10.2	9.9	9.7	0.52	30	
17.8	17.1	16.5	15.9	15.4	14.9	14.4	13.9	13.5	13.1	12.7	12.4	12.0	11.7	11.4	11.1	0.60	40	
19.9	19.2	18.5	17.8	17.2	16.6	16.1	15.6	15.1	14.7	14.2	13.8	13.5	13.1	12.8	12.5	0.67	50	
21.8	21.0	20.2	19.5	18.8	18.2	17.6	17.1	16.5	16.1	15.6	15.2	14.7	14.4	14.0	13.6	0.74	60	
24.4	23.4	22.6	21.7	21.0	20.3	19.6	19.0	18.5	17.9	17.4	16.9	16.5	16.0	15.6	15.2	0.82	75	
26.7	25.7	24.8	23.9	23.0	22.3	21.6	20.9	20.3	19.7	19.1	18.6	18.1	17.6	17.1	16.7	0.90	90	
14.6	14.0	13.5	13.0	12.5	12.1	11.7	11.4	11.0	10.7	10.4	10.1	9.8	9.6	9.3	9.1	0.49	15	TT11008VS 50 MESH WHITE
16.8	16.2	15.6	15.0	14.5	14.0	13.6	13.1	12.7	12.4	12.0	11.7	11.4	11.1	10.8	10.5	0.57	20	
20.6	19.8	19.1	18.4	17.7	17.2	16.6	16.1	15.6	15.1	14.7	14.3	13.9	13.5	13.2	12.9	0.69	30	
23.8	22.8	22.0	21.2	20.5	19.8	19.2	18.6	18.0	17.5	17.0	16.5	16.1	15.6	15.2	14.9	0.80	40	
26.6	25.5	24.6	23.7	22.9	22.1	21.4	20.7	20.1	19.5	19.0	18.4	17.9	17.5	17.0	16.6	0.89	50	
29.1	28.0	27.0	26.0	25.1	24.3	23.5	22.7	22.1	21.4	20.8	20.2	19.7	19.1	18.7	18.2	0.98	60	
32.7	31.4	30.3	29.2	28.2	27.2	26.3	25.5	24.8	24.0	23.3	22.7	22.1	21.5	20.9	20.4	1.10	75	
35.6	34.3	33.0	31.8	30.7	29.7	28.7	27.8	27.0	26.2	25.5	24.8	24.1	23.4	22.8	22.3	1.20	90	