

TURBO TEEJEET 110° 20" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
	psi gpm																		
TT11001VS	15	0.06	4.5	4.0	3.6	3.3	3.0	2.8	2.6	2.4	2.3	2.1	2.0	1.9	1.8	1.7	1.6	1.6	1.5
	20	0.07	5.3	4.7	4.2	3.8	3.5	3.2	3.0	2.8	2.6	2.5	2.3	2.2	2.1	2.0	1.9	1.8	1.8
	30	0.09	6.5	5.7	5.2	4.7	4.3	4.0	3.7	3.4	3.2	3.0	2.9	2.7	2.6	2.5	2.3	2.2	2.2
	40	0.10	7.4	6.6	5.9	5.4	5.0	4.6	4.2	4.0	3.7	3.5	3.3	3.1	3.0	2.8	2.7	2.6	2.5
	50	0.11	8.3	7.4	6.7	6.0	5.5	5.1	4.8	4.4	4.2	3.9	3.7	3.5	3.3	3.2	3.0	2.9	2.8
	60	0.12	9.1	8.1	7.2	6.6	6.0	5.6	5.2	4.8	4.5	4.3	4.0	3.8	3.6	3.5	3.3	3.2	3.0
	75	0.14	10.4	9.2	8.3	7.6	6.9	6.4	5.9	5.5	5.2	4.9	4.6	4.4	4.2	4.0	3.8	3.6	3.5
	90	0.15	11.1	9.9	8.9	8.1	7.4	6.9	6.4	5.9	5.6	5.2	5.0	4.7	4.5	4.2	4.1	3.9	3.7
TT110015VS	15	0.01	0.7	0.6	0.5	0.5	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2
	20	0.11	7.9	7.0	6.3	5.7	5.2	4.8	4.5	4.2	3.9	3.7	3.5	3.3	3.1	3.0	2.9	2.7	2.6
	30	0.13	9.7	8.6	7.7	7.0	6.4	5.9	5.5	5.1	4.8	4.5	4.3	4.1	3.9	3.7	3.5	3.4	3.2
	40	0.15	11.1	9.9	8.9	8.1	7.4	6.9	6.4	5.9	5.6	5.2	5.0	4.7	4.5	4.2	4.1	3.9	3.7
	50	0.17	12.5	11.1	10.0	9.1	8.3	7.7	7.1	6.7	6.2	5.9	5.5	5.3	5.0	4.8	4.5	4.3	4.2
	60	0.18	13.7	12.1	10.9	9.9	9.1	8.4	7.8	7.3	6.8	6.4	6.1	5.8	5.5	5.2	5.0	4.8	4.6
	75	0.21	15.6	13.9	12.5	11.3	10.4	9.6	8.9	8.3	7.8	7.3	6.9	6.6	6.2	5.9	5.7	5.4	5.2
	90	0.23	17.1	15.2	13.7	12.4	11.4	10.5	9.8	9.1	8.5	8.0	7.6	7.2	6.8	6.5	6.2	5.9	5.7
TT11002VS	15	0.12	8.9	7.9	7.1	6.5	5.9	5.5	5.1	4.8	4.5	4.2	4.0	3.8	3.6	3.4	3.2	3.1	3.0
	20	0.14	10.5	9.3	8.4	7.6	7.0	6.4	6.0	5.6	5.2	4.9	4.7	4.4	4.2	4.0	3.8	3.6	3.5
	30	0.17	12.8	11.4	10.3	9.3	8.6	7.9	7.3	6.9	6.4	6.0	5.7	5.4	5.1	4.9	4.7	4.5	4.3
	40	0.20	14.9	13.2	11.9	10.8	9.9	9.1	8.5	7.9	7.4	7.0	6.6	6.3	5.9	5.7	5.4	5.2	5.0
	50	0.22	16.6	14.8	13.3	12.1	11.1	10.2	9.5	8.9	8.3	7.8	7.4	7.0	6.7	6.3	6.0	5.8	5.5
	60	0.25	18.2	16.2	14.6	13.2	12.1	11.2	10.4	9.7	9.1	8.6	8.1	7.7	7.3	6.9	6.6	6.3	6.1
	75	0.27	20.0	17.8	16.0	14.6	13.4	12.3	11.5	10.7	10.0	9.4	8.9	8.4	8.0	7.6	7.3	7.0	6.7
	90	0.30	22.3	19.8	17.8	16.2	14.9	13.7	12.7	11.9	11.1	10.5	9.9	9.4	8.9	8.5	8.1	7.7	7.4
TT110025VS	15	0.15	11.1	9.9	8.9	8.1	7.4	6.9	6.4	5.9	5.6	5.2	5.0	4.7	4.5	4.2	4.1	3.9	3.7
	20	0.18	13.4	11.9	10.7	9.7	8.9	8.2	7.6	7.1	6.7	6.3	5.9	5.6	5.3	5.1	4.9	4.6	4.5
	30	0.22	16.3	14.5	13.1	11.9	10.9	10.1	9.3	8.7	8.2	7.7	7.3	6.9	6.5	6.2	5.9	5.7	5.4
	40	0.25	18.6	16.5	14.9	13.5	12.4	11.4	10.6	9.9	9.3	8.7	8.3	7.8	7.4	7.1	6.8	6.5	6.2
	50	0.28	20.8	18.5	16.6	15.1	13.9	12.8	11.9	11.1	10.4	9.8	9.2	8.8	8.3	7.9	7.6	7.2	6.9
	60	0.31	23.0	20.5	18.4	16.7	15.3	14.2	13.2	12.3	11.5	10.8	10.2	9.7	9.2	8.8	8.4	8.0	7.7
	75	0.34	25.2	22.4	20.2	18.4	16.8	15.5	14.4	13.5	12.6	11.9	11.2	10.6	10.1	9.6	9.2	8.8	8.4
	90	0.38	28.2	25.1	22.6	20.5	18.8	17.4	16.1	15.0	14.1	13.3	12.5	11.9	11.3	10.7	10.3	9.8	9.4
TT11003VS	15	0.18	13.4	11.9	10.7	9.7	8.9	8.2	7.6	7.1	6.7	6.3	5.9	5.6	5.3	5.1	4.9	4.6	4.5
	20	0.21	15.7	14.0	12.6	11.4	10.5	9.7	9.0	8.4	7.9	7.4	7.0	6.6	6.3	6.0	5.7	5.5	5.2
	30	0.26	19.3	17.2	15.4	14.0	12.9	11.9	11.0	10.3	9.7	9.1	8.6	8.1	7.7	7.4	7.0	6.7	6.4
	40	0.30	22.3	19.8	17.8	16.2	14.9	13.7	12.7	11.9	11.1	10.5	9.9	9.4	8.9	8.5	8.1	7.7	7.4
	50	0.34	24.9	22.1	19.9	18.1	16.6	15.3	14.2	13.3	12.4	11.7	11.1	10.5	9.9	9.5	9.0	8.7	8.3
	60	0.37	27.2	24.2	21.8	19.8	18.2	16.8	15.6	14.5	13.6	12.8	12.1	11.5	10.9	10.4	9.9	9.5	9.1
	75	0.41	30.4	27.1	24.4	22.1	20.3	18.7	17.4	16.2	15.2	14.3	13.5	12.8	12.2	11.6	11.1	10.6	10.1
	90	0.45	33.4	29.7	26.7	24.3	22.3	20.6	19.1	17.8	16.7	15.7	14.9	14.1	13.4	12.7	12.2	11.6	11.1
TT11004VS	15	0.24	17.8	15.8	14.3	13.0	11.9	11.0	10.2	9.5	8.9	8.4	7.9	7.5	7.1	6.8	6.5	6.2	5.9
	20	0.28	21.0	18.7	16.8	15.3	14.0	12.9	12.0	11.2	10.5	9.9	9.3	8.8	8.4	8.0	7.6	7.3	7.0
	30	0.35	25.7	22.8	20.6	18.7	17.1	15.8	14.7	13.7	12.8	12.1	11.4	10.8	10.3	9.8	9.3	8.9	8.6
	40	0.40	29.7	26.4	23.8	21.6	19.8	18.3	17.0	15.8	14.9	14.0	13.2	12.5	11.9	11.3	10.8	10.3	9.9
	50	0.45	33.2	29.5	26.6	24.1	22.1	20.4	19.0	17.7	16.6	15.6	14.8	14.0	13.3	12.6	12.1	11.5	11.1
	60	0.49	36.4	32.3	29.1	26.5	24.3	22.4	20.8	19.4	18.2	17.1	16.2	15.3	14.6	13.9	13.2	12.7	12.1
	75	0.55	40.8	36.3	32.7	29.7	27.2	25.1	23.3	21.8	20.4	19.2	18.2	17.2	16.3	15.6	14.9	14.2	13.6
	90	0.60	44.6	39.6	35.6	32.4	29.7	27.4	25.5	23.8	22.3	21.0	19.8	18.8	17.8	17.0	16.2	15.5	14.9
TT11005VS	15	0.31	23.0	20.5	18.4	16.7	15.3	14.2	13.2	12.3	11.5	10.8	10.2	9.7	9.2	8.8	8.4	8.0	7.7
	20	0.35	26.3	23.4	21.0	19.1	17.5	16.2	15.0	14.0	13.1	12.4	11.7	11.1	10.5	10.0	9.6	9.1	8.8
	30	0.43	32.2	28.6	25.7	23.4	21.4	19.8	18.4	17.1	16.1	15.1	14.3	13.5	12.9	12.2	11.7	11.2	10.7
	40	0.50	37.1	33.0	29.7	27.0	24.8	22.8	21.2	19.8	18.6	17.5	16.5	15.6	14.9	14.1	13.5	12.9	12.4
	50	0.56	41.5	36.9	33.2	30.2	27.7	25.5	23.7	22.1	20.8	19.5	18.4	17.5	16.6	15.8	15.1	14.4	13.8
	60	0.61	45.4	40.4	36.4	33.0	30.3	28.0	26.0	24.2	22.7	21.4	20.2	19.1	18.2	17.3	16.5	15.8	15.1
	75	0.68	50.5	44.9	40.4	36.7	33.7	31.1	28.9	26.9	25.2	23.8	22.4	21.3	20.2	19.2	18.4	17.6	16.8
	90	0.75	55.7	49.5	44.6	40.5	37.1	34.3	31.8	29.7	27.8	26.2	24.8	23.4	22.3	21.2	20.3	19.4	18.6
TT11006VS	15	0.37	27.5	24.4	22.0	20.0	18.3	16.9	15.7	14.7	13.7	12.9	12.2	11.6	11.0	10.5	10.0	9.6	9.2
	20	0.42	31.5	28.0	25.2	22.9	21.0	19.4	18.0	16.8	15.7	14.8	14.0	13.3	12.6	12.0	11.4	11.0	10.5

TURBO TEEJEET 110° 20" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph	
																gpm	psi
1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	1.0	0.9	0.9	0.06	15
1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	1.1	0.07	20
2.1	2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.4	1.3	1.3	0.09	30
2.4	2.3	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.7	1.7	1.7	1.6	1.6	1.5	1.5	0.10	40
2.7	2.6	2.5	2.4	2.3	2.2	2.1	2.1	2.0	2.0	1.9	1.8	1.8	1.8	1.7	1.7	0.11	50
2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	1.9	1.9	1.8	0.12	60
3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.1	0.14	75
3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	0.15	90
0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.01	15
2.5	2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.7	1.7	1.7	1.6	1.6	0.11	20
3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	1.9	0.13	30
3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	0.15	40
4.0	3.8	3.7	3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	2.7	2.6	2.6	2.5	0.17	50
4.4	4.2	4.0	3.9	3.8	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	2.9	2.8	2.7	0.18	60
5.0	4.8	4.6	4.5	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	0.21	75
5.5	5.3	5.1	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	0.23	90
2.9	2.7	2.6	2.5	2.5	2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.8	0.12	15
3.4	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	2.1	2.1	0.14	20
4.1	4.0	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	2.7	2.6	2.6	0.17	30
4.8	4.6	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	0.20	40
5.3	5.1	4.9	4.8	4.6	4.4	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	0.22	50
5.8	5.6	5.4	5.2	5.0	4.9	4.7	4.5	4.4	4.3	4.2	4.0	3.9	3.8	3.7	3.6	0.25	60
6.4	6.2	5.9	5.7	5.5	5.3	5.2	5.0	4.9	4.7	4.6	4.5	4.3	4.2	4.1	4.0	0.27	75
7.1	6.9	6.6	6.4	6.1	5.9	5.7	5.6	5.4	5.2	5.1	5.0	4.8	4.7	4.6	4.5	0.30	90
3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	0.15	15
4.3	4.1	4.0	3.8	3.7	3.6	3.4	3.3	3.2	3.1	3.1	3.0	2.9	2.8	2.7	2.7	0.18	20
5.2	5.0	4.8	4.7	4.5	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.4	3.3	0.22	30
5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.6	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	0.25	40
6.7	6.4	6.2	5.9	5.7	5.5	5.4	5.2	5.0	4.9	4.8	4.6	4.5	4.4	4.3	4.2	0.28	50
7.4	7.1	6.8	6.6	6.3	6.1	5.9	5.8	5.6	5.4	5.3	5.1	5.0	4.8	4.7	4.6	0.31	60
8.1	7.8	7.5	7.2	7.0	6.7	6.5	6.3	6.1	5.9	5.8	5.6	5.5	5.3	5.2	5.0	0.34	75
9.0	8.7	8.4	8.1	7.8	7.5	7.3	7.1	6.8	6.6	6.4	6.3	6.1	5.9	5.8	5.6	0.38	90
4.3	4.1	4.0	3.8	3.7	3.6	3.4	3.3	3.2	3.1	3.1	3.0	2.9	2.8	2.7	2.7	0.18	15
5.0	4.8	4.7	4.5	4.3	4.2	4.1	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	0.21	20
6.2	5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.7	4.5	4.4	4.3	4.2	4.1	4.0	3.9	0.26	30
7.1	6.9	6.6	6.4	6.1	5.9	5.7	5.6	5.4	5.2	5.1	5.0	4.8	4.7	4.6	4.5	0.30	40
8.0	7.7	7.4	7.1	6.9	6.6	6.4	6.2	6.0	5.9	5.7	5.5	5.4	5.2	5.1	5.0	0.34	50
8.7	8.4	8.1	7.8	7.5	7.3	7.0	6.8	6.6	6.4	6.2	6.1	5.9	5.7	5.6	5.4	0.37	60
9.7	9.4	9.0	8.7	8.4	8.1	7.9	7.6	7.4	7.2	7.0	6.8	6.6	6.4	6.2	6.1	0.41	75
10.7	10.3	9.9	9.5	9.2	8.9	8.6	8.4	8.1	7.9	7.6	7.4	7.2	7.0	6.9	6.7	0.45	90
5.7	5.5	5.3	5.1	4.9	4.8	4.6	4.5	4.3	4.2	4.1	4.0	3.9	3.8	3.7	3.6	0.24	15
6.7	6.5	6.2	6.0	5.8	5.6	5.4	5.3	5.1	4.9	4.8	4.7	4.5	4.4	4.3	4.2	0.28	20
8.2	7.9	7.6	7.3	7.1	6.9	6.6	6.4	6.2	6.0	5.9	5.7	5.6	5.4	5.3	5.1	0.35	30
9.5	9.1	8.8	8.5	8.2	7.9	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.3	6.1	5.9	0.40	40
10.6	10.2	9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.8	7.6	7.4	7.2	7.0	6.8	6.6	0.45	50
11.6	11.2	10.8	10.4	10.0	9.7	9.4	9.1	8.8	8.6	8.3	8.1	7.9	7.7	7.5	7.3	0.49	60
13.1	12.6	12.1	11.7	11.3	10.9	10.5	10.2	9.9	9.6	9.3	9.1	8.8	8.6	8.4	8.2	0.55	75
14.3	13.7	13.2	12.7	12.3	11.9	11.5	11.1	10.8	10.5	10.2	9.9	9.6	9.4	9.1	8.9	0.60	90
7.4	7.1	6.8	6.6	6.3	6.1	5.9	5.8	5.6	5.4	5.3	5.1	5.0	4.8	4.7	4.6	0.31	15
8.4	8.1	7.8	7.5	7.3	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.3	0.35	20
10.3	9.9	9.5	9.2	8.9	8.6	8.3	8.0	7.8	7.6	7.3	7.1	7.0	6.8	6.6	6.4	0.43	30
11.9	11.4	11.0	10.6	10.2	9.9	9.6	9.3	9.0	8.7	8.5	8.3	8.0	7.8	7.6	7.4	0.50	40
13.3	12.8	12.3	11.9	11.4	11.1	10.7	10.4	10.1	9.8	9.5	9.2	9.0	8.7	8.5	8.3	0.56	50
14.5	14.0	13.5	13.0	12.5	12.1	11.7	11.4	11.0	10.7	10.4	10.1	9.8	9.6	9.3	9.1	0.61	60
16.2	15.5	15.0	14.4	13.9	13.5	13.0	12.6	12.2	11.9	11.5	11.2	10.9	10.6	10.4	10.1	0.68	75
17.8	17.1	16.5	15.9	15.4	14.9	14.4	13.9	13.5	13.1	12.7	12.4	12.0	11.7	11.4	11.1	0.75	90
8.8	8.5	8.1	7.8	7.6	7.3	7.1	6.9	6.7	6.5	6.3	6.1	5.9	5.8	5.6	5.5	0.37	15
10.1	9.7	9.3	9.0	8.7	8.4	8.1	7.9	7.6	7.4	7.2	7.0	6.8	6.6	6.5	6.3	0.42	20

TURBO TEEJEET 110° 20" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
50 MESH	30	0.52	38.6	34.3	30.9	28.1	25.7	23.8	22.1	20.6	19.3	18.2	17.2	16.3	15.4	14.7	14.0	13.4	12.9
	40	0.60	44.6	39.6	35.6	32.4	29.7	27.4	25.5	23.8	22.3	21.0	19.8	18.8	17.8	17.0	16.2	15.5	14.9
	50	0.67	49.8	44.3	39.9	36.2	33.2	30.7	28.5	26.6	24.9	23.4	22.1	21.0	19.9	19.0	18.1	17.3	16.6
	60	0.74	54.6	48.5	43.7	39.7	36.4	33.6	31.2	29.1	27.3	25.7	24.3	23.0	21.8	20.8	19.8	19.0	18.2
	75	0.82	60.9	54.1	48.7	44.3	40.6	37.5	34.8	32.5	30.4	28.7	27.1	25.6	24.4	23.2	22.1	21.2	20.3
GRAY	90	0.90	66.8	59.4	53.5	48.6	44.6	41.1	38.2	35.6	33.4	31.4	29.7	28.1	26.7	25.5	24.3	23.2	22.3
TT11008VS	15	0.49	36.4	32.3	29.1	26.5	24.3	22.4	20.8	19.4	18.2	17.1	16.2	15.3	14.6	13.9	13.2	12.7	12.1
	20	0.57	42.0	37.4	33.6	30.6	28.0	25.9	24.0	22.4	21.0	19.8	18.7	17.7	16.8	16.0	15.3	14.6	14.0
	30	0.69	51.5	45.7	41.2	37.4	34.3	31.7	29.4	27.4	25.7	24.2	22.9	21.7	20.6	19.6	18.7	17.9	17.2
	40	0.80	59.4	52.8	47.5	43.2	39.6	36.6	33.9	31.7	29.7	28.0	26.4	25.0	23.8	22.6	21.6	20.7	19.8
	50	0.89	66.4	59.0	53.1	48.3	44.3	40.8	37.9	35.4	33.2	31.2	29.5	27.9	26.6	25.3	24.1	23.1	22.1
	60	0.98	72.8	64.7	58.2	52.9	48.5	44.8	41.6	38.8	36.4	34.2	32.3	30.6	29.1	27.7	26.5	25.3	24.3
	75	1.10	81.7	72.6	65.3	59.4	54.5	50.3	46.7	43.6	40.8	38.4	36.3	34.4	32.7	31.1	29.7	28.4	27.2
WHITE	90	1.20	89.1	79.2	71.3	64.8	59.4	54.8	50.9	47.5	44.6	41.9	39.6	37.5	35.6	33.9	32.4	31.0	29.7

TURBO TEEJEET 110° 20" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
12.4	11.9	11.4	11.0	10.7	10.3	10.0	9.7	9.4	9.1	8.8	8.6	8.3	8.1	7.9	7.7	0.52	30	50 MESH
14.3	13.7	13.2	12.7	12.3	11.9	11.5	11.1	10.8	10.5	10.2	9.9	9.6	9.4	9.1	8.9	0.60	40	
15.9	15.3	14.8	14.2	13.7	13.3	12.9	12.5	12.1	11.7	11.4	11.1	10.8	10.5	10.2	10.0	0.67	50	
17.5	16.8	16.2	15.6	15.1	14.6	14.1	13.6	13.2	12.8	12.5	12.1	11.8	11.5	11.2	10.9	0.74	60	
19.5	18.7	18.0	17.4	16.8	16.2	15.7	15.2	14.8	14.3	13.9	13.5	13.2	12.8	12.5	12.2	0.82	75	
21.4	20.6	19.8	19.1	18.4	17.8	17.2	16.7	16.2	15.7	15.3	14.9	14.4	14.1	13.7	13.4	0.90	90	GRAY
11.6	11.2	10.8	10.4	10.0	9.7	9.4	9.1	8.8	8.6	8.3	8.1	7.9	7.7	7.5	7.3	0.49	15	TT11008VS
13.4	12.9	12.5	12.0	11.6	11.2	10.8	10.5	10.2	9.9	9.6	9.3	9.1	8.8	8.6	8.4	0.57	20	
16.5	15.8	15.2	14.7	14.2	13.7	13.3	12.9	12.5	12.1	11.8	11.4	11.1	10.8	10.6	10.3	0.69	30	
19.0	18.3	17.6	17.0	16.4	15.8	15.3	14.9	14.4	14.0	13.6	13.2	12.8	12.5	12.2	11.9	0.80	40	
21.2	20.4	19.7	19.0	18.3	17.7	17.1	16.6	16.1	15.6	15.2	14.8	14.4	14.0	13.6	13.3	0.89	50	
23.3	22.4	21.6	20.8	20.1	19.4	18.8	18.2	17.6	17.1	16.6	16.2	15.7	15.3	14.9	14.6	0.98	60	
26.1	25.1	24.2	23.3	22.5	21.8	21.1	20.4	19.8	19.2	18.7	18.2	17.7	17.2	16.8	16.3	1.10	75	
28.5	27.4	26.4	25.5	24.6	23.8	23.0	22.3	21.6	21.0	20.4	19.8	19.3	18.8	18.3	17.8	1.20	90	WHITE