

TURBO TEEJEET 110° 30" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
	psi gpm																		
TT11001VS 100 MESH ORANGE	15	0.06	3.0	2.7	2.4	2.2	2.0	1.9	1.7	1.6	1.5	1.4	1.3	1.3	1.2	1.2	1.1	1.1	1.0
	20	0.07	3.5	3.1	2.8	2.6	2.3	2.2	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.3	1.2	1.2
	30	0.09	4.3	3.8	3.4	3.1	2.9	2.7	2.5	2.3	2.2	2.0	1.9	1.8	1.7	1.6	1.6	1.5	1.4
	40	0.10	5.0	4.4	4.0	3.6	3.3	3.0	2.8	2.6	2.5	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.7
	50	0.11	5.5	4.9	4.4	4.0	3.7	3.4	3.2	3.0	2.8	2.6	2.5	2.3	2.2	2.1	2.0	1.9	1.8
	60	0.12	6.0	5.4	4.8	4.4	4.0	3.7	3.5	3.2	3.0	2.8	2.7	2.5	2.4	2.3	2.2	2.1	2.0
	75	0.14	6.9	6.2	5.5	5.0	4.6	4.3	4.0	3.7	3.5	3.3	3.1	2.9	2.8	2.6	2.5	2.4	2.3
90	0.15	7.4	6.6	5.9	5.4	5.0	4.6	4.2	4.0	3.7	3.5	3.3	3.1	3.0	2.8	2.7	2.6	2.5	
TT110015VS 100 MESH GREEN	15	0.01	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1
	20	0.11	5.2	4.7	4.2	3.8	3.5	3.2	3.0	2.8	2.6	2.5	2.3	2.2	2.1	2.0	1.9	1.8	1.7
	30	0.13	6.4	5.7	5.1	4.7	4.3	4.0	3.7	3.4	3.2	3.0	2.9	2.7	2.6	2.5	2.3	2.2	2.1
	40	0.15	7.4	6.6	5.9	5.4	5.0	4.6	4.2	4.0	3.7	3.5	3.3	3.1	3.0	2.8	2.7	2.6	2.5
	50	0.17	8.3	7.4	6.7	6.0	5.5	5.1	4.8	4.4	4.2	3.9	3.7	3.5	3.3	3.2	3.0	2.9	2.8
	60	0.18	9.1	8.1	7.3	6.6	6.1	5.6	5.2	4.9	4.6	4.3	4.0	3.8	3.6	3.5	3.3	3.2	3.0
	75	0.21	10.4	9.2	8.3	7.6	6.9	6.4	5.9	5.5	5.2	4.9	4.6	4.4	4.2	4.0	3.8	3.6	3.5
90	0.23	11.4	10.1	9.1	8.3	7.6	7.0	6.5	6.1	5.7	5.4	5.1	4.8	4.6	4.3	4.1	4.0	3.8	
TT11002VS 50 MESH YELLOW	15	0.12	5.9	5.3	4.8	4.3	4.0	3.7	3.4	3.2	3.0	2.8	2.6	2.5	2.4	2.3	2.2	2.1	2.0
	20	0.14	7.0	6.2	5.6	5.1	4.7	4.3	4.0	3.7	3.5	3.3	3.1	2.9	2.8	2.7	2.5	2.4	2.3
	30	0.17	8.6	7.6	6.9	6.2	5.7	5.3	4.9	4.6	4.3	4.0	3.8	3.6	3.4	3.3	3.1	3.0	2.9
	40	0.20	9.9	8.8	7.9	7.2	6.6	6.1	5.7	5.3	5.0	4.7	4.4	4.2	4.0	3.8	3.6	3.4	3.3
	50	0.22	11.1	9.9	8.9	8.1	7.4	6.8	6.3	5.9	5.5	5.2	4.9	4.7	4.4	4.2	4.0	3.9	3.7
	60	0.25	12.1	10.8	9.7	8.8	8.1	7.5	6.9	6.5	6.1	5.7	5.4	5.1	4.9	4.6	4.4	4.2	4.0
	75	0.27	13.4	11.9	10.7	9.7	8.9	8.2	7.6	7.1	6.7	6.3	5.9	5.6	5.3	5.1	4.9	4.6	4.5
90	0.30	14.9	13.2	11.9	10.8	9.9	9.1	8.5	7.9	7.4	7.0	6.6	6.3	5.9	5.7	5.4	5.2	5.0	
TT110025VS 50 MESH PURPLE	15	0.15	7.4	6.6	5.9	5.4	5.0	4.6	4.2	4.0	3.7	3.5	3.3	3.1	3.0	2.8	2.7	2.6	2.5
	20	0.18	8.9	7.9	7.1	6.5	5.9	5.5	5.1	4.8	4.5	4.2	4.0	3.8	3.6	3.4	3.2	3.1	3.0
	30	0.22	10.9	9.7	8.7	7.9	7.3	6.7	6.2	5.8	5.4	5.1	4.8	4.6	4.4	4.1	4.0	3.8	3.6
	40	0.25	12.4	11.0	9.9	9.0	8.3	7.6	7.1	6.6	6.2	5.8	5.5	5.2	5.0	4.7	4.5	4.3	4.1
	50	0.28	13.9	12.3	11.1	10.1	9.2	8.5	7.9	7.4	6.9	6.5	6.2	5.8	5.5	5.3	5.0	4.8	4.6
	60	0.31	15.3	13.6	12.3	11.2	10.2	9.4	8.8	8.2	7.7	7.2	6.8	6.5	6.1	5.8	5.6	5.3	5.1
	75	0.34	16.8	15.0	13.5	12.2	11.2	10.4	9.6	9.0	8.4	7.9	7.5	7.1	6.7	6.4	6.1	5.9	5.6
90	0.38	18.8	16.7	15.0	13.7	12.5	11.6	10.7	10.0	9.4	8.9	8.4	7.9	7.5	7.2	6.8	6.5	6.3	
TT11003VS 50 MESH BLUE	15	0.18	8.9	7.9	7.1	6.5	5.9	5.5	5.1	4.8	4.5	4.2	4.0	3.8	3.6	3.4	3.2	3.1	3.0
	20	0.21	10.5	9.3	8.4	7.6	7.0	6.5	6.0	5.6	5.2	4.9	4.7	4.4	4.2	4.0	3.8	3.7	3.5
	30	0.26	12.9	11.4	10.3	9.4	8.6	7.9	7.4	6.9	6.4	6.1	5.7	5.4	5.1	4.9	4.7	4.5	4.3
	40	0.30	14.9	13.2	11.9	10.8	9.9	9.1	8.5	7.9	7.4	7.0	6.6	6.3	5.9	5.7	5.4	5.2	5.0
	50	0.34	16.6	14.7	13.3	12.1	11.1	10.2	9.5	8.8	8.3	7.8	7.4	7.0	6.6	6.3	6.0	5.8	5.5
	60	0.37	18.2	16.1	14.5	13.2	12.1	11.2	10.4	9.7	9.1	8.5	8.1	7.6	7.3	6.9	6.6	6.3	6.1
	75	0.41	20.3	18.0	16.2	14.8	13.5	12.5	11.6	10.8	10.1	9.6	9.0	8.5	8.1	7.7	7.4	7.1	6.8
90	0.45	22.3	19.8	17.8	16.2	14.9	13.7	12.7	11.9	11.1	10.5	9.9	9.4	8.9	8.5	8.1	7.7	7.4	
TT11004VS 50 MESH RED	15	0.24	11.9	10.6	9.5	8.6	7.9	7.3	6.8	6.3	5.9	5.6	5.3	5.0	4.8	4.5	4.3	4.1	4.0
	20	0.28	14.0	12.5	11.2	10.2	9.3	8.6	8.0	7.5	7.0	6.6	6.2	5.9	5.6	5.3	5.1	4.9	4.7
	30	0.35	17.1	15.2	13.7	12.5	11.4	10.5	9.8	9.1	8.6	8.1	7.6	7.2	6.9	6.5	6.2	6.0	5.7
	40	0.40	19.8	17.6	15.8	14.4	13.2	12.2	11.3	10.6	9.9	9.3	8.8	8.3	7.9	7.5	7.2	6.9	6.6
	50	0.45	22.1	19.7	17.7	16.1	14.8	13.6	12.6	11.8	11.1	10.4	9.8	9.3	8.9	8.4	8.0	7.7	7.4
	60	0.49	24.3	21.6	19.4	17.6	16.2	14.9	13.9	12.9	12.1	11.4	10.8	10.2	9.7	9.2	8.8	8.4	8.1
	75	0.55	27.2	24.2	21.8	19.8	18.2	16.8	15.6	14.5	13.6	12.8	12.1	11.5	10.9	10.4	9.9	9.5	9.1
90	0.60	29.7	26.4	23.8	21.6	19.8	18.3	17.0	15.8	14.9	14.0	13.2	12.5	11.9	11.3	10.8	10.3	9.9	

TURBO TEEJEET 110° 30" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0			mph	
																	gpm	psi	
1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.06	15	TT11001VS 100 MESH ORANGE	
1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.07	20		
1.4	1.3	1.3	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	1.0	0.9	0.9	0.9	0.09	30			
1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	0.10	40		
1.8	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	1.2	1.1	1.1	0.11	50		
1.9	1.9	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	0.12	60		
2.2	2.1	2.1	2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.5	1.4	1.4	0.14	75		
2.4	2.3	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.7	1.7	1.7	1.6	1.6	1.5	1.5	0.15	90		
0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.01	15	TT110015VS 100 MESH GREEN		
1.7	1.6	1.6	1.5	1.4	1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	1.0	0.11		20	
2.1	2.0	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.4	1.3	1.3	0.13		30	
2.4	2.3	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.7	1.7	1.7	1.6	1.6	1.5	1.5	0.15		40	
2.7	2.6	2.5	2.4	2.3	2.2	2.1	2.1	2.0	2.0	1.9	1.8	1.8	1.8	1.7	1.7	0.17		50	
2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.1	2.1	2.0	2.0	1.9	1.9	1.8	0.18		60	
3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.1	0.21		75	
3.6	3.5	3.4	3.3	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	0.23		90	
1.9	1.8	1.8	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.4	1.3	1.3	1.3	1.2	1.2	0.12	15	TT11002VS 50 MESH YELLOW	
2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.7	1.7	1.6	1.6	1.6	1.5	1.5	1.4	1.4	0.14	20		
2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.1	2.1	2.0	2.0	1.9	1.9	1.8	1.8	1.7	0.17	30		
3.2	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	0.20	40		
3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	0.22	50		
3.9	3.7	3.6	3.5	3.3	3.2	3.1	3.0	2.9	2.9	2.8	2.7	2.6	2.6	2.5	2.4	0.25	60		
4.3	4.1	4.0	3.8	3.7	3.6	3.4	3.3	3.2	3.1	3.1	3.0	2.9	2.8	2.7	2.7	0.27	75		
4.8	4.6	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	0.30	90		
2.4	2.3	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.7	1.7	1.7	1.6	1.6	1.5	1.5	0.15	15	TT110025VS 50 MESH PURPLE	
2.9	2.7	2.6	2.5	2.5	2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.8	0.18	20		
3.5	3.4	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.4	2.3	2.2	2.2	0.22	30		
4.0	3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	0.25	40		
4.4	4.3	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	0.28	50		
4.9	4.7	4.5	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.1	0.31	60		
5.4	5.2	5.0	4.8	4.6	4.5	4.3	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.5	3.4	0.34	75		
6.0	5.8	5.6	5.4	5.2	5.0	4.9	4.7	4.6	4.4	4.3	4.2	4.1	4.0	3.9	3.8	0.38	90		
2.9	2.7	2.6	2.5	2.5	2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.8	0.18	15	TT11003VS 50 MESH BLUE	
3.4	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	2.2	2.1	0.21	20		
4.1	4.0	3.8	3.7	3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	2.7	2.6	2.6	0.26	30		
4.8	4.6	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	0.30	40		
5.3	5.1	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	0.34	50		
5.8	5.6	5.4	5.2	5.0	4.8	4.7	4.5	4.4	4.3	4.2	4.0	3.9	3.8	3.7	3.6	0.37	60		
6.5	6.2	6.0	5.8	5.6	5.4	5.2	5.1	4.9	4.8	4.6	4.5	4.4	4.3	4.2	4.1	0.41	75		
7.1	6.9	6.6	6.4	6.1	5.9	5.7	5.6	5.4	5.2	5.1	5.0	4.8	4.7	4.6	4.5	0.45	90		
3.8	3.7	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.4	0.24	15	TT11004VS 50 MESH RED	
4.5	4.3	4.2	4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	0.28	20		
5.5	5.3	5.1	4.9	4.7	4.6	4.4	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	0.35	30		
6.3	6.1	5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.7	4.5	4.4	4.3	4.2	4.1	4.0	0.40	40		
7.1	6.8	6.6	6.3	6.1	5.9	5.7	5.5	5.4	5.2	5.1	4.9	4.8	4.7	4.5	4.4	0.45	50		
7.8	7.5	7.2	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.4	5.2	5.1	5.0	4.9	0.49	60		
8.7	8.4	8.1	7.8	7.5	7.3	7.0	6.8	6.6	6.4	6.2	6.1	5.9	5.7	5.6	5.4	0.55	75		
9.5	9.1	8.8	8.5	8.2	7.9	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.3	6.1	5.9	0.60	90		

TURBO TEEJEET 110° 30" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0		
TT11005VS 50 MESH BROWN	15	0.31	15.3	13.6	12.3	11.2	10.2	9.4	8.8	8.2	7.7	7.2	6.8	6.5	6.1	5.8	5.6	5.3	5.1
	20	0.35	17.5	15.6	14.0	12.7	11.7	10.8	10.0	9.3	8.8	8.2	7.8	7.4	7.0	6.7	6.4	6.1	5.8
	30	0.43	21.4	19.1	17.1	15.6	14.3	13.2	12.2	11.4	10.7	10.1	9.5	9.0	8.6	8.2	7.8	7.5	7.1
	40	0.50	24.8	22.0	19.8	18.0	16.5	15.2	14.1	13.2	12.4	11.6	11.0	10.4	9.9	9.4	9.0	8.6	8.3
	50	0.56	27.7	24.6	22.1	20.1	18.4	17.0	15.8	14.8	13.8	13.0	12.3	11.7	11.1	10.5	10.1	9.6	9.2
	60	0.61	30.3	26.9	24.2	22.0	20.2	18.6	17.3	16.2	15.1	14.3	13.5	12.8	12.1	11.5	11.0	10.5	10.1
	75	0.68	33.7	29.9	26.9	24.5	22.4	20.7	19.2	18.0	16.8	15.8	15.0	14.2	13.5	12.8	12.2	11.7	11.2
	90	0.75	37.1	33.0	29.7	27.0	24.8	22.8	21.2	19.8	18.6	17.5	16.5	15.6	14.9	14.1	13.5	12.9	12.4
TT11006VS 50 MESH GRAY	15	0.37	18.3	16.3	14.7	13.3	12.2	11.3	10.5	9.8	9.2	8.6	8.1	7.7	7.3	7.0	6.7	6.4	6.1
	20	0.42	21.0	18.7	16.8	15.3	14.0	12.9	12.0	11.2	10.5	9.9	9.3	8.8	8.4	8.0	7.6	7.3	7.0
	30	0.52	25.7	22.9	20.6	18.7	17.2	15.8	14.7	13.7	12.9	12.1	11.4	10.8	10.3	9.8	9.4	9.0	8.6
	40	0.60	29.7	26.4	23.8	21.6	19.8	18.3	17.0	15.8	14.9	14.0	13.2	12.5	11.9	11.3	10.8	10.3	9.9
	50	0.67	33.2	29.5	26.6	24.2	22.1	20.4	19.0	17.7	16.6	15.6	14.8	14.0	13.3	12.7	12.1	11.6	11.1
	60	0.74	36.4	32.3	29.1	26.5	24.3	22.4	20.8	19.4	18.2	17.1	16.2	15.3	14.6	13.9	13.2	12.7	12.1
	75	0.82	40.6	36.1	32.5	29.5	27.1	25.0	23.2	21.6	20.3	19.1	18.0	17.1	16.2	15.5	14.8	14.1	13.5
	90	0.90	44.6	39.6	35.6	32.4	29.7	27.4	25.5	23.8	22.3	21.0	19.8	18.8	17.8	17.0	16.2	15.5	14.9
TT11008VS 50 MESH WHITE	15	0.49	24.3	21.6	19.4	17.6	16.2	14.9	13.9	12.9	12.1	11.4	10.8	10.2	9.7	9.2	8.8	8.4	8.1
	20	0.57	28.0	24.9	22.4	20.4	18.7	17.2	16.0	14.9	14.0	13.2	12.5	11.8	11.2	10.7	10.2	9.7	9.3
	30	0.69	34.3	30.5	27.4	24.9	22.9	21.1	19.6	18.3	17.2	16.1	15.2	14.4	13.7	13.1	12.5	11.9	11.4
	40	0.80	39.6	35.2	31.7	28.8	26.4	24.4	22.6	21.1	19.8	18.6	17.6	16.7	15.8	15.1	14.4	13.8	13.2
	50	0.89	44.3	39.3	35.4	32.2	29.5	27.2	25.3	23.6	22.1	20.8	19.7	18.6	17.7	16.9	16.1	15.4	14.8
	60	0.98	48.5	43.1	38.8	35.3	32.3	29.9	27.7	25.9	24.3	22.8	21.6	20.4	19.4	18.5	17.6	16.9	16.2
	75	1.10	54.5	48.4	43.6	39.6	36.3	33.5	31.1	29.0	27.2	25.6	24.2	22.9	21.8	20.7	19.8	18.9	18.2
	90	1.20	59.4	52.8	47.5	43.2	39.6	36.6	33.9	31.7	29.7	28.0	26.4	25.0	23.8	22.6	21.6	20.7	19.8

TURBO TEEJEET 110° 30" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
4.9	4.7	4.5	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.1	0.31	15	TT11005VS 50 MESH BROWN
5.6	5.4	5.2	5.0	4.8	4.7	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	3.6	3.5	0.35	20	
6.9	6.6	6.4	6.1	5.9	5.7	5.5	5.4	5.2	5.0	4.9	4.8	4.6	4.5	4.4	4.3	0.43	30	
7.9	7.6	7.3	7.1	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.2	5.1	5.0	0.50	40	
8.9	8.5	8.2	7.9	7.6	7.4	7.1	6.9	6.7	6.5	6.3	6.1	6.0	5.8	5.7	5.5	0.56	50	
9.7	9.3	9.0	8.7	8.4	8.1	7.8	7.6	7.3	7.1	6.9	6.7	6.6	6.4	6.2	6.1	0.61	60	
10.8	10.4	10.0	9.6	9.3	9.0	8.7	8.4	8.2	7.9	7.7	7.5	7.3	7.1	6.9	6.7	0.68	75	
11.9	11.4	11.0	10.6	10.2	9.9	9.6	9.3	9.0	8.7	8.5	8.3	8.0	7.8	7.6	7.4	0.75	90	
5.9	5.6	5.4	5.2	5.1	4.9	4.7	4.6	4.4	4.3	4.2	4.1	4.0	3.9	3.8	3.7	0.37	15	TT11006VS 50 MESH GRAY
6.7	6.5	6.2	6.0	5.8	5.6	5.4	5.2	5.1	4.9	4.8	4.7	4.5	4.4	4.3	4.2	0.42	20	
8.2	7.9	7.6	7.4	7.1	6.9	6.6	6.4	6.2	6.1	5.9	5.7	5.6	5.4	5.3	5.1	0.52	30	
9.5	9.1	8.8	8.5	8.2	7.9	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.3	6.1	5.9	0.60	40	
10.6	10.2	9.8	9.5	9.2	8.9	8.6	8.3	8.1	7.8	7.6	7.4	7.2	7.0	6.8	6.6	0.67	50	
11.6	11.2	10.8	10.4	10.0	9.7	9.4	9.1	8.8	8.6	8.3	8.1	7.9	7.7	7.5	7.3	0.74	60	
13.0	12.5	12.0	11.6	11.2	10.8	10.5	10.1	9.8	9.6	9.3	9.0	8.8	8.5	8.3	8.1	0.82	75	
14.3	13.7	13.2	12.7	12.3	11.9	11.5	11.1	10.8	10.5	10.2	9.9	9.6	9.4	9.1	8.9	0.90	90	
7.8	7.5	7.2	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.4	5.2	5.1	5.0	4.9	0.49	15	TT11008VS 50 MESH WHITE
9.0	8.6	8.3	8.0	7.7	7.5	7.2	7.0	6.8	6.6	6.4	6.2	6.1	5.9	5.7	5.6	0.57	20	
11.0	10.6	10.2	9.8	9.5	9.1	8.9	8.6	8.3	8.1	7.8	7.6	7.4	7.2	7.0	6.9	0.69	30	
12.7	12.2	11.7	11.3	10.9	10.6	10.2	9.9	9.6	9.3	9.1	8.8	8.6	8.3	8.1	7.9	0.80	40	
14.2	13.6	13.1	12.6	12.2	11.8	11.4	11.1	10.7	10.4	10.1	9.8	9.6	9.3	9.1	8.9	0.89	50	
15.5	14.9	14.4	13.9	13.4	12.9	12.5	12.1	11.8	11.4	11.1	10.8	10.5	10.2	10.0	9.7	0.98	60	
17.4	16.8	16.1	15.6	15.0	14.5	14.1	13.6	13.2	12.8	12.4	12.1	11.8	11.5	11.2	10.9	1.10	75	
19.0	18.3	17.6	17.0	16.4	15.8	15.3	14.9	14.4	14.0	13.6	13.2	12.8	12.5	12.2	11.9	1.20	90	