

## TURBO TEEJEET 110° 32" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
	psi gpm																		
TT11001VS  100 MESH  ORANGE	15	0.06	2.8	2.5	2.3	2.1	1.9	1.7	1.6	1.5	1.4	1.3	1.3	1.2	1.1	1.1	1.0	1.0	0.9
	20	0.07	3.3	2.9	2.6	2.4	2.2	2.0	1.9	1.8	1.6	1.6	1.5	1.4	1.3	1.3	1.2	1.1	1.1
	30	0.09	4.0	3.6	3.2	2.9	2.7	2.5	2.3	2.2	2.0	1.9	1.8	1.7	1.6	1.5	1.5	1.4	1.3
	40	0.10	4.6	4.1	3.7	3.4	3.1	2.9	2.7	2.5	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5
	50	0.11	5.2	4.6	4.2	3.8	3.5	3.2	3.0	2.8	2.6	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7
	60	0.12	5.7	5.0	4.5	4.1	3.8	3.5	3.2	3.0	2.8	2.7	2.5	2.4	2.3	2.2	2.1	2.0	1.9
	75	0.14	6.5	5.8	5.2	4.7	4.3	4.0	3.7	3.5	3.2	3.1	2.9	2.7	2.6	2.5	2.4	2.3	2.2
90	0.15	7.0	6.2	5.6	5.1	4.6	4.3	4.0	3.7	3.5	3.3	3.1	2.9	2.8	2.7	2.5	2.4	2.3	
TT110015VS  100 MESH  GREEN	15	0.01	0.4	0.4	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1
	20	0.11	4.9	4.4	3.9	3.6	3.3	3.0	2.8	2.6	2.5	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6
	30	0.13	6.0	5.4	4.8	4.4	4.0	3.7	3.4	3.2	3.0	2.8	2.7	2.5	2.4	2.3	2.2	2.1	2.0
	40	0.15	7.0	6.2	5.6	5.1	4.6	4.3	4.0	3.7	3.5	3.3	3.1	2.9	2.8	2.7	2.5	2.4	2.3
	50	0.17	7.8	6.9	6.2	5.7	5.2	4.8	4.5	4.2	3.9	3.7	3.5	3.3	3.1	3.0	2.8	2.7	2.6
	60	0.18	8.5	7.6	6.8	6.2	5.7	5.3	4.9	4.6	4.3	4.0	3.8	3.6	3.4	3.3	3.1	3.0	2.8
	75	0.21	9.7	8.7	7.8	7.1	6.5	6.0	5.6	5.2	4.9	4.6	4.3	4.1	3.9	3.7	3.5	3.4	3.2
90	0.23	10.7	9.5	8.5	7.8	7.1	6.6	6.1	5.7	5.3	5.0	4.7	4.5	4.3	4.1	3.9	3.7	3.6	
TT11002VS  50 MESH  YELLOW	15	0.12	5.6	5.0	4.5	4.1	3.7	3.4	3.2	3.0	2.8	2.6	2.5	2.3	2.2	2.1	2.0	1.9	1.9
	20	0.14	6.5	5.8	5.2	4.8	4.4	4.0	3.7	3.5	3.3	3.1	2.9	2.8	2.6	2.5	2.4	2.3	2.2
	30	0.17	8.0	7.1	6.4	5.8	5.4	4.9	4.6	4.3	4.0	3.8	3.6	3.4	3.2	3.1	2.9	2.8	2.7
	40	0.20	9.3	8.3	7.4	6.8	6.2	5.7	5.3	5.0	4.6	4.4	4.1	3.9	3.7	3.5	3.4	3.2	3.1
	50	0.22	10.4	9.2	8.3	7.6	6.9	6.4	5.9	5.5	5.2	4.9	4.6	4.4	4.2	4.0	3.8	3.6	3.5
	60	0.25	11.4	10.1	9.1	8.3	7.6	7.0	6.5	6.1	5.7	5.4	5.1	4.8	4.5	4.3	4.1	4.0	3.8
	75	0.27	12.5	11.1	10.0	9.1	8.4	7.7	7.2	6.7	6.3	5.9	5.6	5.3	5.0	4.8	4.6	4.4	4.2
90	0.30	13.9	12.4	11.1	10.1	9.3	8.6	8.0	7.4	7.0	6.6	6.2	5.9	5.6	5.3	5.1	4.8	4.6	
TT110025VS  50 MESH  PURPLE	15	0.15	7.0	6.2	5.6	5.1	4.6	4.3	4.0	3.7	3.5	3.3	3.1	2.9	2.8	2.7	2.5	2.4	2.3
	20	0.18	8.4	7.4	6.7	6.1	5.6	5.1	4.8	4.5	4.2	3.9	3.7	3.5	3.3	3.2	3.0	2.9	2.8
	30	0.22	10.2	9.1	8.2	7.4	6.8	6.3	5.8	5.4	5.1	4.8	4.5	4.3	4.1	3.9	3.7	3.6	3.4
	40	0.25	11.6	10.3	9.3	8.4	7.7	7.1	6.6	6.2	5.8	5.5	5.2	4.9	4.6	4.4	4.2	4.0	3.9
	50	0.28	13.0	11.6	10.4	9.5	8.7	8.0	7.4	6.9	6.5	6.1	5.8	5.5	5.2	5.0	4.7	4.5	4.3
	60	0.31	14.4	12.8	11.5	10.5	9.6	8.9	8.2	7.7	7.2	6.8	6.4	6.1	5.8	5.5	5.2	5.0	4.8
	75	0.34	15.8	14.0	12.6	11.5	10.5	9.7	9.0	8.4	7.9	7.4	7.0	6.6	6.3	6.0	5.7	5.5	5.3
90	0.38	17.6	15.7	14.1	12.8	11.8	10.9	10.1	9.4	8.8	8.3	7.8	7.4	7.1	6.7	6.4	6.1	5.9	
TT11003VS  50 MESH  BLUE	15	0.18	8.4	7.4	6.7	6.1	5.6	5.1	4.8	4.5	4.2	3.9	3.7	3.5	3.3	3.2	3.0	2.9	2.8
	20	0.21	9.8	8.7	7.9	7.2	6.6	6.1	5.6	5.2	4.9	4.6	4.4	4.1	3.9	3.7	3.6	3.4	3.3
	30	0.26	12.1	10.7	9.7	8.8	8.0	7.4	6.9	6.4	6.0	5.7	5.4	5.1	4.8	4.6	4.4	4.2	4.0
	40	0.30	13.9	12.4	11.1	10.1	9.3	8.6	8.0	7.4	7.0	6.6	6.2	5.9	5.6	5.3	5.1	4.8	4.6
	50	0.34	15.5	13.8	12.4	11.3	10.4	9.6	8.9	8.3	7.8	7.3	6.9	6.5	6.2	5.9	5.7	5.4	5.2
	60	0.37	17.0	15.1	13.6	12.4	11.4	10.5	9.7	9.1	8.5	8.0	7.6	7.2	6.8	6.5	6.2	5.9	5.7
	75	0.41	19.0	16.9	15.2	13.8	12.7	11.7	10.9	10.1	9.5	9.0	8.5	8.0	7.6	7.2	6.9	6.6	6.3
90	0.45	20.9	18.6	16.7	15.2	13.9	12.9	11.9	11.1	10.4	9.8	9.3	8.8	8.4	8.0	7.6	7.3	7.0	
TT11004VS  50 MESH  RED	15	0.24	11.1	9.9	8.9	8.1	7.4	6.9	6.4	5.9	5.6	5.2	5.0	4.7	4.5	4.2	4.1	3.9	3.7
	20	0.28	13.1	11.7	10.5	9.6	8.8	8.1	7.5	7.0	6.6	6.2	5.8	5.5	5.3	5.0	4.8	4.6	4.4
	30	0.35	16.1	14.3	12.8	11.7	10.7	9.9	9.2	8.6	8.0	7.6	7.1	6.8	6.4	6.1	5.8	5.6	5.4
	40	0.40	18.6	16.5	14.9	13.5	12.4	11.4	10.6	9.9	9.3	8.7	8.3	7.8	7.4	7.1	6.8	6.5	6.2
	50	0.45	20.7	18.4	16.6	15.1	13.8	12.8	11.9	11.1	10.4	9.8	9.2	8.7	8.3	7.9	7.5	7.2	6.9
	60	0.49	22.7	20.2	18.2	16.5	15.2	14.0	13.0	12.1	11.4	10.7	10.1	9.6	9.1	8.7	8.3	7.9	7.6
	75	0.55	25.5	22.7	20.4	18.6	17.0	15.7	14.6	13.6	12.8	12.0	11.3	10.7	10.2	9.7	9.3	8.9	8.5
90	0.60	27.8	24.8	22.3	20.3	18.6	17.1	15.9	14.9	13.9	13.1	12.4	11.7	11.1	10.6	10.1	9.7	9.3	

### TURBO TEEJEET 110° 32" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0			mph	
																	gpm	psi	
0.9	0.9	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.06	15	TT11001VS  100 MESH  ORANGE	
1.1	1.0	1.0	0.9	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.07	20		
1.3	1.2	1.2	1.2	1.1	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.8	0.8	0.8	0.09	30		
1.5	1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	1.0	0.9	0.10	40		
1.7	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	1.0	0.11	50		
1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	1.2	1.1	0.12	60		
2.1	2.0	1.9	1.9	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.4	1.3	1.3	0.14	75		
2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.5	1.4	1.4	0.15	90		
0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.01	15	TT110015VS  100 MESH  GREEN	
1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	0.11	20		
1.9	1.9	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	0.13	30		
2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.5	1.4	1.4	0.15	40		
2.5	2.4	2.3	2.2	2.2	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.6	1.6	1.6	0.17	50		
2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.1	2.1	2.0	2.0	1.9	1.8	1.8	1.8	1.7	0.18	60		
3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.1	2.0	1.9	0.21	75		
3.4	3.3	3.2	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	0.23	90		
1.8	1.7	1.7	1.6	1.5	1.5	1.4	1.4	1.4	1.3	1.3	1.2	1.2	1.2	1.1	1.1	0.12	15	TT11002VS  50 MESH  YELLOW	
2.1	2.0	1.9	1.9	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.5	1.4	1.4	1.3	1.3	0.14	20		
2.6	2.5	2.4	2.3	2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.6	1.6	0.17	30		
3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	2.0	1.9	1.9	0.20	40		
3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.1	0.22	50		
3.6	3.5	3.4	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	0.25	60		
4.0	3.9	3.7	3.6	3.5	3.3	3.2	3.1	3.0	2.9	2.9	2.8	2.7	2.6	2.6	2.5	0.27	75		
4.5	4.3	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	0.30	90		
2.2	2.1	2.1	2.0	1.9	1.9	1.8	1.7	1.7	1.6	1.6	1.5	1.5	1.5	1.4	1.4	0.15	15	TT110025VS  50 MESH  PURPLE	
2.7	2.6	2.5	2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.8	1.7	1.7	0.18	20		
3.3	3.1	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.3	2.3	2.2	2.1	2.1	2.0	0.22	30		
3.7	3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.7	2.6	2.5	2.4	2.4	2.3	0.25	40		
4.2	4.0	3.9	3.7	3.6	3.5	3.4	3.2	3.2	3.1	3.0	2.9	2.8	2.7	2.7	2.6	0.28	50		
4.6	4.4	4.3	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	2.9	0.31	60		
5.0	4.9	4.7	4.5	4.4	4.2	4.1	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.2	0.34	75		
5.6	5.4	5.2	5.0	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	0.38	90		
2.7	2.6	2.5	2.4	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.9	1.8	1.8	1.7	1.7	0.18	15	TT11003VS  50 MESH  BLUE	
3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.2	2.2	2.1	2.1	2.0	2.0	0.21	20		
3.9	3.7	3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	2.5	2.5	2.4	0.26	30		
4.5	4.3	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.9	2.8	0.30	40		
5.0	4.8	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	0.34	50		
5.4	5.2	5.0	4.9	4.7	4.5	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	0.37	60		
6.1	5.9	5.6	5.4	5.2	5.1	4.9	4.8	4.6	4.5	4.3	4.2	4.1	4.0	3.9	3.8	0.41	75		
6.7	6.4	6.2	6.0	5.8	5.6	5.4	5.2	5.1	4.9	4.8	4.6	4.5	4.4	4.3	4.2	0.45	90		
3.6	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.5	2.4	2.3	2.3	2.2	0.24	15	TT11004VS  50 MESH  RED	
4.2	4.0	3.9	3.8	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.8	2.7	2.6	0.28	20		
5.1	4.9	4.8	4.6	4.4	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	0.35	30		
5.9	5.7	5.5	5.3	5.1	5.0	4.8	4.6	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	0.40	40		
6.6	6.4	6.1	5.9	5.7	5.5	5.4	5.2	5.0	4.9	4.7	4.6	4.5	4.4	4.3	4.1	0.45	50		
7.3	7.0	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.4	5.2	5.1	4.9	4.8	4.7	4.5	0.49	60		
8.2	7.9	7.6	7.3	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.2	5.1	0.55	75		
8.9	8.6	8.3	8.0	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.9	5.7	5.6	0.60	90		

### TURBO TEEJEET 110° 32" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0		
TT11005VS  50 MESH  BROWN	15	0.31	14.4	12.8	11.5	10.5	9.6	8.9	8.2	7.7	7.2	6.8	6.4	6.1	5.8	5.5	5.2	5.0	4.8
	20	0.35	16.4	14.6	13.1	11.9	11.0	10.1	9.4	8.8	8.2	7.7	7.3	6.9	6.6	6.3	6.0	5.7	5.5
	30	0.43	20.1	17.9	16.1	14.6	13.4	12.4	11.5	10.7	10.0	9.5	8.9	8.5	8.0	7.7	7.3	7.0	6.7
	40	0.50	23.2	20.6	18.6	16.9	15.5	14.3	13.3	12.4	11.6	10.9	10.3	9.8	9.3	8.8	8.4	8.1	7.7
	50	0.56	25.9	23.1	20.8	18.9	17.3	16.0	14.8	13.8	13.0	12.2	11.5	10.9	10.4	9.9	9.4	9.0	8.6
	60	0.61	28.4	25.2	22.7	20.7	18.9	17.5	16.2	15.1	14.2	13.4	12.6	12.0	11.4	10.8	10.3	9.9	9.5
	75	0.68	31.6	28.1	25.2	23.0	21.0	19.4	18.0	16.8	15.8	14.9	14.0	13.3	12.6	12.0	11.5	11.0	10.5
	90	0.75	34.8	30.9	27.8	25.3	23.2	21.4	19.9	18.6	17.4	16.4	15.5	14.7	13.9	13.3	12.7	12.1	11.6
TT11006VS  50 MESH  GRAY	15	0.37	17.2	15.3	13.7	12.5	11.4	10.6	9.8	9.2	8.6	8.1	7.6	7.2	6.9	6.5	6.2	6.0	5.7
	20	0.42	19.7	17.5	15.7	14.3	13.1	12.1	11.2	10.5	9.8	9.3	8.7	8.3	7.9	7.5	7.2	6.8	6.6
	30	0.52	24.1	21.5	19.3	17.6	16.1	14.9	13.8	12.9	12.1	11.4	10.7	10.2	9.7	9.2	8.8	8.4	8.0
	40	0.60	27.8	24.8	22.3	20.3	18.6	17.1	15.9	14.9	13.9	13.1	12.4	11.7	11.1	10.6	10.1	9.7	9.3
	50	0.67	31.1	27.7	24.9	22.6	20.8	19.2	17.8	16.6	15.6	14.7	13.8	13.1	12.5	11.9	11.3	10.8	10.4
	60	0.74	34.1	30.3	27.3	24.8	22.7	21.0	19.5	18.2	17.1	16.1	15.2	14.4	13.6	13.0	12.4	11.9	11.4
	75	0.82	38.1	33.8	30.4	27.7	25.4	23.4	21.7	20.3	19.0	17.9	16.9	16.0	15.2	14.5	13.8	13.2	12.7
	90	0.90	41.8	37.1	33.4	30.4	27.8	25.7	23.9	22.3	20.9	19.7	18.6	17.6	16.7	15.9	15.2	14.5	13.9
TT11008VS  50 MESH  WHITE	15	0.49	22.7	20.2	18.2	16.5	15.2	14.0	13.0	12.1	11.4	10.7	10.1	9.6	9.1	8.7	8.3	7.9	7.6
	20	0.57	26.3	23.3	21.0	19.1	17.5	16.2	15.0	14.0	13.1	12.4	11.7	11.1	10.5	10.0	9.6	9.1	8.8
	30	0.69	32.2	28.6	25.7	23.4	21.4	19.8	18.4	17.2	16.1	15.1	14.3	13.5	12.9	12.3	11.7	11.2	10.7
	40	0.80	37.1	33.0	29.7	27.0	24.8	22.8	21.2	19.8	18.6	17.5	16.5	15.6	14.9	14.1	13.5	12.9	12.4
	50	0.89	41.5	36.9	33.2	30.2	27.7	25.5	23.7	22.1	20.7	19.5	18.4	17.5	16.6	15.8	15.1	14.4	13.8
	60	0.98	45.5	40.4	36.4	33.1	30.3	28.0	26.0	24.3	22.7	21.4	20.2	19.1	18.2	17.3	16.5	15.8	15.2
	75	1.10	51.0	45.4	40.8	37.1	34.0	31.4	29.2	27.2	25.5	24.0	22.7	21.5	20.4	19.4	18.6	17.8	17.0
	90	1.20	55.7	49.5	44.6	40.5	37.1	34.3	31.8	29.7	27.8	26.2	24.8	23.4	22.3	21.2	20.3	19.4	18.6

### TURBO TEEJEET 110° 32" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
4.6	4.4	4.3	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	3.0	2.9	0.31	15	TT11005VS  50 MESH  BROWN
5.3	5.1	4.9	4.7	4.5	4.4	4.2	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	0.35	20	
6.4	6.2	6.0	5.7	5.5	5.4	5.2	5.0	4.9	4.7	4.6	4.5	4.3	4.2	4.1	4.0	0.43	30	
7.4	7.1	6.9	6.6	6.4	6.2	6.0	5.8	5.6	5.5	5.3	5.2	5.0	4.9	4.8	4.6	0.50	40	
8.3	8.0	7.7	7.4	7.2	6.9	6.7	6.5	6.3	6.1	5.9	5.8	5.6	5.5	5.3	5.2	0.56	50	
9.1	8.7	8.4	8.1	7.8	7.6	7.3	7.1	6.9	6.7	6.5	6.3	6.1	6.0	5.8	5.7	0.61	60	
10.1	9.7	9.4	9.0	8.7	8.4	8.1	7.9	7.7	7.4	7.2	7.0	6.8	6.6	6.5	6.3	0.68	75	
11.1	10.7	10.3	9.9	9.6	9.3	9.0	8.7	8.4	8.2	8.0	7.7	7.5	7.3	7.1	7.0	0.75	90	
5.5	5.3	5.1	4.9	4.7	4.6	4.4	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	0.37	15	TT11006VS  50 MESH  GRAY
6.3	6.1	5.8	5.6	5.4	5.2	5.1	4.9	4.8	4.6	4.5	4.4	4.3	4.1	4.0	3.9	0.42	20	
7.7	7.4	7.2	6.9	6.7	6.4	6.2	6.0	5.9	5.7	5.5	5.4	5.2	5.1	5.0	4.8	0.52	30	
8.9	8.6	8.3	8.0	7.7	7.4	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.9	5.7	5.6	0.60	40	
10.0	9.6	9.2	8.9	8.6	8.3	8.0	7.8	7.5	7.3	7.1	6.9	6.7	6.6	6.4	6.2	0.67	50	
10.9	10.5	10.1	9.7	9.4	9.1	8.8	8.5	8.3	8.0	7.8	7.6	7.4	7.2	7.0	6.8	0.74	60	
12.2	11.7	11.3	10.9	10.5	10.1	9.8	9.5	9.2	9.0	8.7	8.5	8.2	8.0	7.8	7.6	0.82	75	
13.4	12.9	12.4	11.9	11.5	11.1	10.8	10.4	10.1	9.8	9.5	9.3	9.0	8.8	8.6	8.4	0.90	90	
7.3	7.0	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.4	5.2	5.1	4.9	4.8	4.7	4.5	0.49	15	TT11008VS  50 MESH  WHITE
8.4	8.1	7.8	7.5	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.5	5.4	5.3	0.57	20	
10.3	9.9	9.5	9.2	8.9	8.6	8.3	8.0	7.8	7.6	7.4	7.1	7.0	6.8	6.6	6.4	0.69	30	
11.9	11.4	11.0	10.6	10.2	9.9	9.6	9.3	9.0	8.7	8.5	8.3	8.0	7.8	7.6	7.4	0.80	40	
13.3	12.8	12.3	11.9	11.4	11.1	10.7	10.4	10.1	9.8	9.5	9.2	9.0	8.7	8.5	8.3	0.89	50	
14.6	14.0	13.5	13.0	12.5	12.1	11.7	11.4	11.0	10.7	10.4	10.1	9.8	9.6	9.3	9.1	0.98	60	
16.3	15.7	15.1	14.6	14.1	13.6	13.2	12.8	12.4	12.0	11.7	11.3	11.0	10.7	10.5	10.2	1.10	75	
17.8	17.1	16.5	15.9	15.4	14.9	14.4	13.9	13.5	13.1	12.7	12.4	12.0	11.7	11.4	11.1	1.20	90	