

TURBO TEEJEET 110° 36" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

| mph | | 4.0 | 4.5 | 5.0 | 5.5 | 6.0 | 6.5 | 7.0 | 7.5 | 8.0 | 8.5 | 9.0 | 9.5 | 10.0 | 10.5 | 11.0 | 11.5 | 12.0 | |
|-----------------------------------------|---------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----|
| | psi gpm | | | | | | | | | | | | | | | | | | |
| TT11001VS 100 MESH ORANGE | 15 | 0.06 | 2.5 | 2.2 | 2.0 | 1.8 | 1.7 | 1.5 | 1.4 | 1.3 | 1.3 | 1.2 | 1.1 | 1.1 | 1.0 | 1.0 | 0.9 | 0.9 | 0.8 |
| | 20 | 0.07 | 2.9 | 2.6 | 2.3 | 2.1 | 2.0 | 1.8 | 1.7 | 1.6 | 1.5 | 1.4 | 1.3 | 1.2 | 1.2 | 1.1 | 1.1 | 1.0 | 1.0 |
| | 30 | 0.09 | 3.6 | 3.2 | 2.9 | 2.6 | 2.4 | 2.2 | 2.1 | 1.9 | 1.8 | 1.7 | 1.6 | 1.5 | 1.4 | 1.4 | 1.3 | 1.2 | 1.2 |
| | 40 | 0.10 | 4.1 | 3.7 | 3.3 | 3.0 | 2.8 | 2.5 | 2.4 | 2.2 | 2.1 | 1.9 | 1.8 | 1.7 | 1.7 | 1.6 | 1.5 | 1.4 | 1.4 |
| | 50 | 0.11 | 4.6 | 4.1 | 3.7 | 3.4 | 3.1 | 2.8 | 2.6 | 2.5 | 2.3 | 2.2 | 2.1 | 1.9 | 1.8 | 1.8 | 1.7 | 1.6 | 1.5 |
| | 60 | 0.12 | 5.0 | 4.5 | 4.0 | 3.7 | 3.4 | 3.1 | 2.9 | 2.7 | 2.5 | 2.4 | 2.2 | 2.1 | 2.0 | 1.9 | 1.8 | 1.8 | 1.7 |
| | 75 | 0.14 | 5.8 | 5.1 | 4.6 | 4.2 | 3.9 | 3.6 | 3.3 | 3.1 | 2.9 | 2.7 | 2.6 | 2.4 | 2.3 | 2.2 | 2.1 | 2.0 | 1.9 |
| TT110015VS 100 MESH GREEN | 15 | 0.01 | 0.4 | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| | 20 | 0.11 | 4.4 | 3.9 | 3.5 | 3.2 | 2.9 | 2.7 | 2.5 | 2.3 | 2.2 | 2.1 | 1.9 | 1.8 | 1.7 | 1.7 | 1.6 | 1.5 | 1.5 |
| | 30 | 0.13 | 5.4 | 4.8 | 4.3 | 3.9 | 3.6 | 3.3 | 3.1 | 2.9 | 2.7 | 2.5 | 2.4 | 2.3 | 2.1 | 2.0 | 2.0 | 1.9 | 1.8 |
| | 40 | 0.15 | 6.2 | 5.5 | 5.0 | 4.5 | 4.1 | 3.8 | 3.5 | 3.3 | 3.1 | 2.9 | 2.8 | 2.6 | 2.5 | 2.4 | 2.3 | 2.2 | 2.1 |
| | 50 | 0.17 | 6.9 | 6.2 | 5.5 | 5.0 | 4.6 | 4.3 | 4.0 | 3.7 | 3.5 | 3.3 | 3.1 | 2.9 | 2.8 | 2.6 | 2.5 | 2.4 | 2.3 |
| | 60 | 0.18 | 7.6 | 6.7 | 6.1 | 5.5 | 5.1 | 4.7 | 4.3 | 4.0 | 3.8 | 3.6 | 3.4 | 3.2 | 3.0 | 2.9 | 2.8 | 2.6 | 2.5 |
| | 75 | 0.21 | 8.7 | 7.7 | 6.9 | 6.3 | 5.8 | 5.3 | 5.0 | 4.6 | 4.3 | 4.1 | 3.9 | 3.6 | 3.5 | 3.3 | 3.2 | 3.0 | 2.9 |
| 90 | 0.23 | 9.5 | 8.4 | 7.6 | 6.9 | 6.3 | 5.8 | 5.4 | 5.1 | 4.7 | 4.5 | 4.2 | 4.0 | 3.8 | 3.6 | 3.5 | 3.3 | 3.2 | |
| TT11002VS 50 MESH YELLOW | 15 | 0.12 | 5.0 | 4.4 | 4.0 | 3.6 | 3.3 | 3.0 | 2.8 | 2.6 | 2.5 | 2.3 | 2.2 | 2.1 | 2.0 | 1.9 | 1.8 | 1.7 | 1.7 |
| | 20 | 0.14 | 5.8 | 5.2 | 4.7 | 4.2 | 3.9 | 3.6 | 3.3 | 3.1 | 2.9 | 2.7 | 2.6 | 2.4 | 2.3 | 2.2 | 2.1 | 2.0 | 1.9 |
| | 30 | 0.17 | 7.1 | 6.3 | 5.7 | 5.2 | 4.8 | 4.4 | 4.1 | 3.8 | 3.6 | 3.4 | 3.2 | 3.0 | 2.9 | 2.7 | 2.6 | 2.5 | 2.4 |
| | 40 | 0.20 | 8.3 | 7.3 | 6.6 | 6.0 | 5.5 | 5.1 | 4.7 | 4.4 | 4.1 | 3.9 | 3.7 | 3.5 | 3.3 | 3.1 | 3.0 | 2.9 | 2.8 |
| | 50 | 0.22 | 9.2 | 8.2 | 7.4 | 6.7 | 6.2 | 5.7 | 5.3 | 4.9 | 4.6 | 4.3 | 4.1 | 3.9 | 3.7 | 3.5 | 3.4 | 3.2 | 3.1 |
| | 60 | 0.25 | 10.1 | 9.0 | 8.1 | 7.4 | 6.7 | 6.2 | 5.8 | 5.4 | 5.1 | 4.8 | 4.5 | 4.3 | 4.0 | 3.9 | 3.7 | 3.5 | 3.4 |
| | 75 | 0.27 | 11.1 | 9.9 | 8.9 | 8.1 | 7.4 | 6.9 | 6.4 | 5.9 | 5.6 | 5.2 | 5.0 | 4.7 | 4.5 | 4.2 | 4.1 | 3.9 | 3.7 |
| 90 | 0.30 | 12.4 | 11.0 | 9.9 | 9.0 | 8.3 | 7.6 | 7.1 | 6.6 | 6.2 | 5.8 | 5.5 | 5.2 | 5.0 | 4.7 | 4.5 | 4.3 | 4.1 | |
| TT110025VS 50 MESH PURPLE | 15 | 0.15 | 6.2 | 5.5 | 5.0 | 4.5 | 4.1 | 3.8 | 3.5 | 3.3 | 3.1 | 2.9 | 2.8 | 2.6 | 2.5 | 2.4 | 2.3 | 2.2 | 2.1 |
| | 20 | 0.18 | 7.4 | 6.6 | 5.9 | 5.4 | 5.0 | 4.6 | 4.2 | 4.0 | 3.7 | 3.5 | 3.3 | 3.1 | 3.0 | 2.8 | 2.7 | 2.6 | 2.5 |
| | 30 | 0.22 | 9.1 | 8.1 | 7.3 | 6.6 | 6.1 | 5.6 | 5.2 | 4.8 | 4.5 | 4.3 | 4.0 | 3.8 | 3.6 | 3.5 | 3.3 | 3.2 | 3.0 |
| | 40 | 0.25 | 10.3 | 9.2 | 8.3 | 7.5 | 6.9 | 6.3 | 5.9 | 5.5 | 5.2 | 4.9 | 4.6 | 4.3 | 4.1 | 3.9 | 3.8 | 3.6 | 3.4 |
| | 50 | 0.28 | 11.6 | 10.3 | 9.2 | 8.4 | 7.7 | 7.1 | 6.6 | 6.2 | 5.8 | 5.4 | 5.1 | 4.9 | 4.6 | 4.4 | 4.2 | 4.0 | 3.9 |
| | 60 | 0.31 | 12.8 | 11.4 | 10.2 | 9.3 | 8.5 | 7.9 | 7.3 | 6.8 | 6.4 | 6.0 | 5.7 | 5.4 | 5.1 | 4.9 | 4.7 | 4.4 | 4.3 |
| | 75 | 0.34 | 14.0 | 12.5 | 11.2 | 10.2 | 9.4 | 8.6 | 8.0 | 7.5 | 7.0 | 6.6 | 6.2 | 5.9 | 5.6 | 5.3 | 5.1 | 4.9 | 4.7 |
| 90 | 0.38 | 15.7 | 13.9 | 12.5 | 11.4 | 10.5 | 9.6 | 9.0 | 8.4 | 7.8 | 7.4 | 7.0 | 6.6 | 6.3 | 6.0 | 5.7 | 5.5 | 5.2 | |
| TT11003VS 50 MESH BLUE | 15 | 0.18 | 7.4 | 6.6 | 5.9 | 5.4 | 5.0 | 4.6 | 4.2 | 4.0 | 3.7 | 3.5 | 3.3 | 3.1 | 3.0 | 2.8 | 2.7 | 2.6 | 2.5 |
| | 20 | 0.21 | 8.7 | 7.8 | 7.0 | 6.4 | 5.8 | 5.4 | 5.0 | 4.7 | 4.4 | 4.1 | 3.9 | 3.7 | 3.5 | 3.3 | 3.2 | 3.0 | 2.9 |
| | 30 | 0.26 | 10.7 | 9.5 | 8.6 | 7.8 | 7.2 | 6.6 | 6.1 | 5.7 | 5.4 | 5.0 | 4.8 | 4.5 | 4.3 | 4.1 | 3.9 | 3.7 | 3.6 |
| | 40 | 0.30 | 12.4 | 11.0 | 9.9 | 9.0 | 8.3 | 7.6 | 7.1 | 6.6 | 6.2 | 5.8 | 5.5 | 5.2 | 5.0 | 4.7 | 4.5 | 4.3 | 4.1 |
| | 50 | 0.34 | 13.8 | 12.3 | 11.1 | 10.1 | 9.2 | 8.5 | 7.9 | 7.4 | 6.9 | 6.5 | 6.1 | 5.8 | 5.5 | 5.3 | 5.0 | 4.8 | 4.6 |
| | 60 | 0.37 | 15.1 | 13.5 | 12.1 | 11.0 | 10.1 | 9.3 | 8.7 | 8.1 | 7.6 | 7.1 | 6.7 | 6.4 | 6.1 | 5.8 | 5.5 | 5.3 | 5.0 |
| | 75 | 0.41 | 16.9 | 15.0 | 13.5 | 12.3 | 11.3 | 10.4 | 9.7 | 9.0 | 8.5 | 8.0 | 7.5 | 7.1 | 6.8 | 6.4 | 6.2 | 5.9 | 5.6 |
| 90 | 0.45 | 18.6 | 16.5 | 14.9 | 13.5 | 12.4 | 11.4 | 10.6 | 9.9 | 9.3 | 8.7 | 8.3 | 7.8 | 7.4 | 7.1 | 6.8 | 6.5 | 6.2 | |
| TT11004VS 50 MESH RED | 15 | 0.24 | 9.9 | 8.8 | 7.9 | 7.2 | 6.6 | 6.1 | 5.7 | 5.3 | 5.0 | 4.7 | 4.4 | 4.2 | 4.0 | 3.8 | 3.6 | 3.4 | 3.3 |
| | 20 | 0.28 | 11.7 | 10.4 | 9.3 | 8.5 | 7.8 | 7.2 | 6.7 | 6.2 | 5.8 | 5.5 | 5.2 | 4.9 | 4.7 | 4.4 | 4.2 | 4.1 | 3.9 |
| | 30 | 0.35 | 14.3 | 12.7 | 11.4 | 10.4 | 9.5 | 8.8 | 8.2 | 7.6 | 7.1 | 6.7 | 6.3 | 6.0 | 5.7 | 5.4 | 5.2 | 5.0 | 4.8 |
| | 40 | 0.40 | 16.5 | 14.7 | 13.2 | 12.0 | 11.0 | 10.2 | 9.4 | 8.8 | 8.3 | 7.8 | 7.3 | 6.9 | 6.6 | 6.3 | 6.0 | 5.7 | 5.5 |
| | 50 | 0.45 | 18.4 | 16.4 | 14.8 | 13.4 | 12.3 | 11.3 | 10.5 | 9.8 | 9.2 | 8.7 | 8.2 | 7.8 | 7.4 | 7.0 | 6.7 | 6.4 | 6.1 |
| | 60 | 0.49 | 20.2 | 18.0 | 16.2 | 14.7 | 13.5 | 12.4 | 11.6 | 10.8 | 10.1 | 9.5 | 9.0 | 8.5 | 8.1 | 7.7 | 7.4 | 7.0 | 6.7 |
| | 75 | 0.55 | 22.7 | 20.2 | 18.2 | 16.5 | 15.1 | 14.0 | 13.0 | 12.1 | 11.3 | 10.7 | 10.1 | 9.6 | 9.1 | 8.6 | 8.3 | 7.9 | 7.6 |
| 90 | 0.60 | 24.8 | 22.0 | 19.8 | 18.0 | 16.5 | 15.2 | 14.1 | 13.2 | 12.4 | 11.6 | 11.0 | 10.4 | 9.9 | 9.4 | 9.0 | 8.6 | 8.3 | |

TURBO TEEJEET 110° 36" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

| 12.5 | 13.0 | 13.5 | 14.0 | 14.5 | 15.0 | 15.5 | 16.0 | 16.5 | 17.0 | 17.5 | 18.0 | 18.5 | 19.0 | 19.5 | 20.0 | | | mph | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----|----------|------------|--------|
| | | | | | | | | | | | | | | | | gpm | psi | | | |
| 0.8 | 0.8 | 0.7 | 0.7 | 0.7 | 0.7 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.5 | 0.5 | 0.5 | 0.5 | 0.06 | 15 | 100 MESH | TT11001VS | |
| 0.9 | 0.9 | 0.9 | 0.8 | 0.8 | 0.8 | 0.8 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.6 | 0.6 | 0.6 | 0.6 | 0.07 | 20 | | | |
| 1.1 | 1.1 | 1.1 | 1.0 | 1.0 | 1.0 | 0.9 | 0.9 | 0.9 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.7 | 0.7 | 0.09 | 30 | | | |
| 1.3 | 1.3 | 1.2 | 1.2 | 1.1 | 1.1 | 1.1 | 1.0 | 1.0 | 1.0 | 0.9 | 0.9 | 0.9 | 0.9 | 0.8 | 0.8 | 0.10 | 40 | | | |
| 1.5 | 1.4 | 1.4 | 1.3 | 1.3 | 1.2 | 1.2 | 1.2 | 1.1 | 1.1 | 1.1 | 1.0 | 1.0 | 1.0 | 0.9 | 0.9 | 0.11 | 50 | | | |
| 1.6 | 1.5 | 1.5 | 1.4 | 1.4 | 1.3 | 1.3 | 1.3 | 1.2 | 1.2 | 1.2 | 1.1 | 1.1 | 1.1 | 1.0 | 1.0 | 0.12 | 60 | | | |
| 1.8 | 1.8 | 1.7 | 1.7 | 1.6 | 1.5 | 1.5 | 1.4 | 1.4 | 1.4 | 1.3 | 1.3 | 1.2 | 1.2 | 1.2 | 1.2 | 0.14 | 75 | | | |
| 2.0 | 1.9 | 1.8 | 1.8 | 1.7 | 1.7 | 1.6 | 1.5 | 1.5 | 1.5 | 1.4 | 1.4 | 1.3 | 1.3 | 1.3 | 1.2 | 0.15 | 90 | | | ORANGE |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.01 | 15 | 100 MESH | TT110015VS | |
| 1.4 | 1.3 | 1.3 | 1.2 | 1.2 | 1.2 | 1.1 | 1.1 | 1.1 | 1.0 | 1.0 | 1.0 | 0.9 | 0.9 | 0.9 | 0.9 | 0.11 | 20 | | | |
| 1.7 | 1.7 | 1.6 | 1.5 | 1.5 | 1.4 | 1.4 | 1.3 | 1.3 | 1.3 | 1.2 | 1.2 | 1.2 | 1.1 | 1.1 | 1.1 | 0.13 | 30 | | | |
| 2.0 | 1.9 | 1.8 | 1.8 | 1.7 | 1.7 | 1.6 | 1.5 | 1.5 | 1.5 | 1.4 | 1.4 | 1.3 | 1.3 | 1.3 | 1.2 | 0.15 | 40 | | | |
| 2.2 | 2.1 | 2.1 | 2.0 | 1.9 | 1.8 | 1.8 | 1.7 | 1.7 | 1.6 | 1.6 | 1.5 | 1.5 | 1.5 | 1.4 | 1.4 | 0.17 | 50 | | | |
| 2.4 | 2.3 | 2.2 | 2.2 | 2.1 | 2.0 | 2.0 | 1.9 | 1.8 | 1.8 | 1.7 | 1.7 | 1.6 | 1.6 | 1.6 | 1.5 | 0.18 | 60 | | | |
| 2.8 | 2.7 | 2.6 | 2.5 | 2.4 | 2.3 | 2.2 | 2.2 | 2.1 | 2.0 | 2.0 | 1.9 | 1.9 | 1.8 | 1.8 | 1.7 | 0.21 | 75 | | | |
| 3.0 | 2.9 | 2.8 | 2.7 | 2.6 | 2.5 | 2.4 | 2.4 | 2.3 | 2.2 | 2.2 | 2.1 | 2.1 | 2.0 | 1.9 | 1.9 | 0.23 | 90 | | | GREEN |
| 1.6 | 1.5 | 1.5 | 1.4 | 1.4 | 1.3 | 1.3 | 1.2 | 1.2 | 1.2 | 1.1 | 1.1 | 1.1 | 1.0 | 1.0 | 1.0 | 0.12 | 15 | 50 MESH | TT11002VS | |
| 1.9 | 1.8 | 1.7 | 1.7 | 1.6 | 1.6 | 1.5 | 1.5 | 1.4 | 1.4 | 1.3 | 1.3 | 1.3 | 1.2 | 1.2 | 1.2 | 0.14 | 20 | | | |
| 2.3 | 2.2 | 2.1 | 2.0 | 2.0 | 1.9 | 1.8 | 1.8 | 1.7 | 1.7 | 1.6 | 1.6 | 1.5 | 1.5 | 1.5 | 1.4 | 0.17 | 30 | | | |
| 2.6 | 2.5 | 2.4 | 2.4 | 2.3 | 2.2 | 2.1 | 2.1 | 2.0 | 1.9 | 1.9 | 1.8 | 1.8 | 1.7 | 1.7 | 1.7 | 0.20 | 40 | | | |
| 3.0 | 2.8 | 2.7 | 2.6 | 2.5 | 2.5 | 2.4 | 2.3 | 2.2 | 2.2 | 2.1 | 2.1 | 2.0 | 1.9 | 1.9 | 1.8 | 0.22 | 50 | | | |
| 3.2 | 3.1 | 3.0 | 2.9 | 2.8 | 2.7 | 2.6 | 2.5 | 2.5 | 2.4 | 2.3 | 2.2 | 2.2 | 2.1 | 2.1 | 2.0 | 0.25 | 60 | | | |
| 3.6 | 3.4 | 3.3 | 3.2 | 3.1 | 3.0 | 2.9 | 2.8 | 2.7 | 2.6 | 2.5 | 2.5 | 2.4 | 2.3 | 2.3 | 2.2 | 0.27 | 75 | | | |
| 4.0 | 3.8 | 3.7 | 3.5 | 3.4 | 3.3 | 3.2 | 3.1 | 3.0 | 2.9 | 2.8 | 2.8 | 2.7 | 2.6 | 2.5 | 2.5 | 0.30 | 90 | | | YELLOW |
| 2.0 | 1.9 | 1.8 | 1.8 | 1.7 | 1.7 | 1.6 | 1.5 | 1.5 | 1.5 | 1.4 | 1.4 | 1.3 | 1.3 | 1.3 | 1.2 | 0.15 | 15 | 50 MESH | TT110025VS | |
| 2.4 | 2.3 | 2.2 | 2.1 | 2.0 | 2.0 | 1.9 | 1.9 | 1.8 | 1.7 | 1.7 | 1.7 | 1.6 | 1.6 | 1.5 | 1.5 | 0.18 | 20 | | | |
| 2.9 | 2.8 | 2.7 | 2.6 | 2.5 | 2.4 | 2.3 | 2.3 | 2.2 | 2.1 | 2.1 | 2.0 | 2.0 | 1.9 | 1.9 | 1.8 | 0.22 | 30 | | | |
| 3.3 | 3.2 | 3.1 | 2.9 | 2.8 | 2.8 | 2.7 | 2.6 | 2.5 | 2.4 | 2.4 | 2.3 | 2.2 | 2.2 | 2.1 | 2.1 | 0.25 | 40 | | | |
| 3.7 | 3.6 | 3.4 | 3.3 | 3.2 | 3.1 | 3.0 | 2.9 | 2.8 | 2.7 | 2.6 | 2.6 | 2.5 | 2.4 | 2.4 | 2.3 | 0.28 | 50 | | | |
| 4.1 | 3.9 | 3.8 | 3.7 | 3.5 | 3.4 | 3.3 | 3.2 | 3.1 | 3.0 | 2.9 | 2.8 | 2.8 | 2.7 | 2.6 | 2.6 | 0.31 | 60 | | | |
| 4.5 | 4.3 | 4.2 | 4.0 | 3.9 | 3.7 | 3.6 | 3.5 | 3.4 | 3.3 | 3.2 | 3.1 | 3.0 | 3.0 | 2.9 | 2.8 | 0.34 | 75 | | | |
| 5.0 | 4.8 | 4.6 | 4.5 | 4.3 | 4.2 | 4.0 | 3.9 | 3.8 | 3.7 | 3.6 | 3.5 | 3.4 | 3.3 | 3.2 | 3.1 | 0.38 | 90 | | | PURPLE |
| 2.4 | 2.3 | 2.2 | 2.1 | 2.0 | 2.0 | 1.9 | 1.9 | 1.8 | 1.7 | 1.7 | 1.7 | 1.6 | 1.6 | 1.5 | 1.5 | 0.18 | 15 | 50 MESH | TT11003VS | |
| 2.8 | 2.7 | 2.6 | 2.5 | 2.4 | 2.3 | 2.3 | 2.2 | 2.1 | 2.1 | 2.0 | 1.9 | 1.9 | 1.8 | 1.8 | 1.7 | 0.21 | 20 | | | |
| 3.4 | 3.3 | 3.2 | 3.1 | 3.0 | 2.9 | 2.8 | 2.7 | 2.6 | 2.5 | 2.5 | 2.4 | 2.3 | 2.3 | 2.2 | 2.1 | 0.26 | 30 | | | |
| 4.0 | 3.8 | 3.7 | 3.5 | 3.4 | 3.3 | 3.2 | 3.1 | 3.0 | 2.9 | 2.8 | 2.8 | 2.7 | 2.6 | 2.5 | 2.5 | 0.30 | 40 | | | |
| 4.4 | 4.3 | 4.1 | 3.9 | 3.8 | 3.7 | 3.6 | 3.5 | 3.4 | 3.3 | 3.2 | 3.1 | 3.0 | 2.9 | 2.8 | 2.8 | 0.34 | 50 | | | |
| 4.8 | 4.7 | 4.5 | 4.3 | 4.2 | 4.0 | 3.9 | 3.8 | 3.7 | 3.6 | 3.5 | 3.4 | 3.3 | 3.2 | 3.1 | 3.0 | 0.37 | 60 | | | |
| 5.4 | 5.2 | 5.0 | 4.8 | 4.7 | 4.5 | 4.4 | 4.2 | 4.1 | 4.0 | 3.9 | 3.8 | 3.7 | 3.6 | 3.5 | 3.4 | 0.41 | 75 | | | |
| 5.9 | 5.7 | 5.5 | 5.3 | 5.1 | 5.0 | 4.8 | 4.6 | 4.5 | 4.4 | 4.2 | 4.1 | 4.0 | 3.9 | 3.8 | 3.7 | 0.45 | 90 | | | BLUE |
| 3.2 | 3.0 | 2.9 | 2.8 | 2.7 | 2.6 | 2.6 | 2.5 | 2.4 | 2.3 | 2.3 | 2.2 | 2.1 | 2.1 | 2.0 | 2.0 | 0.24 | 15 | 50 MESH | TT11004VS | |
| 3.7 | 3.6 | 3.5 | 3.3 | 3.2 | 3.1 | 3.0 | 2.9 | 2.8 | 2.7 | 2.7 | 2.6 | 2.5 | 2.5 | 2.4 | 2.3 | 0.28 | 20 | | | |
| 4.6 | 4.4 | 4.2 | 4.1 | 3.9 | 3.8 | 3.7 | 3.6 | 3.5 | 3.4 | 3.3 | 3.2 | 3.1 | 3.0 | 2.9 | 2.9 | 0.35 | 30 | | | |
| 5.3 | 5.1 | 4.9 | 4.7 | 4.6 | 4.4 | 4.3 | 4.1 | 4.0 | 3.9 | 3.8 | 3.7 | 3.6 | 3.5 | 3.4 | 3.3 | 0.40 | 40 | | | |
| 5.9 | 5.7 | 5.5 | 5.3 | 5.1 | 4.9 | 4.8 | 4.6 | 4.5 | 4.3 | 4.2 | 4.1 | 4.0 | 3.9 | 3.8 | 3.7 | 0.45 | 50 | | | |
| 6.5 | 6.2 | 6.0 | 5.8 | 5.6 | 5.4 | 5.2 | 5.1 | 4.9 | 4.8 | 4.6 | 4.5 | 4.4 | 4.3 | 4.1 | 4.0 | 0.49 | 60 | | | |
| 7.3 | 7.0 | 6.7 | 6.5 | 6.3 | 6.1 | 5.9 | 5.7 | 5.5 | 5.3 | 5.2 | 5.0 | 4.9 | 4.8 | 4.7 | 4.5 | 0.55 | 75 | | | |
| 7.9 | 7.6 | 7.3 | 7.1 | 6.8 | 6.6 | 6.4 | 6.2 | 6.0 | 5.8 | 5.7 | 5.5 | 5.4 | 5.2 | 5.1 | 5.0 | 0.60 | 90 | | | RED |

TURBO TEEJEET 110° 36" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

| mph | 4.0 | 4.5 | 5.0 | 5.5 | 6.0 | 6.5 | 7.0 | 7.5 | 8.0 | 8.5 | 9.0 | 9.5 | 10.0 | 10.5 | 11.0 | 11.5 | 12.0 | | |
|---------------------------------------|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| TT11005VS 50 MESH BROWN | 15 | 0.31 | 12.8 | 11.4 | 10.2 | 9.3 | 8.5 | 7.9 | 7.3 | 6.8 | 6.4 | 6.0 | 5.7 | 5.4 | 5.1 | 4.9 | 4.7 | 4.4 | 4.3 |
| | 20 | 0.35 | 14.6 | 13.0 | 11.7 | 10.6 | 9.7 | 9.0 | 8.3 | 7.8 | 7.3 | 6.9 | 6.5 | 6.1 | 5.8 | 5.6 | 5.3 | 5.1 | 4.9 |
| | 30 | 0.43 | 17.9 | 15.9 | 14.3 | 13.0 | 11.9 | 11.0 | 10.2 | 9.5 | 8.9 | 8.4 | 7.9 | 7.5 | 7.1 | 6.8 | 6.5 | 6.2 | 6.0 |
| | 40 | 0.50 | 20.6 | 18.3 | 16.5 | 15.0 | 13.8 | 12.7 | 11.8 | 11.0 | 10.3 | 9.7 | 9.2 | 8.7 | 8.3 | 7.9 | 7.5 | 7.2 | 6.9 |
| | 50 | 0.56 | 23.1 | 20.5 | 18.4 | 16.8 | 15.4 | 14.2 | 13.2 | 12.3 | 11.5 | 10.9 | 10.2 | 9.7 | 9.2 | 8.8 | 8.4 | 8.0 | 7.7 |
| | 60 | 0.61 | 25.2 | 22.4 | 20.2 | 18.4 | 16.8 | 15.5 | 14.4 | 13.5 | 12.6 | 11.9 | 11.2 | 10.6 | 10.1 | 9.6 | 9.2 | 8.8 | 8.4 |
| | 75 | 0.68 | 28.1 | 24.9 | 22.4 | 20.4 | 18.7 | 17.3 | 16.0 | 15.0 | 14.0 | 13.2 | 12.5 | 11.8 | 11.2 | 10.7 | 10.2 | 9.8 | 9.4 |
| | 90 | 0.75 | 30.9 | 27.5 | 24.8 | 22.5 | 20.6 | 19.0 | 17.7 | 16.5 | 15.5 | 14.6 | 13.8 | 13.0 | 12.4 | 11.8 | 11.3 | 10.8 | 10.3 |
| TT11006VS 50 MESH GRAY | 15 | 0.37 | 15.3 | 13.6 | 12.2 | 11.1 | 10.2 | 9.4 | 8.7 | 8.1 | 7.6 | 7.2 | 6.8 | 6.4 | 6.1 | 5.8 | 5.6 | 5.3 | 5.1 |
| | 20 | 0.42 | 17.5 | 15.5 | 14.0 | 12.7 | 11.7 | 10.8 | 10.0 | 9.3 | 8.7 | 8.2 | 7.8 | 7.4 | 7.0 | 6.7 | 6.4 | 6.1 | 5.8 |
| | 30 | 0.52 | 21.5 | 19.1 | 17.2 | 15.6 | 14.3 | 13.2 | 12.3 | 11.4 | 10.7 | 10.1 | 9.5 | 9.0 | 8.6 | 8.2 | 7.8 | 7.5 | 7.2 |
| | 40 | 0.60 | 24.8 | 22.0 | 19.8 | 18.0 | 16.5 | 15.2 | 14.1 | 13.2 | 12.4 | 11.6 | 11.0 | 10.4 | 9.9 | 9.4 | 9.0 | 8.6 | 8.3 |
| | 50 | 0.67 | 27.7 | 24.6 | 22.1 | 20.1 | 18.5 | 17.0 | 15.8 | 14.8 | 13.8 | 13.0 | 12.3 | 11.7 | 11.1 | 10.5 | 10.1 | 9.6 | 9.2 |
| | 60 | 0.74 | 30.3 | 27.0 | 24.3 | 22.1 | 20.2 | 18.7 | 17.3 | 16.2 | 15.2 | 14.3 | 13.5 | 12.8 | 12.1 | 11.6 | 11.0 | 10.5 | 10.1 |
| | 75 | 0.82 | 33.8 | 30.1 | 27.1 | 24.6 | 22.6 | 20.8 | 19.3 | 18.0 | 16.9 | 15.9 | 15.0 | 14.2 | 13.5 | 12.9 | 12.3 | 11.8 | 11.3 |
| | 90 | 0.90 | 37.1 | 33.0 | 29.7 | 27.0 | 24.8 | 22.8 | 21.2 | 19.8 | 18.6 | 17.5 | 16.5 | 15.6 | 14.9 | 14.1 | 13.5 | 12.9 | 12.4 |
| TT11008VS 50 MESH WHITE | 15 | 0.49 | 20.2 | 18.0 | 16.2 | 14.7 | 13.5 | 12.4 | 11.6 | 10.8 | 10.1 | 9.5 | 9.0 | 8.5 | 8.1 | 7.7 | 7.4 | 7.0 | 6.7 |
| | 20 | 0.57 | 23.3 | 20.8 | 18.7 | 17.0 | 15.6 | 14.4 | 13.3 | 12.5 | 11.7 | 11.0 | 10.4 | 9.8 | 9.3 | 8.9 | 8.5 | 8.1 | 7.8 |
| | 30 | 0.69 | 28.6 | 25.4 | 22.9 | 20.8 | 19.1 | 17.6 | 16.3 | 15.2 | 14.3 | 13.5 | 12.7 | 12.0 | 11.4 | 10.9 | 10.4 | 9.9 | 9.5 |
| | 40 | 0.80 | 33.0 | 29.3 | 26.4 | 24.0 | 22.0 | 20.3 | 18.9 | 17.6 | 16.5 | 15.5 | 14.7 | 13.9 | 13.2 | 12.6 | 12.0 | 11.5 | 11.0 |
| | 50 | 0.89 | 36.9 | 32.8 | 29.5 | 26.8 | 24.6 | 22.7 | 21.1 | 19.7 | 18.4 | 17.4 | 16.4 | 15.5 | 14.8 | 14.0 | 13.4 | 12.8 | 12.3 |
| | 60 | 0.98 | 40.4 | 35.9 | 32.3 | 29.4 | 27.0 | 24.9 | 23.1 | 21.6 | 20.2 | 19.0 | 18.0 | 17.0 | 16.2 | 15.4 | 14.7 | 14.1 | 13.5 |
| | 75 | 1.10 | 45.4 | 40.3 | 36.3 | 33.0 | 30.3 | 27.9 | 25.9 | 24.2 | 22.7 | 21.4 | 20.2 | 19.1 | 18.2 | 17.3 | 16.5 | 15.8 | 15.1 |
| | 90 | 1.20 | 49.5 | 44.0 | 39.6 | 36.0 | 33.0 | 30.5 | 28.3 | 26.4 | 24.8 | 23.3 | 22.0 | 20.8 | 19.8 | 18.9 | 18.0 | 17.2 | 16.5 |

TURBO TEEJEET 110° 36" TIP SPACING

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

| 12.5 | 13.0 | 13.5 | 14.0 | 14.5 | 15.0 | 15.5 | 16.0 | 16.5 | 17.0 | 17.5 | 18.0 | 18.5 | 19.0 | 19.5 | 20.0 | mph | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----|---------------------------------------|
| 4.1 | 3.9 | 3.8 | 3.7 | 3.5 | 3.4 | 3.3 | 3.2 | 3.1 | 3.0 | 2.9 | 2.8 | 2.8 | 2.7 | 2.6 | 2.6 | 0.31 | 15 | TT11005VS 50 MESH BROWN |
| 4.7 | 4.5 | 4.3 | 4.2 | 4.0 | 3.9 | 3.8 | 3.7 | 3.5 | 3.4 | 3.3 | 3.2 | 3.2 | 3.1 | 3.0 | 2.9 | 0.35 | 20 | |
| 5.7 | 5.5 | 5.3 | 5.1 | 4.9 | 4.8 | 4.6 | 4.5 | 4.3 | 4.2 | 4.1 | 4.0 | 3.9 | 3.8 | 3.7 | 3.6 | 0.43 | 30 | |
| 6.6 | 6.3 | 6.1 | 5.9 | 5.7 | 5.5 | 5.3 | 5.2 | 5.0 | 4.9 | 4.7 | 4.6 | 4.5 | 4.3 | 4.2 | 4.1 | 0.50 | 40 | |
| 7.4 | 7.1 | 6.8 | 6.6 | 6.4 | 6.1 | 6.0 | 5.8 | 5.6 | 5.4 | 5.3 | 5.1 | 5.0 | 4.9 | 4.7 | 4.6 | 0.56 | 50 | |
| 8.1 | 7.8 | 7.5 | 7.2 | 7.0 | 6.7 | 6.5 | 6.3 | 6.1 | 5.9 | 5.8 | 5.6 | 5.5 | 5.3 | 5.2 | 5.0 | 0.61 | 60 | |
| 9.0 | 8.6 | 8.3 | 8.0 | 7.7 | 7.5 | 7.2 | 7.0 | 6.8 | 6.6 | 6.4 | 6.2 | 6.1 | 5.9 | 5.8 | 5.6 | 0.68 | 75 | |
| 9.9 | 9.5 | 9.2 | 8.8 | 8.5 | 8.3 | 8.0 | 7.7 | 7.5 | 7.3 | 7.1 | 6.9 | 6.7 | 6.5 | 6.3 | 6.2 | 0.75 | 90 | |
| 4.9 | 4.7 | 4.5 | 4.4 | 4.2 | 4.1 | 3.9 | 3.8 | 3.7 | 3.6 | 3.5 | 3.4 | 3.3 | 3.2 | 3.1 | 3.1 | 0.37 | 15 | TT11006VS 50 MESH GRAY |
| 5.6 | 5.4 | 5.2 | 5.0 | 4.8 | 4.7 | 4.5 | 4.4 | 4.2 | 4.1 | 4.0 | 3.9 | 3.8 | 3.7 | 3.6 | 3.5 | 0.42 | 20 | |
| 6.9 | 6.6 | 6.4 | 6.1 | 5.9 | 5.7 | 5.5 | 5.4 | 5.2 | 5.0 | 4.9 | 4.8 | 4.6 | 4.5 | 4.4 | 4.3 | 0.52 | 30 | |
| 7.9 | 7.6 | 7.3 | 7.1 | 6.8 | 6.6 | 6.4 | 6.2 | 6.0 | 5.8 | 5.7 | 5.5 | 5.4 | 5.2 | 5.1 | 5.0 | 0.60 | 40 | |
| 8.9 | 8.5 | 8.2 | 7.9 | 7.6 | 7.4 | 7.1 | 6.9 | 6.7 | 6.5 | 6.3 | 6.2 | 6.0 | 5.8 | 5.7 | 5.5 | 0.67 | 50 | |
| 9.7 | 9.3 | 9.0 | 8.7 | 8.4 | 8.1 | 7.8 | 7.6 | 7.4 | 7.1 | 6.9 | 6.7 | 6.6 | 6.4 | 6.2 | 6.1 | 0.74 | 60 | |
| 10.8 | 10.4 | 10.0 | 9.7 | 9.3 | 9.0 | 8.7 | 8.5 | 8.2 | 8.0 | 7.7 | 7.5 | 7.3 | 7.1 | 6.9 | 6.8 | 0.82 | 75 | |
| 11.9 | 11.4 | 11.0 | 10.6 | 10.2 | 9.9 | 9.6 | 9.3 | 9.0 | 8.7 | 8.5 | 8.3 | 8.0 | 7.8 | 7.6 | 7.4 | 0.90 | 90 | |
| 6.5 | 6.2 | 6.0 | 5.8 | 5.6 | 5.4 | 5.2 | 5.1 | 4.9 | 4.8 | 4.6 | 4.5 | 4.4 | 4.3 | 4.1 | 4.0 | 0.49 | 15 | TT11008VS 50 MESH WHITE |
| 7.5 | 7.2 | 6.9 | 6.7 | 6.4 | 6.2 | 6.0 | 5.8 | 5.7 | 5.5 | 5.3 | 5.2 | 5.0 | 4.9 | 4.8 | 4.7 | 0.57 | 20 | |
| 9.1 | 8.8 | 8.5 | 8.2 | 7.9 | 7.6 | 7.4 | 7.1 | 6.9 | 6.7 | 6.5 | 6.4 | 6.2 | 6.0 | 5.9 | 5.7 | 0.69 | 30 | |
| 10.6 | 10.2 | 9.8 | 9.4 | 9.1 | 8.8 | 8.5 | 8.3 | 8.0 | 7.8 | 7.5 | 7.3 | 7.1 | 6.9 | 6.8 | 6.6 | 0.80 | 40 | |
| 11.8 | 11.3 | 10.9 | 10.5 | 10.2 | 9.8 | 9.5 | 9.2 | 8.9 | 8.7 | 8.4 | 8.2 | 8.0 | 7.8 | 7.6 | 7.4 | 0.89 | 50 | |
| 12.9 | 12.4 | 12.0 | 11.6 | 11.2 | 10.8 | 10.4 | 10.1 | 9.8 | 9.5 | 9.2 | 9.0 | 8.7 | 8.5 | 8.3 | 8.1 | 0.98 | 60 | |
| 14.5 | 14.0 | 13.4 | 13.0 | 12.5 | 12.1 | 11.7 | 11.3 | 11.0 | 10.7 | 10.4 | 10.1 | 9.8 | 9.6 | 9.3 | 9.1 | 1.10 | 75 | |
| 15.8 | 15.2 | 14.7 | 14.1 | 13.7 | 13.2 | 12.8 | 12.4 | 12.0 | 11.6 | 11.3 | 11.0 | 10.7 | 10.4 | 10.2 | 9.9 | 1.20 | 90 | |