

CONEJET 19" TIP CHART 1 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
psi gpm																			
TXSS1 100 MESH	30	0.014	1.13	1.00	0.90	0.82	0.75	0.69	0.64	0.60	0.56	0.53	0.50	0.47	0.45	0.43	0.41	0.39	0.38
	40	0.017	1.30	1.16	1.04	0.95	0.87	0.80	0.74	0.69	0.65	0.61	0.58	0.55	0.52	0.50	0.47	0.45	0.43
	50	0.019	1.46	1.29	1.17	1.06	0.97	0.90	0.83	0.78	0.73	0.69	0.65	0.61	0.58	0.55	0.53	0.51	0.49
	60	0.020	1.60	1.42	1.28	1.16	1.06	0.98	0.91	0.85	0.80	0.75	0.71	0.67	0.64	0.61	0.58	0.55	0.53
	70	0.022	1.72	1.53	1.38	1.25	1.15	1.06	0.98	0.92	0.86	0.81	0.77	0.73	0.69	0.66	0.63	0.60	0.57
	80	0.024	1.84	1.64	1.47	1.34	1.23	1.13	1.05	0.98	0.92	0.87	0.82	0.78	0.74	0.70	0.67	0.64	0.61
	90	0.025	1.95	1.74	1.56	1.42	1.30	1.20	1.12	1.04	0.98	0.92	0.87	0.82	0.78	0.74	0.71	0.68	0.65
	100	0.026	2.06	1.83	1.65	1.50	1.37	1.27	1.18	1.10	1.03	0.97	0.92	0.87	0.82	0.78	0.75	0.72	0.69
	110	0.028	2.16	1.92	1.73	1.57	1.44	1.33	1.23	1.15	1.08	1.02	0.96	0.91	0.86	0.82	0.79	0.75	0.72
TXSS2 100 MESH	30	0.029	2.26	2.01	1.80	1.64	1.50	1.39	1.29	1.20	1.13	1.06	1.00	0.95	0.90	0.86	0.82	0.78	0.75
	40	0.033	2.61	2.32	2.08	1.89	1.74	1.60	1.49	1.39	1.30	1.23	1.16	1.10	1.04	0.99	0.95	0.91	0.87
	50	0.037	2.91	2.59	2.33	2.12	1.94	1.79	1.66	1.55	1.46	1.37	1.29	1.23	1.17	1.11	1.06	1.01	0.97
	60	0.041	3.19	2.84	2.55	2.32	2.13	1.96	1.82	1.70	1.60	1.50	1.42	1.34	1.28	1.22	1.16	1.11	1.06
	70	0.044	3.45	3.06	2.76	2.51	2.30	2.12	1.97	1.84	1.72	1.62	1.53	1.45	1.38	1.31	1.25	1.20	1.15
	80	0.047	3.68	3.28	2.95	2.68	2.46	2.27	2.11	1.97	1.84	1.73	1.64	1.55	1.47	1.40	1.34	1.28	1.23
	90	0.050	3.91	3.47	3.13	2.84	2.61	2.40	2.23	2.08	1.95	1.84	1.74	1.65	1.56	1.49	1.42	1.36	1.30
	100	0.053	4.12	3.66	3.30	3.00	2.75	2.53	2.35	2.20	2.06	1.94	1.83	1.73	1.65	1.57	1.50	1.43	1.37
	110	0.055	4.32	3.84	3.46	3.14	2.88	2.66	2.47	2.30	2.16	2.03	1.92	1.82	1.73	1.65	1.57	1.50	1.44
TXVS3 50 MESH YELLOW	30	0.043	3.38	3.01	2.71	2.46	2.26	2.08	1.93	1.80	1.69	1.59	1.50	1.42	1.35	1.29	1.23	1.18	1.13
	40	0.050	3.91	3.47	3.13	2.84	2.61	2.40	2.23	2.08	1.95	1.84	1.74	1.65	1.56	1.49	1.42	1.36	1.30
	50	0.056	4.37	3.88	3.50	3.18	2.91	2.69	2.50	2.33	2.18	2.06	1.94	1.84	1.75	1.66	1.59	1.52	1.46
	60	0.061	4.79	4.25	3.83	3.48	3.19	2.95	2.73	2.55	2.39	2.25	2.13	2.02	1.91	1.82	1.74	1.66	1.60
	70	0.066	5.17	4.60	4.14	3.76	3.45	3.18	2.95	2.76	2.58	2.43	2.30	2.18	2.07	1.97	1.88	1.80	1.72
	80	0.071	5.53	4.91	4.42	4.02	3.68	3.40	3.16	2.95	2.76	2.60	2.46	2.33	2.21	2.11	2.01	1.92	1.84
	90	0.075	5.86	5.21	4.69	4.26	3.91	3.61	3.35	3.13	2.93	2.76	2.61	2.47	2.34	2.23	2.13	2.04	1.95
	100	0.079	6.18	5.49	4.94	4.49	4.12	3.80	3.53	3.30	3.09	2.91	2.75	2.60	2.47	2.35	2.25	2.15	2.06
	110	0.083	6.48	5.76	5.18	4.71	4.32	3.99	3.70	3.46	3.24	3.05	2.88	2.73	2.59	2.47	2.36	2.25	2.16

CONEJET 19" TIP CHART 1 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
																gpm	psi	
0.36	0.35	0.33	0.32	0.31	0.30	0.29	0.28	0.27	0.27	0.26	0.25	0.24	0.24	0.23	0.23	0.014	30	TXSS1 100 MESH
0.42	0.40	0.39	0.37	0.36	0.35	0.34	0.33	0.32	0.31	0.30	0.29	0.28	0.27	0.27	0.26	0.017	40	
0.47	0.45	0.43	0.42	0.40	0.39	0.38	0.36	0.35	0.34	0.33	0.32	0.31	0.31	0.30	0.29	0.019	50	
0.51	0.49	0.47	0.46	0.44	0.43	0.41	0.40	0.39	0.38	0.36	0.35	0.34	0.34	0.33	0.32	0.020	60	
0.55	0.53	0.51	0.49	0.48	0.46	0.44	0.43	0.42	0.41	0.39	0.38	0.37	0.36	0.35	0.34	0.022	70	
0.59	0.57	0.55	0.53	0.51	0.49	0.48	0.46	0.45	0.43	0.42	0.41	0.40	0.39	0.38	0.37	0.024	80	
0.63	0.60	0.58	0.56	0.54	0.52	0.50	0.49	0.47	0.46	0.45	0.43	0.42	0.41	0.40	0.39	0.025	90	
0.66	0.63	0.61	0.59	0.57	0.55	0.53	0.51	0.50	0.48	0.47	0.46	0.45	0.43	0.42	0.41	0.026	100	
0.69	0.66	0.64	0.62	0.60	0.58	0.56	0.54	0.52	0.51	0.49	0.48	0.47	0.45	0.44	0.43	0.028	110	
0.72	0.69	0.67	0.64	0.62	0.60	0.58	0.56	0.55	0.53	0.52	0.50	0.49	0.47	0.46	0.45	0.029	30	TXSS2 100 MESH
0.83	0.80	0.77	0.74	0.72	0.69	0.67	0.65	0.63	0.61	0.60	0.58	0.56	0.55	0.53	0.52	0.033	40	
0.93	0.90	0.86	0.83	0.80	0.78	0.75	0.73	0.71	0.69	0.67	0.65	0.63	0.61	0.60	0.58	0.037	50	
1.02	0.98	0.95	0.91	0.88	0.85	0.82	0.80	0.77	0.75	0.73	0.71	0.69	0.67	0.65	0.64	0.041	60	
1.10	1.06	1.02	0.98	0.95	0.92	0.89	0.86	0.84	0.81	0.79	0.77	0.75	0.73	0.71	0.69	0.044	70	
1.18	1.13	1.09	1.05	1.02	0.98	0.95	0.92	0.89	0.87	0.84	0.82	0.80	0.78	0.76	0.74	0.047	80	
1.25	1.20	1.16	1.12	1.08	1.04	1.01	0.98	0.95	0.92	0.89	0.87	0.84	0.82	0.80	0.78	0.050	90	
1.32	1.27	1.22	1.18	1.14	1.10	1.06	1.03	1.00	0.97	0.94	0.92	0.89	0.87	0.84	0.82	0.053	100	
1.38	1.33	1.28	1.23	1.19	1.15	1.11	1.08	1.05	1.02	0.99	0.96	0.93	0.91	0.89	0.86	0.055	110	
1.08	1.04	1.00	0.97	0.93	0.90	0.87	0.85	0.82	0.80	0.77	0.75	0.73	0.71	0.69	0.68	0.043	30	TXVS3 50 MESH YELLOW
1.25	1.20	1.16	1.12	1.08	1.04	1.01	0.98	0.95	0.92	0.89	0.87	0.84	0.82	0.80	0.78	0.050	40	
1.40	1.34	1.29	1.25	1.21	1.17	1.13	1.09	1.06	1.03	1.00	0.97	0.94	0.92	0.90	0.87	0.056	50	
1.53	1.47	1.42	1.37	1.32	1.28	1.24	1.20	1.16	1.13	1.09	1.06	1.03	1.01	0.98	0.96	0.061	60	
1.65	1.59	1.53	1.48	1.43	1.38	1.33	1.29	1.25	1.22	1.18	1.15	1.12	1.09	1.06	1.03	0.066	70	
1.77	1.70	1.64	1.58	1.52	1.47	1.43	1.38	1.34	1.30	1.26	1.23	1.19	1.16	1.13	1.11	0.071	80	
1.88	1.80	1.74	1.67	1.62	1.56	1.51	1.47	1.42	1.38	1.34	1.30	1.27	1.23	1.20	1.17	0.075	90	
1.98	1.90	1.83	1.77	1.70	1.65	1.59	1.54	1.50	1.45	1.41	1.37	1.34	1.30	1.27	1.24	0.079	100	
2.07	1.99	1.92	1.85	1.79	1.73	1.67	1.62	1.57	1.52	1.48	1.44	1.40	1.36	1.33	1.30	0.083	110	

CONEJET 19" TIP CHART 1 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
TXSS4	30	0.058	4.51	4.01	3.61	3.28	3.01	2.78	2.58	2.41	2.26	2.12	2.01	1.90	1.80	1.72	1.64	1.57	1.50
	40	0.067	5.21	4.63	4.17	3.79	3.47	3.21	2.98	2.78	2.61	2.45	2.32	2.19	2.08	1.98	1.89	1.81	1.74
	50	0.075	5.83	5.18	4.66	4.24	3.88	3.58	3.33	3.11	2.91	2.74	2.59	2.45	2.33	2.22	2.12	2.03	1.94
	60	0.082	6.38	5.67	5.11	4.64	4.25	3.93	3.65	3.40	3.19	3.00	2.84	2.69	2.55	2.43	2.32	2.22	2.13
	70	0.088	6.89	6.13	5.51	5.01	4.60	4.24	3.94	3.68	3.45	3.24	3.06	2.90	2.76	2.63	2.51	2.40	2.30
	80	0.094	7.37	6.55	5.90	5.36	4.91	4.53	4.21	3.93	3.68	3.47	3.28	3.10	2.95	2.81	2.68	2.56	2.46
	90	0.100	7.82	6.95	6.25	5.68	5.21	4.81	4.47	4.17	3.91	3.68	3.47	3.29	3.13	2.98	2.84	2.72	2.61
	100	0.105	8.24	7.32	6.59	5.99	5.49	5.07	4.71	4.39	4.12	3.88	3.66	3.47	3.30	3.14	3.00	2.87	2.75
	110	0.111	8.64	7.68	6.91	6.28	5.76	5.32	4.94	4.61	4.32	4.07	3.84	3.64	3.46	3.29	3.14	3.01	2.88
	TXVS6	30	0.087	6.77	6.02	5.41	4.92	4.51	4.17	3.87	3.61	3.38	3.19	3.01	2.85	2.71	2.58	2.46	2.35
40		0.100	7.82	6.95	6.25	5.68	5.21	4.81	4.47	4.17	3.91	3.68	3.47	3.29	3.13	2.98	2.84	2.72	2.61
50		0.112	8.74	7.77	6.99	6.36	5.83	5.38	4.99	4.66	4.37	4.11	3.88	3.68	3.50	3.33	3.18	3.04	2.91
60		0.122	9.57	8.51	7.66	6.96	6.38	5.89	5.47	5.11	4.79	4.50	4.25	4.03	3.83	3.65	3.48	3.33	3.19
70		0.132	10.34	9.19	8.27	7.52	6.89	6.36	5.91	5.51	5.17	4.87	4.60	4.35	4.14	3.94	3.76	3.60	3.45
80		0.141	11.05	9.83	8.84	8.04	7.37	6.80	6.32	5.90	5.53	5.20	4.91	4.65	4.42	4.21	4.02	3.84	3.68
90		0.150	11.72	10.42	9.38	8.53	7.82	7.21	6.70	6.25	5.86	5.52	5.21	4.94	4.69	4.47	4.26	4.08	3.91
100		0.158	12.36	10.98	9.89	8.99	8.24	7.60	7.06	6.59	6.18	5.82	5.49	5.20	4.94	4.71	4.49	4.30	4.12
110		0.166	12.96	11.52	10.37	9.43	8.64	7.98	7.41	6.91	6.48	6.10	5.76	5.46	5.18	4.94	4.71	4.51	4.32
TXVS8		30	0.115	9.02	8.02	7.22	6.56	6.02	5.55	5.16	4.81	4.51	4.25	4.01	3.80	3.61	3.44	3.28	3.14
	40	0.133	10.42	9.26	8.34	7.58	6.95	6.41	5.95	5.56	5.21	4.90	4.63	4.39	4.17	3.97	3.79	3.62	3.47
	50	0.149	11.65	10.36	9.32	8.47	7.77	7.17	6.66	6.21	5.83	5.48	5.18	4.91	4.66	4.44	4.24	4.05	3.88
	60	0.163	12.76	11.35	10.21	9.28	8.51	7.85	7.29	6.81	6.38	6.01	5.67	5.37	5.11	4.86	4.64	4.44	4.25
	70	0.176	13.79	12.25	11.03	10.03	9.19	8.48	7.88	7.35	6.89	6.49	6.13	5.80	5.51	5.25	5.01	4.80	4.60
	80	0.189	14.74	13.10	11.79	10.72	9.83	9.07	8.42	7.86	7.37	6.94	6.55	6.21	5.90	5.61	5.36	5.13	4.91
	90	0.200	15.63	13.89	12.51	11.37	10.42	9.62	8.93	8.34	7.82	7.36	6.95	6.58	6.25	5.95	5.68	5.44	5.21
	100	0.211	16.48	14.65	13.18	11.98	10.98	10.14	9.42	8.79	8.24	7.75	7.32	6.94	6.59	6.28	5.99	5.73	5.49
	110	0.221	17.28	15.36	13.83	12.57	11.52	10.63	9.88	9.22	8.64	8.13	7.68	7.28	6.91	6.58	6.28	6.01	5.76
	GRAY	30	0.115	9.02	8.02	7.22	6.56	6.02	5.55	5.16	4.81	4.51	4.25	4.01	3.80	3.61	3.44	3.28	3.14
40		0.133	10.42	9.26	8.34	7.58	6.95	6.41	5.95	5.56	5.21	4.90	4.63	4.39	4.17	3.97	3.79	3.62	3.47
50		0.149	11.65	10.36	9.32	8.47	7.77	7.17	6.66	6.21	5.83	5.48	5.18	4.91	4.66	4.44	4.24	4.05	3.88
60		0.163	12.76	11.35	10.21	9.28	8.51	7.85	7.29	6.81	6.38	6.01	5.67	5.37	5.11	4.86	4.64	4.44	4.25
70		0.176	13.79	12.25	11.03	10.03	9.19	8.48	7.88	7.35	6.89	6.49	6.13	5.80	5.51	5.25	5.01	4.80	4.60
80		0.189	14.74	13.10	11.79	10.72	9.83	9.07	8.42	7.86	7.37	6.94	6.55	6.21	5.90	5.61	5.36	5.13	4.91
90		0.200	15.63	13.89	12.51	11.37	10.42	9.62	8.93	8.34	7.82	7.36	6.95	6.58	6.25	5.95	5.68	5.44	5.21
100		0.211	16.48	14.65	13.18	11.98	10.98	10.14	9.42	8.79	8.24	7.75	7.32	6.94	6.59	6.28	5.99	5.73	5.49
110		0.221	17.28	15.36	13.83	12.57	11.52	10.63	9.88	9.22	8.64	8.13	7.68	7.28	6.91	6.58	6.28	6.01	5.76

CONEJET 19" TIP CHART 1 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
1.44	1.39	1.34	1.29	1.24	1.20	1.16	1.13	1.09	1.06	1.03	1.00	0.98	0.95	0.93	0.90	0.058	30	TXSS4
1.67	1.60	1.54	1.49	1.44	1.39	1.34	1.30	1.26	1.23	1.19	1.16	1.13	1.10	1.07	1.04	0.067	40	
1.86	1.79	1.73	1.66	1.61	1.55	1.50	1.46	1.41	1.37	1.33	1.29	1.26	1.23	1.19	1.17	0.075	50	
2.04	1.96	1.89	1.82	1.76	1.70	1.65	1.60	1.55	1.50	1.46	1.42	1.38	1.34	1.31	1.28	0.082	60	50 MESH
2.21	2.12	2.04	1.97	1.90	1.84	1.78	1.72	1.67	1.62	1.58	1.53	1.49	1.45	1.41	1.38	0.088	70	
2.36	2.27	2.18	2.11	2.03	1.97	1.90	1.84	1.79	1.73	1.68	1.64	1.59	1.55	1.51	1.47	0.094	80	
2.50	2.40	2.32	2.23	2.16	2.08	2.02	1.95	1.89	1.84	1.79	1.74	1.69	1.65	1.60	1.56	0.100	90	GREEN
2.64	2.53	2.44	2.35	2.27	2.20	2.13	2.06	2.00	1.94	1.88	1.83	1.78	1.73	1.69	1.65	0.105	100	
2.77	2.66	2.56	2.47	2.38	2.30	2.23	2.16	2.09	2.03	1.98	1.92	1.87	1.82	1.77	1.73	0.111	110	
2.17	2.08	2.01	1.93	1.87	1.80	1.75	1.69	1.64	1.59	1.55	1.50	1.46	1.42	1.39	1.35	0.087	30	TXVS6
2.50	2.40	2.32	2.23	2.16	2.08	2.02	1.95	1.89	1.84	1.79	1.74	1.69	1.65	1.60	1.56	0.100	40	
2.80	2.69	2.59	2.50	2.41	2.33	2.26	2.18	2.12	2.06	2.00	1.94	1.89	1.84	1.79	1.75	0.112	50	
3.06	2.95	2.84	2.73	2.64	2.55	2.47	2.39	2.32	2.25	2.19	2.13	2.07	2.02	1.96	1.91	0.122	60	50 MESH
3.31	3.18	3.06	2.95	2.85	2.76	2.67	2.58	2.51	2.43	2.36	2.30	2.24	2.18	2.12	2.07	0.132	70	
3.54	3.40	3.28	3.16	3.05	2.95	2.85	2.76	2.68	2.60	2.53	2.46	2.39	2.33	2.27	2.21	0.141	80	
3.75	3.61	3.47	3.35	3.23	3.13	3.03	2.93	2.84	2.76	2.68	2.61	2.53	2.47	2.40	2.34	0.150	90	RED
3.95	3.80	3.66	3.53	3.41	3.30	3.19	3.09	3.00	2.91	2.82	2.75	2.67	2.60	2.53	2.47	0.158	100	
4.15	3.99	3.84	3.70	3.58	3.46	3.34	3.24	3.14	3.05	2.96	2.88	2.80	2.73	2.66	2.59	0.166	110	
2.89	2.78	2.67	2.58	2.49	2.41	2.33	2.26	2.19	2.12	2.06	2.01	1.95	1.90	1.85	1.80	0.115	30	TXVS8
3.33	3.21	3.09	2.98	2.87	2.78	2.69	2.61	2.53	2.45	2.38	2.32	2.25	2.19	2.14	2.08	0.133	40	
3.73	3.58	3.45	3.33	3.21	3.11	3.01	2.91	2.82	2.74	2.66	2.59	2.52	2.45	2.39	2.33	0.149	50	
4.08	3.93	3.78	3.65	3.52	3.40	3.29	3.19	3.09	3.00	2.92	2.84	2.76	2.69	2.62	2.55	0.163	60	50 MESH
4.41	4.24	4.08	3.94	3.80	3.68	3.56	3.45	3.34	3.24	3.15	3.06	2.98	2.90	2.83	2.76	0.176	70	
4.72	4.53	4.37	4.21	4.07	3.93	3.80	3.68	3.57	3.47	3.37	3.28	3.19	3.10	3.02	2.95	0.189	80	
5.00	4.81	4.63	4.47	4.31	4.17	4.03	3.91	3.79	3.68	3.57	3.47	3.38	3.29	3.21	3.13	0.200	90	GRAY
5.27	5.07	4.88	4.71	4.55	4.39	4.25	4.12	3.99	3.88	3.77	3.66	3.56	3.47	3.38	3.30	0.211	100	
5.53	5.32	5.12	4.94	4.77	4.61	4.46	4.32	4.19	4.07	3.95	3.84	3.74	3.64	3.54	3.46	0.221	110	

CONEJET 19" TIP CHART 1 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0			
TXVS10	30	0.144	11.28	10.03	9.02	8.20	7.52	6.94	6.45	6.02	5.64	5.31	5.01	4.75	4.51	4.30	4.10	3.92	3.76	
	40	0.167	13.03	11.58	10.42	9.47	8.68	8.02	7.44	6.95	6.51	6.13	5.79	5.48	5.21	4.96	4.74	4.53	4.34	
	50	0.186	14.56	12.95	11.65	10.59	9.71	8.96	8.32	7.77	7.28	6.85	6.47	6.13	5.83	5.55	5.30	5.07	4.85	
	60	0.204	15.95	14.18	12.76	11.60	10.64	9.82	9.12	8.51	7.98	7.51	7.09	6.72	6.38	6.08	5.80	5.55	5.32	
	70	0.220	17.23	15.32	13.79	12.53	11.49	10.60	9.85	9.19	8.62	8.11	7.66	7.26	6.89	6.56	6.27	5.99	5.74	
	80	0.236	18.42	16.38	14.74	13.40	12.28	11.34	10.53	9.83	9.21	8.67	8.19	7.76	7.37	7.02	6.70	6.41	6.14	
	90	0.250	19.54	17.37	15.63	14.21	13.03	12.02	11.17	10.42	9.77	9.20	8.68	8.23	7.82	7.44	7.11	6.80	6.51	
	100	0.264	20.60	18.31	16.48	14.98	13.73	12.67	11.77	10.98	10.30	9.69	9.15	8.67	8.24	7.85	7.49	7.16	6.87	
	110	0.276	21.60	19.20	17.28	15.71	14.40	13.29	12.34	11.52	10.80	10.17	9.60	9.10	8.64	8.23	7.86	7.51	7.20	
	TXVS12	30	0.173	13.54	12.03	10.83	9.85	9.02	8.33	7.74	7.22	6.77	6.37	6.02	5.70	5.41	5.16	4.92	4.71	4.51
		40	0.200	15.63	13.89	12.51	11.37	10.42	9.62	8.93	8.34	7.82	7.36	6.95	6.58	6.25	5.95	5.68	5.44	5.21
50		0.224	17.48	15.53	13.98	12.71	11.65	10.75	9.99	9.32	8.74	8.22	7.77	7.36	6.99	6.66	6.36	6.08	5.83	
60		0.245	19.14	17.02	15.32	13.92	12.76	11.78	10.94	10.21	9.57	9.01	8.51	8.06	7.66	7.29	6.96	6.66	6.38	
70		0.265	20.68	18.38	16.54	15.04	13.79	12.73	11.82	11.03	10.34	9.73	9.19	8.71	8.27	7.88	7.52	7.19	6.89	
80		0.283	22.11	19.65	17.69	16.08	14.74	13.60	12.63	11.79	11.05	10.40	9.83	9.31	8.84	8.42	8.04	7.69	7.37	
90		0.300	23.45	20.84	18.76	17.05	15.63	14.43	13.40	12.51	11.72	11.03	10.42	9.87	9.38	8.93	8.53	8.16	7.82	
100		0.316	24.72	21.97	19.77	17.98	16.48	15.21	14.12	13.18	12.36	11.63	10.98	10.41	9.89	9.42	8.99	8.60	8.24	
110		0.332	25.92	23.04	20.74	18.85	17.28	15.95	14.81	13.83	12.96	12.20	11.52	10.91	10.37	9.88	9.43	9.02	8.64	
TXVS18		30	0.260	20.31	18.05	16.24	14.77	13.54	12.50	11.60	10.83	10.15	9.56	9.02	8.55	8.12	7.74	7.38	7.06	6.77
		40	0.433	33.87	30.11	27.09	24.63	22.58	20.84	19.35	18.06	16.93	15.94	15.05	14.26	13.55	12.90	12.32	11.78	11.29
	50	0.335	26.21	23.30	20.97	19.07	17.48	16.13	14.98	13.98	13.11	12.34	11.65	11.04	10.49	9.99	9.53	9.12	8.74	
	60	0.367	28.72	25.53	22.97	20.89	19.14	17.67	16.41	15.32	14.36	13.51	12.76	12.09	11.49	10.94	10.44	9.99	9.57	
	70	0.397	31.02	27.57	24.81	22.56	20.68	19.09	17.72	16.54	15.51	14.60	13.79	13.06	12.41	11.82	11.28	10.79	10.34	
	80	0.411	32.11	28.54	25.69	23.35	21.40	19.76	18.35	17.12	16.05	15.11	14.27	13.52	12.84	12.23	11.68	11.17	10.70	
	90	0.450	35.17	31.26	28.14	25.58	23.45	21.64	20.10	18.76	17.59	16.55	15.63	14.81	14.07	13.40	12.79	12.23	11.72	
	100	0.474	37.07	32.95	29.66	26.96	24.72	22.81	21.18	19.77	18.54	17.45	16.48	15.61	14.83	14.12	13.48	12.90	12.36	
	110	0.497	38.88	34.56	31.11	28.28	25.92	23.93	22.22	20.74	19.44	18.30	17.28	16.37	15.55	14.81	14.14	13.52	12.96	
	BLACK	30	0.173	13.54	12.03	10.83	9.85	9.02	8.33	7.74	7.22	6.77	6.37	6.02	5.70	5.41	5.16	4.92	4.71	4.51
		40	0.200	15.63	13.89	12.51	11.37	10.42	9.62	8.93	8.34	7.82	7.36	6.95	6.58	6.25	5.95	5.68	5.44	5.21
50		0.224	17.48	15.53	13.98	12.71	11.65	10.75	9.99	9.32	8.74	8.22	7.77	7.36	6.99	6.66	6.36	6.08	5.83	
60		0.245	19.14	17.02	15.32	13.92	12.76	11.78	10.94	10.21	9.57	9.01	8.51	8.06	7.66	7.29	6.96	6.66	6.38	
70		0.265	20.68	18.38	16.54	15.04	13.79	12.73	11.82	11.03	10.34	9.73	9.19	8.71	8.27	7.88	7.52	7.19	6.89	
80		0.283	22.11	19.65	17.69	16.08	14.74	13.60	12.63	11.79	11.05	10.40	9.83	9.31	8.84	8.42	8.04	7.69	7.37	
90		0.300	23.45	20.84	18.76	17.05	15.63	14.43	13.40	12.51	11.72	11.03	10.42	9.87	9.38	8.93	8.53	8.16	7.82	
100		0.316	24.72	21.97	19.77	17.98	16.48	15.21	14.12	13.18	12.36	11.63	10.98	10.41	9.89	9.42	8.99	8.60	8.24	
110		0.332	25.92	23.04	20.74	18.85	17.28	15.95	14.81	13.83	12.96	12.20	11.52	10.91	10.37	9.88	9.43	9.02	8.64	
ORANGE		30	0.260	20.31	18.05	16.24	14.77	13.54	12.50	11.60	10.83	10.15	9.56	9.02	8.55	8.12	7.74	7.38	7.06	6.77
		40	0.433	33.87	30.11	27.09	24.63	22.58	20.84	19.35	18.06	16.93	15.94	15.05	14.26	13.55	12.90	12.32	11.78	11.29
	50	0.335	26.21	23.30	20.97	19.07	17.48	16.13	14.98	13.98	13.11	12.34	11.65	11.04	10.49	9.99	9.53	9.12	8.74	
	60	0.367	28.72	25.53	22.97	20.89	19.14	17.67	16.41	15.32	14.36	13.51	12.76	12.09	11.49	10.94	10.44	9.99	9.57	
	70	0.397	31.02	27.57	24.81	22.56	20.68	19.09	17.72	16.54	15.51	14.60	13.79	13.06	12.41	11.82	11.28	10.79	10.34	
	80	0.411	32.11	28.54	25.69	23.35	21.40	19.76	18.35	17.12	16.05	15.11	14.27	13.52	12.84	12.23	11.68	11.17	10.70	
	90	0.450	35.17	31.26	28.14	25.58	23.45	21.64	20.10	18.76	17.59	16.55	15.63	14.81	14.07	13.40	12.79	12.23	11.72	
	100	0.474	37.07	32.95	29.66	26.96	24.72	22.81	21.18	19.77	18.54	17.45	16.48	15.61	14.83	14.12	13.48	12.90	12.36	
	110	0.497	38.88	34.56	31.11	28.28	25.92	23.93	22.22	20.74	19.44	18.30	17.28	16.37	15.55	14.81	14.14	13.52	12.96	

CONEJET 19" TIP CHART 1 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
3.61	3.47	3.34	3.22	3.11	3.01	2.91	2.82	2.73	2.65	2.58	2.51	2.44	2.37	2.31	2.26	0.144	30	TXVS10
4.17	4.01	3.86	3.72	3.59	3.47	3.36	3.26	3.16	3.07	2.98	2.89	2.82	2.74	2.67	2.61	0.167	40	
4.66	4.48	4.32	4.16	4.02	3.88	3.76	3.64	3.53	3.43	3.33	3.24	3.15	3.07	2.99	2.91	0.186	50	
5.11	4.91	4.73	4.56	4.40	4.25	4.12	3.99	3.87	3.75	3.65	3.55	3.45	3.36	3.27	3.19	0.204	60	50 MESH
5.51	5.30	5.11	4.92	4.75	4.60	4.45	4.31	4.18	4.05	3.94	3.83	3.73	3.63	3.53	3.45	0.220	70	
5.90	5.67	5.46	5.26	5.08	4.91	4.75	4.61	4.47	4.33	4.21	4.09	3.98	3.88	3.78	3.68	0.236	80	
6.25	6.01	5.79	5.58	5.39	5.21	5.04	4.88	4.74	4.60	4.47	4.34	4.22	4.11	4.01	3.91	0.250	90	BLACK
6.59	6.34	6.10	5.88	5.68	5.49	5.32	5.15	4.99	4.85	4.71	4.58	4.45	4.34	4.22	4.12	0.264	100	
6.91	6.65	6.40	6.17	5.96	5.76	5.57	5.40	5.24	5.08	4.94	4.80	4.67	4.55	4.43	4.32	0.276	110	
4.33	4.17	4.01	3.87	3.73	3.61	3.49	3.38	3.28	3.19	3.09	3.01	2.93	2.85	2.78	2.71	0.173	30	TXVS12
5.00	4.81	4.63	4.47	4.31	4.17	4.03	3.91	3.79	3.68	3.57	3.47	3.38	3.29	3.21	3.13	0.200	40	
5.59	5.38	5.18	4.99	4.82	4.66	4.51	4.37	4.24	4.11	3.99	3.88	3.78	3.68	3.58	3.50	0.224	50	
6.13	5.89	5.67	5.47	5.28	5.11	4.94	4.79	4.64	4.50	4.38	4.25	4.14	4.03	3.93	3.83	0.245	60	50 MESH
6.62	6.36	6.13	5.91	5.70	5.51	5.34	5.17	5.01	4.87	4.73	4.60	4.47	4.35	4.24	4.14	0.265	70	
7.07	6.80	6.55	6.32	6.10	5.90	5.70	5.53	5.36	5.20	5.05	4.91	4.78	4.65	4.53	4.42	0.283	80	
7.50	7.21	6.95	6.70	6.47	6.25	6.05	5.86	5.68	5.52	5.36	5.21	5.07	4.94	4.81	4.69	0.300	90	BROWN
7.91	7.60	7.32	7.06	6.82	6.59	6.38	6.18	5.99	5.82	5.65	5.49	5.34	5.20	5.07	4.94	0.316	100	
8.30	7.98	7.68	7.41	7.15	6.91	6.69	6.48	6.28	6.10	5.93	5.76	5.60	5.46	5.32	5.18	0.332	110	
6.50	6.25	6.02	5.80	5.60	5.41	5.24	5.08	4.92	4.78	4.64	4.51	4.39	4.27	4.17	4.06	0.260	30	TXVS18
10.84	10.42	10.04	9.68	9.34	9.03	8.74	8.47	8.21	7.97	7.74	7.53	7.32	7.13	6.95	6.77	0.433	40	
8.39	8.07	7.77	7.49	7.23	6.99	6.77	6.55	6.36	6.17	5.99	5.83	5.67	5.52	5.38	5.24	0.335	50	
9.19	8.84	8.51	8.20	7.92	7.66	7.41	7.18	6.96	6.76	6.56	6.38	6.21	6.05	5.89	5.74	0.367	60	50 MESH
9.93	9.54	9.19	8.86	8.56	8.27	8.00	7.75	7.52	7.30	7.09	6.89	6.71	6.53	6.36	6.20	0.397	70	
10.27	9.88	9.51	9.17	8.86	8.56	8.29	8.03	7.78	7.55	7.34	7.13	6.94	6.76	6.59	6.42	0.411	80	
11.25	10.82	10.42	10.05	9.70	9.38	9.08	8.79	8.53	8.28	8.04	7.82	7.60	7.40	7.21	7.03	0.450	90	ORANGE
11.86	11.41	10.98	10.59	10.23	9.89	9.57	9.27	8.99	8.72	8.47	8.24	8.02	7.80	7.60	7.41	0.474	100	
12.44	11.96	11.52	11.11	10.73	10.37	10.03	9.72	9.43	9.15	8.89	8.64	8.41	8.19	7.98	7.78	0.497	110	

CONEJET 19" TIP CHART 1 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0		
TXVS26	30	0.375	29.33	26.07	23.46	21.33	19.55	18.05	16.76	15.64	14.67	13.80	13.04	12.35	11.73	11.17	10.67	10.20	9.78
	40	0.433	33.87	30.11	27.09	24.63	22.58	20.84	19.35	18.06	16.93	15.94	15.05	14.26	13.55	12.90	12.32	11.78	11.29
	50	0.484	37.87	33.66	30.29	27.54	25.24	23.30	21.64	20.20	18.93	17.82	16.83	15.94	15.15	14.43	13.77	13.17	12.62
50 MESH	60	0.531	41.48	36.87	33.18	30.17	27.65	25.53	23.70	22.12	20.74	19.52	18.44	17.47	16.59	15.80	15.08	14.43	13.83
	70	0.573	44.80	39.83	35.84	32.58	29.87	27.57	25.60	23.90	22.40	21.08	19.91	18.86	17.92	17.07	16.29	15.58	14.93
	80	0.593	46.38	41.22	37.10	33.73	30.92	28.54	26.50	24.73	23.19	21.82	20.61	19.53	18.55	17.67	16.86	16.13	15.46
BLUE	90	0.650	50.80	45.16	40.64	36.95	33.87	31.26	29.03	27.09	25.40	23.91	22.58	21.39	20.32	19.35	18.47	17.67	16.93
	100	0.685	53.55	47.60	42.84	38.95	35.70	32.95	30.60	28.56	26.78	25.20	23.80	22.55	21.42	20.40	19.47	18.63	17.85
	110	0.719	56.16	49.92	44.93	40.85	37.44	34.56	32.09	29.95	28.08	26.43	24.96	23.65	22.47	21.40	20.42	19.54	18.72

CONEJET 19" TIP CHART 1 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
9.39	9.02	8.69	8.38	8.09	7.82	7.57	7.33	7.11	6.90	6.70	6.52	6.34	6.17	6.02	5.87	0.375	30	TXVS26
10.84	10.42	10.04	9.68	9.34	9.03	8.74	8.47	8.21	7.97	7.74	7.53	7.32	7.13	6.95	6.77	0.433	40	
12.12	11.65	11.22	10.82	10.45	10.10	9.77	9.47	9.18	8.91	8.66	8.41	8.19	7.97	7.77	7.57	0.484	50	50 MESH
13.27	12.76	12.29	11.85	11.44	11.06	10.70	10.37	10.06	9.76	9.48	9.22	8.97	8.73	8.51	8.30	0.531	60	
14.34	13.79	13.28	12.80	12.36	11.95	11.56	11.20	10.86	10.54	10.24	9.96	9.69	9.43	9.19	8.96	0.573	70	BLUE
14.84	14.27	13.74	13.25	12.79	12.37	11.97	11.59	11.24	10.91	10.60	10.31	10.03	9.76	9.51	9.28	0.593	80	
16.26	15.63	15.05	14.52	14.01	13.55	13.11	12.70	12.32	11.95	11.61	11.29	10.98	10.70	10.42	10.16	0.650	90	
17.14	16.48	15.87	15.30	14.77	14.28	13.82	13.39	12.98	12.60	12.24	11.90	11.58	11.27	10.98	10.71	0.685	100	
17.97	17.28	16.64	16.05	15.49	14.98	14.49	14.04	13.62	13.22	12.84	12.48	12.14	11.82	11.52	11.23	0.719	110	