

CONEJET 20" TIP CHART 1 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
psi gpm																			
TXSS1 100 MESH	30	0.014	1.07	0.95	0.86	0.78	0.71	0.66	0.61	0.57	0.54	0.50	0.48	0.45	0.43	0.41	0.39	0.37	0.36
	40	0.017	1.24	1.10	0.99	0.90	0.83	0.76	0.71	0.66	0.62	0.58	0.55	0.52	0.50	0.47	0.45	0.43	0.41
	50	0.019	1.38	1.23	1.11	1.01	0.92	0.85	0.79	0.74	0.69	0.65	0.61	0.58	0.55	0.53	0.50	0.48	0.46
	60	0.020	1.52	1.35	1.21	1.10	1.01	0.93	0.87	0.81	0.76	0.71	0.67	0.64	0.61	0.58	0.55	0.53	0.51
	70	0.022	1.64	1.46	1.31	1.19	1.09	1.01	0.94	0.87	0.82	0.77	0.73	0.69	0.65	0.62	0.60	0.57	0.55
	80	0.024	1.75	1.56	1.40	1.27	1.17	1.08	1.00	0.93	0.88	0.82	0.78	0.74	0.70	0.67	0.64	0.61	0.58
	90	0.025	1.86	1.65	1.49	1.35	1.24	1.14	1.06	0.99	0.93	0.87	0.83	0.78	0.74	0.71	0.68	0.65	0.62
	100	0.026	1.96	1.74	1.57	1.42	1.30	1.20	1.12	1.04	0.98	0.92	0.87	0.82	0.78	0.75	0.71	0.68	0.65
	110	0.028	2.05	1.82	1.64	1.49	1.37	1.26	1.17	1.09	1.03	0.97	0.91	0.86	0.82	0.78	0.75	0.71	0.68
TXSS2 100 MESH	30	0.029	2.14	1.91	1.71	1.56	1.43	1.32	1.22	1.14	1.07	1.01	0.95	0.90	0.86	0.82	0.78	0.75	0.71
	40	0.033	2.48	2.20	1.98	1.80	1.65	1.52	1.41	1.32	1.24	1.16	1.10	1.04	0.99	0.94	0.90	0.86	0.83
	50	0.037	2.77	2.46	2.21	2.01	1.84	1.70	1.58	1.48	1.38	1.30	1.23	1.17	1.11	1.05	1.01	0.96	0.92
	60	0.041	3.03	2.69	2.42	2.20	2.02	1.87	1.73	1.62	1.52	1.43	1.35	1.28	1.21	1.15	1.10	1.05	1.01
	70	0.044	3.27	2.91	2.62	2.38	2.18	2.01	1.87	1.75	1.64	1.54	1.46	1.38	1.31	1.25	1.19	1.14	1.09
	80	0.047	3.50	3.11	2.80	2.55	2.33	2.15	2.00	1.87	1.75	1.65	1.56	1.47	1.40	1.33	1.27	1.22	1.17
	90	0.050	3.71	3.30	2.97	2.70	2.48	2.28	2.12	1.98	1.86	1.75	1.65	1.56	1.49	1.41	1.35	1.29	1.24
	100	0.053	3.91	3.48	3.13	2.85	2.61	2.41	2.24	2.09	1.96	1.84	1.74	1.65	1.57	1.49	1.42	1.36	1.30
	110	0.055	4.10	3.65	3.28	2.98	2.74	2.53	2.35	2.19	2.05	1.93	1.82	1.73	1.64	1.56	1.49	1.43	1.37
TXVS3 50 MESH YELLOW	30	0.043	3.22	2.86	2.57	2.34	2.14	1.98	1.84	1.71	1.61	1.51	1.43	1.35	1.29	1.22	1.17	1.12	1.07
	40	0.050	3.71	3.30	2.97	2.70	2.48	2.28	2.12	1.98	1.86	1.75	1.65	1.56	1.49	1.41	1.35	1.29	1.24
	50	0.056	4.15	3.69	3.32	3.02	2.77	2.55	2.37	2.21	2.08	1.95	1.84	1.75	1.66	1.58	1.51	1.44	1.38
	60	0.061	4.55	4.04	3.64	3.31	3.03	2.80	2.60	2.42	2.27	2.14	2.02	1.91	1.82	1.73	1.65	1.58	1.52
	70	0.066	4.91	4.37	3.93	3.57	3.27	3.02	2.81	2.62	2.46	2.31	2.18	2.07	1.96	1.87	1.79	1.71	1.64
	80	0.071	5.25	4.67	4.20	3.82	3.50	3.23	3.00	2.80	2.63	2.47	2.33	2.21	2.10	2.00	1.91	1.83	1.75
	90	0.075	5.57	4.95	4.46	4.05	3.71	3.43	3.18	2.97	2.78	2.62	2.48	2.34	2.23	2.12	2.03	1.94	1.86
	100	0.079	5.87	5.22	4.70	4.27	3.91	3.61	3.35	3.13	2.93	2.76	2.61	2.47	2.35	2.24	2.13	2.04	1.96
	110	0.083	6.16	5.47	4.93	4.48	4.10	3.79	3.52	3.28	3.08	2.90	2.74	2.59	2.46	2.35	2.24	2.14	2.05

CONEJET 20" TIP CHART 1 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
																	gpm	psi
0.34	0.33	0.32	0.31	0.30	0.29	0.28	0.27	0.26	0.25	0.24	0.24	0.23	0.23	0.22	0.21	0.014	30	TXSS1 100 MESH
0.40	0.38	0.37	0.35	0.34	0.33	0.32	0.31	0.30	0.29	0.28	0.28	0.27	0.26	0.25	0.25	0.017	40	
0.44	0.43	0.41	0.40	0.38	0.37	0.36	0.35	0.34	0.33	0.32	0.31	0.30	0.29	0.28	0.28	0.019	50	
0.48	0.47	0.45	0.43	0.42	0.40	0.39	0.38	0.37	0.36	0.35	0.34	0.33	0.32	0.31	0.30	0.020	60	
0.52	0.50	0.49	0.47	0.45	0.44	0.42	0.41	0.40	0.39	0.37	0.36	0.35	0.34	0.34	0.33	0.022	70	
0.56	0.54	0.52	0.50	0.48	0.47	0.45	0.44	0.42	0.41	0.40	0.39	0.38	0.37	0.36	0.35	0.024	80	
0.59	0.57	0.55	0.53	0.51	0.50	0.48	0.46	0.45	0.44	0.42	0.41	0.40	0.39	0.38	0.37	0.025	90	
0.63	0.60	0.58	0.56	0.54	0.52	0.50	0.49	0.47	0.46	0.45	0.43	0.42	0.41	0.40	0.39	0.026	100	
0.66	0.63	0.61	0.59	0.57	0.55	0.53	0.51	0.50	0.48	0.47	0.46	0.44	0.43	0.42	0.41	0.028	110	
0.69	0.66	0.64	0.61	0.59	0.57	0.55	0.54	0.52	0.50	0.49	0.48	0.46	0.45	0.44	0.43	0.029	30	TXSS2 100 MESH
0.79	0.76	0.73	0.71	0.68	0.66	0.64	0.62	0.60	0.58	0.57	0.55	0.54	0.52	0.51	0.50	0.033	40	
0.89	0.85	0.82	0.79	0.76	0.74	0.71	0.69	0.67	0.65	0.63	0.61	0.60	0.58	0.57	0.55	0.037	50	
0.97	0.93	0.90	0.87	0.84	0.81	0.78	0.76	0.73	0.71	0.69	0.67	0.66	0.64	0.62	0.61	0.041	60	
1.05	1.01	0.97	0.94	0.90	0.87	0.84	0.82	0.79	0.77	0.75	0.73	0.71	0.69	0.67	0.65	0.044	70	
1.12	1.08	1.04	1.00	0.97	0.93	0.90	0.88	0.85	0.82	0.80	0.78	0.76	0.74	0.72	0.70	0.047	80	
1.19	1.14	1.10	1.06	1.02	0.99	0.96	0.93	0.90	0.87	0.85	0.83	0.80	0.78	0.76	0.74	0.050	90	
1.25	1.20	1.16	1.12	1.08	1.04	1.01	0.98	0.95	0.92	0.89	0.87	0.85	0.82	0.80	0.78	0.053	100	
1.31	1.26	1.22	1.17	1.13	1.09	1.06	1.03	0.99	0.97	0.94	0.91	0.89	0.86	0.84	0.82	0.055	110	
1.03	0.99	0.95	0.92	0.89	0.86	0.83	0.80	0.78	0.76	0.73	0.71	0.70	0.68	0.66	0.64	0.043	30	TXVS3 50 MESH YELLOW
1.19	1.14	1.10	1.06	1.02	0.99	0.96	0.93	0.90	0.87	0.85	0.83	0.80	0.78	0.76	0.74	0.050	40	
1.33	1.28	1.23	1.19	1.15	1.11	1.07	1.04	1.01	0.98	0.95	0.92	0.90	0.87	0.85	0.83	0.056	50	
1.45	1.40	1.35	1.30	1.25	1.21	1.17	1.14	1.10	1.07	1.04	1.01	0.98	0.96	0.93	0.91	0.061	60	
1.57	1.51	1.46	1.40	1.35	1.31	1.27	1.23	1.19	1.16	1.12	1.09	1.06	1.03	1.01	0.98	0.066	70	
1.68	1.62	1.56	1.50	1.45	1.40	1.35	1.31	1.27	1.24	1.20	1.17	1.14	1.11	1.08	1.05	0.071	80	
1.78	1.71	1.65	1.59	1.54	1.49	1.44	1.39	1.35	1.31	1.27	1.24	1.20	1.17	1.14	1.11	0.075	90	
1.88	1.81	1.74	1.68	1.62	1.57	1.51	1.47	1.42	1.38	1.34	1.30	1.27	1.24	1.20	1.17	0.079	100	
1.97	1.89	1.82	1.76	1.70	1.64	1.59	1.54	1.49	1.45	1.41	1.37	1.33	1.30	1.26	1.23	0.083	110	

CONEJET 20" TIP CHART 1 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0		
TXSS4	30	0.058	4.29	3.81	3.43	3.12	2.86	2.64	2.45	2.29	2.14	2.02	1.91	1.80	1.71	1.63	1.56	1.49	1.43	
	40	0.067	4.95	4.40	3.96	3.60	3.30	3.05	2.83	2.64	2.48	2.33	2.20	2.08	1.98	1.89	1.80	1.72	1.65	
	50	0.075	5.53	4.92	4.43	4.02	3.69	3.41	3.16	2.95	2.77	2.60	2.46	2.33	2.21	2.11	2.01	1.92	1.84	
	60	0.082	6.06	5.39	4.85	4.41	4.04	3.73	3.46	3.23	3.03	2.85	2.69	2.55	2.42	2.31	2.20	2.11	2.02	
	50 MESH	70	0.088	6.55	5.82	5.24	4.76	4.37	4.03	3.74	3.49	3.27	3.08	2.91	2.76	2.62	2.49	2.38	2.28	2.18
		80	0.094	7.00	6.22	5.60	5.09	4.67	4.31	4.00	3.73	3.50	3.29	3.11	2.95	2.80	2.67	2.55	2.43	2.33
		90	0.100	7.43	6.60	5.94	5.40	4.95	4.57	4.24	3.96	3.71	3.49	3.30	3.13	2.97	2.83	2.70	2.58	2.48
	GREEN	100	0.105	7.83	6.96	6.26	5.69	5.22	4.82	4.47	4.17	3.91	3.68	3.48	3.30	3.13	2.98	2.85	2.72	2.61
		110	0.111	8.21	7.30	6.57	5.97	5.47	5.05	4.69	4.38	4.10	3.86	3.65	3.46	3.28	3.13	2.98	2.86	2.74
	TXVS6	30	0.087	6.43	5.72	5.14	4.68	4.29	3.96	3.67	3.43	3.22	3.03	2.86	2.71	2.57	2.45	2.34	2.24	2.14
		40	0.100	7.43	6.60	5.94	5.40	4.95	4.57	4.24	3.96	3.71	3.49	3.30	3.13	2.97	2.83	2.70	2.58	2.48
50		0.112	8.30	7.38	6.64	6.04	5.53	5.11	4.74	4.43	4.15	3.91	3.69	3.50	3.32	3.16	3.02	2.89	2.77	
60		0.122	9.09	8.08	7.27	6.61	6.06	5.60	5.20	4.85	4.55	4.28	4.04	3.83	3.64	3.46	3.31	3.16	3.03	
50 MESH		70	0.132	9.82	8.73	7.86	7.14	6.55	6.04	5.61	5.24	4.91	4.62	4.37	4.14	3.93	3.74	3.57	3.42	3.27
		80	0.141	10.50	9.33	8.40	7.64	7.00	6.46	6.00	5.60	5.25	4.94	4.67	4.42	4.20	4.00	3.82	3.65	3.50
		90	0.150	11.14	9.90	8.91	8.10	7.43	6.85	6.36	5.94	5.57	5.24	4.95	4.69	4.46	4.24	4.05	3.87	3.71
RED		100	0.158	11.74	10.44	9.39	8.54	7.83	7.22	6.71	6.26	5.87	5.52	5.22	4.94	4.70	4.47	4.27	4.08	3.91
		110	0.166	12.31	10.94	9.85	8.95	8.21	7.58	7.04	6.57	6.16	5.79	5.47	5.18	4.93	4.69	4.48	4.28	4.10
TXVS8		30	0.115	8.57	7.62	6.86	6.24	5.72	5.28	4.90	4.57	4.29	4.03	3.81	3.61	3.43	3.27	3.12	2.98	2.86
		40	0.133	9.90	8.80	7.92	7.20	6.60	6.09	5.66	5.28	4.95	4.66	4.40	4.17	3.96	3.77	3.60	3.44	3.30
	50	0.149	11.07	9.84	8.85	8.05	7.38	6.81	6.32	5.90	5.53	5.21	4.92	4.66	4.43	4.22	4.02	3.85	3.69	
	60	0.163	12.12	10.78	9.70	8.82	8.08	7.46	6.93	6.47	6.06	5.71	5.39	5.11	4.85	4.62	4.41	4.22	4.04	
	50 MESH	70	0.176	13.10	11.64	10.48	9.52	8.73	8.06	7.48	6.98	6.55	6.16	5.82	5.51	5.24	4.99	4.76	4.56	4.37
		80	0.189	14.00	12.45	11.20	10.18	9.33	8.62	8.00	7.47	7.00	6.59	6.22	5.90	5.60	5.33	5.09	4.87	4.67
		90	0.200	14.85	13.20	11.88	10.80	9.90	9.14	8.49	7.92	7.43	6.99	6.60	6.25	5.94	5.66	5.40	5.17	4.95
	GRAY	100	0.211	15.65	13.91	12.52	11.38	10.44	9.63	8.94	8.35	7.83	7.37	6.96	6.59	6.26	5.96	5.69	5.44	5.22
		110	0.221	16.42	14.59	13.13	11.94	10.94	10.10	9.38	8.76	8.21	7.73	7.30	6.91	6.57	6.25	5.97	5.71	5.47

CONEJET 20" TIP CHART 1 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
1.37	1.32	1.27	1.22	1.18	1.14	1.11	1.07	1.04	1.01	0.98	0.95	0.93	0.90	0.88	0.86	0.058	30	TXSS4
1.58	1.52	1.47	1.41	1.37	1.32	1.28	1.24	1.20	1.16	1.13	1.10	1.07	1.04	1.02	0.99	0.067	40	
1.77	1.70	1.64	1.58	1.53	1.48	1.43	1.38	1.34	1.30	1.26	1.23	1.20	1.17	1.14	1.11	0.075	50	
1.94	1.87	1.80	1.73	1.67	1.62	1.56	1.52	1.47	1.43	1.39	1.35	1.31	1.28	1.24	1.21	0.082	60	50 MESH
2.10	2.01	1.94	1.87	1.81	1.75	1.69	1.64	1.59	1.54	1.50	1.46	1.42	1.38	1.34	1.31	0.088	70	
2.24	2.15	2.07	2.00	1.93	1.87	1.81	1.75	1.70	1.65	1.60	1.56	1.51	1.47	1.44	1.40	0.094	80	
2.38	2.28	2.20	2.12	2.05	1.98	1.92	1.86	1.80	1.75	1.70	1.65	1.61	1.56	1.52	1.49	0.100	90	GREEN
2.50	2.41	2.32	2.24	2.16	2.09	2.02	1.96	1.90	1.84	1.79	1.74	1.69	1.65	1.61	1.57	0.105	100	
2.63	2.53	2.43	2.35	2.26	2.19	2.12	2.05	1.99	1.93	1.88	1.82	1.77	1.73	1.68	1.64	0.111	110	
2.06	1.98	1.91	1.84	1.77	1.71	1.66	1.61	1.56	1.51	1.47	1.43	1.39	1.35	1.32	1.29	0.087	30	TXVS6
2.38	2.28	2.20	2.12	2.05	1.98	1.92	1.86	1.80	1.75	1.70	1.65	1.61	1.56	1.52	1.49	0.100	40	
2.66	2.55	2.46	2.37	2.29	2.21	2.14	2.08	2.01	1.95	1.90	1.84	1.79	1.75	1.70	1.66	0.112	50	
2.91	2.80	2.69	2.60	2.51	2.42	2.35	2.27	2.20	2.14	2.08	2.02	1.97	1.91	1.87	1.82	0.122	60	50 MESH
3.14	3.02	2.91	2.81	2.71	2.62	2.53	2.46	2.38	2.31	2.25	2.18	2.12	2.07	2.01	1.96	0.132	70	
3.36	3.23	3.11	3.00	2.90	2.80	2.71	2.63	2.55	2.47	2.40	2.33	2.27	2.21	2.15	2.10	0.141	80	
3.56	3.43	3.30	3.18	3.07	2.97	2.87	2.78	2.70	2.62	2.55	2.48	2.41	2.34	2.28	2.23	0.150	90	RED
3.76	3.61	3.48	3.35	3.24	3.13	3.03	2.93	2.85	2.76	2.68	2.61	2.54	2.47	2.41	2.35	0.158	100	
3.94	3.79	3.65	3.52	3.40	3.28	3.18	3.08	2.98	2.90	2.81	2.74	2.66	2.59	2.53	2.46	0.166	110	
2.74	2.64	2.54	2.45	2.37	2.29	2.21	2.14	2.08	2.02	1.96	1.91	1.85	1.80	1.76	1.71	0.115	30	TXVS8
3.17	3.05	2.93	2.83	2.73	2.64	2.55	2.48	2.40	2.33	2.26	2.20	2.14	2.08	2.03	1.98	0.133	40	
3.54	3.41	3.28	3.16	3.05	2.95	2.86	2.77	2.68	2.60	2.53	2.46	2.39	2.33	2.27	2.21	0.149	50	
3.88	3.73	3.59	3.46	3.34	3.23	3.13	3.03	2.94	2.85	2.77	2.69	2.62	2.55	2.49	2.42	0.163	60	50 MESH
4.19	4.03	3.88	3.74	3.61	3.49	3.38	3.27	3.17	3.08	2.99	2.91	2.83	2.76	2.69	2.62	0.176	70	
4.48	4.31	4.15	4.00	3.86	3.73	3.61	3.50	3.39	3.29	3.20	3.11	3.03	2.95	2.87	2.80	0.189	80	
4.75	4.57	4.40	4.24	4.10	3.96	3.83	3.71	3.60	3.49	3.39	3.30	3.21	3.13	3.05	2.97	0.200	90	GRAY
5.01	4.82	4.64	4.47	4.32	4.17	4.04	3.91	3.79	3.68	3.58	3.48	3.38	3.30	3.21	3.13	0.211	100	
5.25	5.05	4.86	4.69	4.53	4.38	4.24	4.10	3.98	3.86	3.75	3.65	3.55	3.46	3.37	3.28	0.221	110	

CONEJET 20" TIP CHART 1 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
TXVS10	30	0.144	10.72	9.53	8.57	7.79	7.14	6.60	6.12	5.72	5.36	5.04	4.76	4.51	4.29	4.08	3.90	3.73	3.57
	40	0.167	12.38	11.00	9.90	9.00	8.25	7.62	7.07	6.60	6.19	5.82	5.50	5.21	4.95	4.71	4.50	4.30	4.13
	50	0.186	13.84	12.30	11.07	10.06	9.22	8.51	7.91	7.38	6.92	6.51	6.15	5.83	5.53	5.27	5.03	4.81	4.61
	60	0.204	15.16	13.47	12.12	11.02	10.10	9.33	8.66	8.08	7.58	7.13	6.74	6.38	6.06	5.77	5.51	5.27	5.05
	70	0.220	16.37	14.55	13.10	11.91	10.91	10.07	9.35	8.73	8.19	7.70	7.28	6.89	6.55	6.24	5.95	5.69	5.46
	80	0.236	17.50	15.56	14.00	12.73	11.67	10.77	10.00	9.33	8.75	8.24	7.78	7.37	7.00	6.67	6.36	6.09	5.83
	90	0.250	18.56	16.50	14.85	13.50	12.38	11.42	10.61	9.90	9.28	8.74	8.25	7.82	7.43	7.07	6.75	6.46	6.19
	100	0.264	19.57	17.39	15.65	14.23	13.04	12.04	11.18	10.44	9.78	9.21	8.70	8.24	7.83	7.45	7.12	6.81	6.52
	110	0.276	20.52	18.24	16.42	14.92	13.68	12.63	11.73	10.94	10.26	9.66	9.12	8.64	8.21	7.82	7.46	7.14	6.84
	TXVS12	30	0.173	12.86	11.43	10.29	9.35	8.57	7.91	7.35	6.86	6.43	6.05	5.72	5.41	5.14	4.90	4.68	4.47
40		0.200	14.85	13.20	11.88	10.80	9.90	9.14	8.49	7.92	7.43	6.99	6.60	6.25	5.94	5.66	5.40	5.17	4.95
50		0.224	16.60	14.76	13.28	12.07	11.07	10.22	9.49	8.85	8.30	7.81	7.38	6.99	6.64	6.32	6.04	5.77	5.53
60		0.245	18.19	16.17	14.55	13.23	12.12	11.19	10.39	9.70	9.09	8.56	8.08	7.66	7.27	6.93	6.61	6.33	6.06
70		0.265	19.64	17.46	15.72	14.29	13.10	12.09	11.23	10.48	9.82	9.24	8.73	8.27	7.86	7.48	7.14	6.83	6.55
80		0.283	21.00	18.67	16.80	15.27	14.00	12.92	12.00	11.20	10.50	9.88	9.33	8.84	8.40	8.00	7.64	7.30	7.00
90		0.300	22.28	19.80	17.82	16.20	14.85	13.71	12.73	11.88	11.14	10.48	9.90	9.38	8.91	8.49	8.10	7.75	7.43
100		0.316	23.48	20.87	18.78	17.08	15.65	14.45	13.42	12.52	11.74	11.05	10.44	9.89	9.39	8.94	8.54	8.17	7.83
110		0.332	24.63	21.89	19.70	17.91	16.42	15.15	14.07	13.13	12.31	11.59	10.94	10.37	9.85	9.38	8.95	8.57	8.21
TXVS18		30	0.260	19.29	17.15	15.43	14.03	12.86	11.87	11.02	10.29	9.65	9.08	8.57	8.12	7.72	7.35	7.01	6.71
	40	0.433	32.18	28.60	25.74	23.40	21.45	19.80	18.39	17.16	16.09	15.14	14.30	13.55	12.87	12.26	11.70	11.19	10.73
	50	0.335	24.90	22.14	19.92	18.11	16.60	15.33	14.23	13.28	12.45	11.72	11.07	10.49	9.96	9.49	9.06	8.66	8.30
	60	0.367	27.28	24.25	21.82	19.84	18.19	16.79	15.59	14.55	13.64	12.84	12.12	11.49	10.91	10.39	9.92	9.49	9.09
	70	0.397	29.47	26.19	23.57	21.43	19.64	18.13	16.84	15.72	14.73	13.87	13.10	12.41	11.79	11.23	10.72	10.25	9.82
	80	0.411	30.50	27.11	24.40	22.18	20.33	18.77	17.43	16.27	15.25	14.35	13.56	12.84	12.20	11.62	11.09	10.61	10.17
	90	0.450	33.41	29.70	26.73	24.30	22.28	20.56	19.09	17.82	16.71	15.72	14.85	14.07	13.37	12.73	12.15	11.62	11.14
	100	0.474	35.22	31.31	28.18	25.61	23.48	21.67	20.13	18.78	17.61	16.57	15.65	14.83	14.09	13.42	12.81	12.25	11.74
	110	0.497	36.94	32.83	29.55	26.86	24.63	22.73	21.11	19.70	18.47	17.38	16.42	15.55	14.78	14.07	13.43	12.85	12.31
	BLACK	30	0.173	12.86	11.43	10.29	9.35	8.57	7.91	7.35	6.86	6.43	6.05	5.72	5.41	5.14	4.90	4.68	4.47
40		0.200	14.85	13.20	11.88	10.80	9.90	9.14	8.49	7.92	7.43	6.99	6.60	6.25	5.94	5.66	5.40	5.17	4.95
50		0.224	16.60	14.76	13.28	12.07	11.07	10.22	9.49	8.85	8.30	7.81	7.38	6.99	6.64	6.32	6.04	5.77	5.53
60		0.245	18.19	16.17	14.55	13.23	12.12	11.19	10.39	9.70	9.09	8.56	8.08	7.66	7.27	6.93	6.61	6.33	6.06
70		0.265	19.64	17.46	15.72	14.29	13.10	12.09	11.23	10.48	9.82	9.24	8.73	8.27	7.86	7.48	7.14	6.83	6.55
80		0.283	21.00	18.67	16.80	15.27	14.00	12.92	12.00	11.20	10.50	9.88	9.33	8.84	8.40	8.00	7.64	7.30	7.00
90		0.300	22.28	19.80	17.82	16.20	14.85	13.71	12.73	11.88	11.14	10.48	9.90	9.38	8.91	8.49	8.10	7.75	7.43
100		0.316	23.48	20.87	18.78	17.08	15.65	14.45	13.42	12.52	11.74	11.05	10.44	9.89	9.39	8.94	8.54	8.17	7.83
110		0.332	24.63	21.89	19.70	17.91	16.42	15.15	14.07	13.13	12.31	11.59	10.94	10.37	9.85	9.38	8.95	8.57	8.21
ORANGE		30	0.260	19.29	17.15	15.43	14.03	12.86	11.87	11.02	10.29	9.65	9.08	8.57	8.12	7.72	7.35	7.01	6.71
	40	0.433	32.18	28.60	25.74	23.40	21.45	19.80	18.39	17.16	16.09	15.14	14.30	13.55	12.87	12.26	11.70	11.19	10.73
	50	0.335	24.90	22.14	19.92	18.11	16.60	15.33	14.23	13.28	12.45	11.72	11.07	10.49	9.96	9.49	9.06	8.66	8.30
	60	0.367	27.28	24.25	21.82	19.84	18.19	16.79	15.59	14.55	13.64	12.84	12.12	11.49	10.91	10.39	9.92	9.49	9.09
	70	0.397	29.47	26.19	23.57	21.43	19.64	18.13	16.84	15.72	14.73	13.87	13.10	12.41	11.79	11.23	10.72	10.25	9.82
	80	0.411	30.50	27.11	24.40	22.18	20.33	18.77	17.43	16.27	15.25	14.35	13.56	12.84	12.20	11.62	11.09	10.61	10.17
	90	0.450	33.41	29.70	26.73	24.30	22.28	20.56	19.09	17.82	16.71	15.72	14.85	14.07	13.37	12.73	12.15	11.62	11.14
	100	0.474	35.22	31.31	28.18	25.61	23.48	21.67	20.13	18.78	17.61	16.57	15.65	14.83	14.09	13.42	12.81	12.25	11.74
	110	0.497	36.94	32.83	29.55	26.86	24.63	22.73	21.11	19.70	18.47	17.38	16.42	15.55	14.78	14.07	13.43	12.85	12.31

CONEJET 20" TIP CHART 1 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
3.43	3.30	3.18	3.06	2.96	2.86	2.77	2.68	2.60	2.52	2.45	2.38	2.32	2.26	2.20	2.14	0.144	30	TXVS10
3.96	3.81	3.67	3.54	3.41	3.30	3.19	3.09	3.00	2.91	2.83	2.75	2.68	2.61	2.54	2.48	0.167	40	
4.43	4.26	4.10	3.95	3.82	3.69	3.57	3.46	3.35	3.26	3.16	3.07	2.99	2.91	2.84	2.77	0.186	50	
4.85	4.66	4.49	4.33	4.18	4.04	3.91	3.79	3.67	3.57	3.46	3.37	3.28	3.19	3.11	3.03	0.204	60	50 MESH
5.24	5.04	4.85	4.68	4.52	4.37	4.22	4.09	3.97	3.85	3.74	3.64	3.54	3.45	3.36	3.27	0.220	70	
5.60	5.38	5.19	5.00	4.83	4.67	4.52	4.38	4.24	4.12	4.00	3.89	3.78	3.68	3.59	3.50	0.236	80	
5.94	5.71	5.50	5.30	5.12	4.95	4.79	4.64	4.50	4.37	4.24	4.13	4.01	3.91	3.81	3.71	0.250	90	BLACK
6.26	6.02	5.80	5.59	5.40	5.22	5.05	4.89	4.74	4.60	4.47	4.35	4.23	4.12	4.01	3.91	0.264	100	
6.57	6.31	6.08	5.86	5.66	5.47	5.30	5.13	4.97	4.83	4.69	4.56	4.44	4.32	4.21	4.10	0.276	110	
4.12	3.96	3.81	3.67	3.55	3.43	3.32	3.22	3.12	3.03	2.94	2.86	2.78	2.71	2.64	2.57	0.173	30	TXVS12
4.75	4.57	4.40	4.24	4.10	3.96	3.83	3.71	3.60	3.49	3.39	3.30	3.21	3.13	3.05	2.97	0.200	40	
5.31	5.11	4.92	4.74	4.58	4.43	4.28	4.15	4.02	3.91	3.79	3.69	3.59	3.50	3.41	3.32	0.224	50	
5.82	5.60	5.39	5.20	5.02	4.85	4.69	4.55	4.41	4.28	4.16	4.04	3.93	3.83	3.73	3.64	0.245	60	50 MESH
6.29	6.04	5.82	5.61	5.42	5.24	5.07	4.91	4.76	4.62	4.49	4.37	4.25	4.14	4.03	3.93	0.265	70	
6.72	6.46	6.22	6.00	5.79	5.60	5.42	5.25	5.09	4.94	4.80	4.67	4.54	4.42	4.31	4.20	0.283	80	
7.13	6.85	6.60	6.36	6.14	5.94	5.75	5.57	5.40	5.24	5.09	4.95	4.82	4.69	4.57	4.46	0.300	90	BROWN
7.51	7.22	6.96	6.71	6.48	6.26	6.06	5.87	5.69	5.52	5.37	5.22	5.08	4.94	4.82	4.70	0.316	100	
7.88	7.58	7.30	7.04	6.79	6.57	6.36	6.16	5.97	5.79	5.63	5.47	5.32	5.18	5.05	4.93	0.332	110	
6.17	5.94	5.72	5.51	5.32	5.14	4.98	4.82	4.68	4.54	4.41	4.29	4.17	4.06	3.96	3.86	0.260	30	TXVS18
10.30	9.90	9.53	9.19	8.88	8.58	8.30	8.04	7.80	7.57	7.35	7.15	6.96	6.77	6.60	6.44	0.433	40	
7.97	7.66	7.38	7.12	6.87	6.64	6.43	6.23	6.04	5.86	5.69	5.53	5.38	5.24	5.11	4.98	0.335	50	
8.73	8.39	8.08	7.79	7.53	7.27	7.04	6.82	6.61	6.42	6.24	6.06	5.90	5.74	5.60	5.46	0.367	60	50 MESH
9.43	9.07	8.73	8.42	8.13	7.86	7.60	7.37	7.14	6.93	6.74	6.55	6.37	6.20	6.04	5.89	0.397	70	
9.76	9.39	9.04	8.71	8.41	8.13	7.87	7.63	7.39	7.18	6.97	6.78	6.59	6.42	6.26	6.10	0.411	80	
10.69	10.28	9.90	9.55	9.22	8.91	8.62	8.35	8.10	7.86	7.64	7.43	7.22	7.03	6.85	6.68	0.450	90	ORANGE
11.27	10.84	10.44	10.06	9.72	9.39	9.09	8.80	8.54	8.29	8.05	7.83	7.62	7.41	7.22	7.04	0.474	100	
11.82	11.37	10.94	10.55	10.19	9.85	9.53	9.23	8.95	8.69	8.44	8.21	7.99	7.78	7.58	7.39	0.497	110	

CONEJET 20" TIP CHART 1 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
TXVS26	30	0.375	27.86	24.77	22.29	20.26	18.58	17.15	15.92	14.86	13.93	13.11	12.38	11.73	11.15	10.61	10.13	9.69	9.29
	40	0.433	32.18	28.60	25.74	23.40	21.45	19.80	18.39	17.16	16.09	15.14	14.30	13.55	12.87	12.26	11.70	11.19	10.73
	50	0.484	35.97	31.98	28.78	26.16	23.98	22.14	20.56	19.19	17.99	16.93	15.99	15.15	14.39	13.70	13.08	12.51	11.99
50 MESH	60	0.531	39.41	35.03	31.52	28.66	26.27	24.25	22.52	21.02	19.70	18.54	17.51	16.59	15.76	15.01	14.33	13.71	13.14
	70	0.573	42.56	37.83	34.05	30.96	28.38	26.19	24.32	22.70	21.28	20.03	18.92	17.92	17.03	16.21	15.48	14.80	14.19
	80	0.593	44.06	39.16	35.25	32.04	29.37	27.11	25.18	23.50	22.03	20.73	19.58	18.55	17.62	16.78	16.02	15.32	14.69
BLUE	90	0.650	48.26	42.90	38.61	35.10	32.18	29.70	27.58	25.74	24.13	22.71	21.45	20.32	19.31	18.39	17.55	16.79	16.09
	100	0.685	50.87	45.22	40.70	37.00	33.92	31.31	29.07	27.13	25.44	23.94	22.61	21.42	20.35	19.38	18.50	17.70	16.96
	110	0.719	53.36	47.43	42.68	38.80	35.57	32.83	30.49	28.46	26.68	25.11	23.71	22.47	21.34	20.33	19.40	18.56	17.79

CONEJET 20" TIP CHART 1 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
8.92	8.57	8.26	7.96	7.69	7.43	7.19	6.97	6.75	6.56	6.37	6.19	6.02	5.87	5.72	5.57	0.375	30	TXVS26
10.30	9.90	9.53	9.19	8.88	8.58	8.30	8.04	7.80	7.57	7.35	7.15	6.96	6.77	6.60	6.44	0.433	40	
11.51	11.07	10.66	10.28	9.92	9.59	9.28	8.99	8.72	8.46	8.22	7.99	7.78	7.57	7.38	7.19	0.484	50	
12.61	12.12	11.68	11.26	10.87	10.51	10.17	9.85	9.55	9.27	9.01	8.76	8.52	8.30	8.08	7.88	0.531	60	50 MESH
13.62	13.10	12.61	12.16	11.74	11.35	10.98	10.64	10.32	10.01	9.73	9.46	9.20	8.96	8.73	8.51	0.573	70	
14.10	13.56	13.05	12.59	12.15	11.75	11.37	11.01	10.68	10.37	10.07	9.79	9.53	9.28	9.04	8.81	0.593	80	BLUE
15.44	14.85	14.30	13.79	13.31	12.87	12.45	12.07	11.70	11.36	11.03	10.73	10.44	10.16	9.90	9.65	0.650	90	
16.28	15.65	15.07	14.54	14.03	13.57	13.13	12.72	12.33	11.97	11.63	11.31	11.00	10.71	10.44	10.17	0.685	100	
17.07	16.42	15.81	15.24	14.72	14.23	13.77	13.34	12.93	12.55	12.20	11.86	11.54	11.23	10.94	10.67	0.719	110	