

CONEJET 36" TIP CHART 2 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

| mph | | 4.0 | 4.5 | 5.0 | 5.5 | 6.0 | 6.5 | 7.0 | 7.5 | 8.0 | 8.5 | 9.0 | 9.5 | 10.0 | 10.5 | 11.0 | 11.5 | 12.0 | |
|------------------------------------|-----|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| psi gpm | | | | | | | | | | | | | | | | | | | |
| TXSS1 100 MESH | 30 | 0.029 | 1.19 | 1.06 | 0.95 | 0.87 | 0.79 | 0.73 | 0.68 | 0.64 | 0.60 | 0.56 | 0.53 | 0.50 | 0.48 | 0.45 | 0.43 | 0.41 | 0.40 |
| | 40 | 0.033 | 1.38 | 1.22 | 1.10 | 1.00 | 0.92 | 0.85 | 0.79 | 0.73 | 0.69 | 0.65 | 0.61 | 0.58 | 0.55 | 0.52 | 0.50 | 0.48 | 0.46 |
| | 50 | 0.037 | 1.54 | 1.37 | 1.23 | 1.12 | 1.02 | 0.95 | 0.88 | 0.82 | 0.77 | 0.72 | 0.68 | 0.65 | 0.61 | 0.59 | 0.56 | 0.53 | 0.51 |
| | 60 | 0.041 | 1.68 | 1.50 | 1.35 | 1.22 | 1.12 | 1.04 | 0.96 | 0.90 | 0.84 | 0.79 | 0.75 | 0.71 | 0.67 | 0.64 | 0.61 | 0.59 | 0.56 |
| | 70 | 0.044 | 1.82 | 1.62 | 1.46 | 1.32 | 1.21 | 1.12 | 1.04 | 0.97 | 0.91 | 0.86 | 0.81 | 0.77 | 0.73 | 0.69 | 0.66 | 0.63 | 0.61 |
| | 80 | 0.047 | 1.94 | 1.73 | 1.56 | 1.41 | 1.30 | 1.20 | 1.11 | 1.04 | 0.97 | 0.92 | 0.86 | 0.82 | 0.78 | 0.74 | 0.71 | 0.68 | 0.65 |
| | 90 | 0.050 | 2.06 | 1.83 | 1.65 | 1.50 | 1.38 | 1.27 | 1.18 | 1.10 | 1.03 | 0.97 | 0.92 | 0.87 | 0.83 | 0.79 | 0.75 | 0.72 | 0.69 |
| | 100 | 0.053 | 2.17 | 1.93 | 1.74 | 1.58 | 1.45 | 1.34 | 1.24 | 1.16 | 1.09 | 1.02 | 0.97 | 0.92 | 0.87 | 0.83 | 0.79 | 0.76 | 0.72 |
| | 110 | 0.055 | 2.28 | 2.03 | 1.82 | 1.66 | 1.52 | 1.40 | 1.30 | 1.22 | 1.14 | 1.07 | 1.01 | 0.96 | 0.91 | 0.87 | 0.83 | 0.79 | 0.76 |
| TXSS2 100 MESH | 30 | 0.058 | 2.38 | 2.12 | 1.91 | 1.73 | 1.59 | 1.47 | 1.36 | 1.27 | 1.19 | 1.12 | 1.06 | 1.00 | 0.95 | 0.91 | 0.87 | 0.83 | 0.79 |
| | 40 | 0.067 | 2.75 | 2.44 | 2.20 | 2.00 | 1.83 | 1.69 | 1.57 | 1.47 | 1.38 | 1.29 | 1.22 | 1.16 | 1.10 | 1.05 | 1.00 | 0.96 | 0.92 |
| | 50 | 0.075 | 3.07 | 2.73 | 2.46 | 2.24 | 2.05 | 1.89 | 1.76 | 1.64 | 1.54 | 1.45 | 1.37 | 1.29 | 1.23 | 1.17 | 1.12 | 1.07 | 1.02 |
| | 60 | 0.082 | 3.37 | 2.99 | 2.69 | 2.45 | 2.25 | 2.07 | 1.92 | 1.80 | 1.68 | 1.58 | 1.50 | 1.42 | 1.35 | 1.28 | 1.22 | 1.17 | 1.12 |
| | 70 | 0.088 | 3.64 | 3.23 | 2.91 | 2.65 | 2.43 | 2.24 | 2.08 | 1.94 | 1.82 | 1.71 | 1.62 | 1.53 | 1.46 | 1.39 | 1.32 | 1.27 | 1.21 |
| | 80 | 0.094 | 3.89 | 3.46 | 3.11 | 2.83 | 2.59 | 2.39 | 2.22 | 2.07 | 1.94 | 1.83 | 1.73 | 1.64 | 1.56 | 1.48 | 1.41 | 1.35 | 1.30 |
| | 90 | 0.100 | 4.13 | 3.67 | 3.30 | 3.00 | 2.75 | 2.54 | 2.36 | 2.20 | 2.06 | 1.94 | 1.83 | 1.74 | 1.65 | 1.57 | 1.50 | 1.43 | 1.38 |
| | 100 | 0.105 | 4.35 | 3.87 | 3.48 | 3.16 | 2.90 | 2.68 | 2.48 | 2.32 | 2.17 | 2.05 | 1.93 | 1.83 | 1.74 | 1.66 | 1.58 | 1.51 | 1.45 |
| | 110 | 0.111 | 4.56 | 4.05 | 3.65 | 3.32 | 3.04 | 2.81 | 2.61 | 2.43 | 2.28 | 2.15 | 2.03 | 1.92 | 1.82 | 1.74 | 1.66 | 1.59 | 1.52 |
| TXVS3 50 MESH YELLOW | 30 | 0.087 | 3.57 | 3.18 | 2.86 | 2.60 | 2.38 | 2.20 | 2.04 | 1.91 | 1.79 | 1.68 | 1.59 | 1.50 | 1.43 | 1.36 | 1.30 | 1.24 | 1.19 |
| | 40 | 0.100 | 4.13 | 3.67 | 3.30 | 3.00 | 2.75 | 2.54 | 2.36 | 2.20 | 2.06 | 1.94 | 1.83 | 1.74 | 1.65 | 1.57 | 1.50 | 1.43 | 1.38 |
| | 50 | 0.112 | 4.61 | 4.10 | 3.69 | 3.35 | 3.07 | 2.84 | 2.64 | 2.46 | 2.31 | 2.17 | 2.05 | 1.94 | 1.84 | 1.76 | 1.68 | 1.60 | 1.54 |
| | 60 | 0.122 | 5.05 | 4.49 | 4.04 | 3.67 | 3.37 | 3.11 | 2.89 | 2.69 | 2.53 | 2.38 | 2.25 | 2.13 | 2.02 | 1.92 | 1.84 | 1.76 | 1.68 |
| | 70 | 0.132 | 5.46 | 4.85 | 4.37 | 3.97 | 3.64 | 3.36 | 3.12 | 2.91 | 2.73 | 2.57 | 2.43 | 2.30 | 2.18 | 2.08 | 1.98 | 1.90 | 1.82 |
| | 80 | 0.141 | 5.83 | 5.19 | 4.67 | 4.24 | 3.89 | 3.59 | 3.33 | 3.11 | 2.92 | 2.75 | 2.59 | 2.46 | 2.33 | 2.22 | 2.12 | 2.03 | 1.94 |
| | 90 | 0.150 | 6.19 | 5.50 | 4.95 | 4.50 | 4.13 | 3.81 | 3.54 | 3.30 | 3.09 | 2.91 | 2.75 | 2.61 | 2.48 | 2.36 | 2.25 | 2.15 | 2.06 |
| | 100 | 0.158 | 6.52 | 5.80 | 5.22 | 4.74 | 4.35 | 4.01 | 3.73 | 3.48 | 3.26 | 3.07 | 2.90 | 2.75 | 2.61 | 2.48 | 2.37 | 2.27 | 2.17 |
| | 110 | 0.166 | 6.84 | 6.08 | 5.47 | 4.97 | 4.56 | 4.21 | 3.91 | 3.65 | 3.42 | 3.22 | 3.04 | 2.88 | 2.74 | 2.61 | 2.49 | 2.38 | 2.28 |

CONEJET 36" TIP CHART 2 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

| 12.5 | 13.0 | 13.5 | 14.0 | 14.5 | 15.0 | 15.5 | 16.0 | 16.5 | 17.0 | 17.5 | 18.0 | 18.5 | 19.0 | 19.5 | 20.0 | mph | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-----|------------------------------------|
| | | | | | | | | | | | | | | | | | gpm | psi |
| 0.38 | 0.37 | 0.35 | 0.34 | 0.33 | 0.32 | 0.31 | 0.30 | 0.29 | 0.28 | 0.27 | 0.26 | 0.26 | 0.25 | 0.24 | 0.24 | 0.029 | 30 | TXSS1 100 MESH |
| 0.44 | 0.42 | 0.41 | 0.39 | 0.38 | 0.37 | 0.35 | 0.34 | 0.33 | 0.32 | 0.31 | 0.31 | 0.30 | 0.29 | 0.28 | 0.28 | 0.033 | 40 | |
| 0.49 | 0.47 | 0.46 | 0.44 | 0.42 | 0.41 | 0.40 | 0.38 | 0.37 | 0.36 | 0.35 | 0.34 | 0.33 | 0.32 | 0.32 | 0.31 | 0.037 | 50 | |
| 0.54 | 0.52 | 0.50 | 0.48 | 0.46 | 0.45 | 0.43 | 0.42 | 0.41 | 0.40 | 0.38 | 0.37 | 0.36 | 0.35 | 0.35 | 0.34 | 0.041 | 60 | |
| 0.58 | 0.56 | 0.54 | 0.52 | 0.50 | 0.49 | 0.47 | 0.45 | 0.44 | 0.43 | 0.42 | 0.40 | 0.39 | 0.38 | 0.37 | 0.36 | 0.044 | 70 | |
| 0.62 | 0.60 | 0.58 | 0.56 | 0.54 | 0.52 | 0.50 | 0.49 | 0.47 | 0.46 | 0.44 | 0.43 | 0.42 | 0.41 | 0.40 | 0.39 | 0.047 | 80 | |
| 0.66 | 0.63 | 0.61 | 0.59 | 0.57 | 0.55 | 0.53 | 0.52 | 0.50 | 0.49 | 0.47 | 0.46 | 0.45 | 0.43 | 0.42 | 0.41 | 0.050 | 90 | |
| 0.70 | 0.67 | 0.64 | 0.62 | 0.60 | 0.58 | 0.56 | 0.54 | 0.53 | 0.51 | 0.50 | 0.48 | 0.47 | 0.46 | 0.45 | 0.43 | 0.053 | 100 | |
| 0.73 | 0.70 | 0.68 | 0.65 | 0.63 | 0.61 | 0.59 | 0.57 | 0.55 | 0.54 | 0.52 | 0.51 | 0.49 | 0.48 | 0.47 | 0.46 | 0.055 | 110 | |
| 0.76 | 0.73 | 0.71 | 0.68 | 0.66 | 0.64 | 0.61 | 0.60 | 0.58 | 0.56 | 0.54 | 0.53 | 0.51 | 0.50 | 0.49 | 0.48 | 0.058 | 30 | TXSS2 100 MESH |
| 0.88 | 0.85 | 0.81 | 0.79 | 0.76 | 0.73 | 0.71 | 0.69 | 0.67 | 0.65 | 0.63 | 0.61 | 0.59 | 0.58 | 0.56 | 0.55 | 0.067 | 40 | |
| 0.98 | 0.95 | 0.91 | 0.88 | 0.85 | 0.82 | 0.79 | 0.77 | 0.75 | 0.72 | 0.70 | 0.68 | 0.66 | 0.65 | 0.63 | 0.61 | 0.075 | 50 | |
| 1.08 | 1.04 | 1.00 | 0.96 | 0.93 | 0.90 | 0.87 | 0.84 | 0.82 | 0.79 | 0.77 | 0.75 | 0.73 | 0.71 | 0.69 | 0.67 | 0.082 | 60 | |
| 1.16 | 1.12 | 1.08 | 1.04 | 1.00 | 0.97 | 0.94 | 0.91 | 0.88 | 0.86 | 0.83 | 0.81 | 0.79 | 0.77 | 0.75 | 0.73 | 0.088 | 70 | |
| 1.24 | 1.20 | 1.15 | 1.11 | 1.07 | 1.04 | 1.00 | 0.97 | 0.94 | 0.92 | 0.89 | 0.86 | 0.84 | 0.82 | 0.80 | 0.78 | 0.094 | 80 | |
| 1.32 | 1.27 | 1.22 | 1.18 | 1.14 | 1.10 | 1.06 | 1.03 | 1.00 | 0.97 | 0.94 | 0.92 | 0.89 | 0.87 | 0.85 | 0.83 | 0.100 | 90 | |
| 1.39 | 1.34 | 1.29 | 1.24 | 1.20 | 1.16 | 1.12 | 1.09 | 1.05 | 1.02 | 0.99 | 0.97 | 0.94 | 0.92 | 0.89 | 0.87 | 0.105 | 100 | |
| 1.46 | 1.40 | 1.35 | 1.30 | 1.26 | 1.22 | 1.18 | 1.14 | 1.11 | 1.07 | 1.04 | 1.01 | 0.99 | 0.96 | 0.94 | 0.91 | 0.111 | 110 | |
| 1.14 | 1.10 | 1.06 | 1.02 | 0.99 | 0.95 | 0.92 | 0.89 | 0.87 | 0.84 | 0.82 | 0.79 | 0.77 | 0.75 | 0.73 | 0.71 | 0.087 | 30 | TXVS3 50 MESH YELLOW |
| 1.32 | 1.27 | 1.22 | 1.18 | 1.14 | 1.10 | 1.06 | 1.03 | 1.00 | 0.97 | 0.94 | 0.92 | 0.89 | 0.87 | 0.85 | 0.83 | 0.100 | 40 | |
| 1.48 | 1.42 | 1.37 | 1.32 | 1.27 | 1.23 | 1.19 | 1.15 | 1.12 | 1.09 | 1.05 | 1.02 | 1.00 | 0.97 | 0.95 | 0.92 | 0.112 | 50 | |
| 1.62 | 1.55 | 1.50 | 1.44 | 1.39 | 1.35 | 1.30 | 1.26 | 1.22 | 1.19 | 1.15 | 1.12 | 1.09 | 1.06 | 1.04 | 1.01 | 0.122 | 60 | |
| 1.75 | 1.68 | 1.62 | 1.56 | 1.51 | 1.46 | 1.41 | 1.36 | 1.32 | 1.28 | 1.25 | 1.21 | 1.18 | 1.15 | 1.12 | 1.09 | 0.132 | 70 | |
| 1.87 | 1.79 | 1.73 | 1.67 | 1.61 | 1.56 | 1.51 | 1.46 | 1.41 | 1.37 | 1.33 | 1.30 | 1.26 | 1.23 | 1.20 | 1.17 | 0.141 | 80 | |
| 1.98 | 1.90 | 1.83 | 1.77 | 1.71 | 1.65 | 1.60 | 1.55 | 1.50 | 1.46 | 1.41 | 1.38 | 1.34 | 1.30 | 1.27 | 1.24 | 0.150 | 90 | |
| 2.09 | 2.01 | 1.93 | 1.86 | 1.80 | 1.74 | 1.68 | 1.63 | 1.58 | 1.53 | 1.49 | 1.45 | 1.41 | 1.37 | 1.34 | 1.30 | 0.158 | 100 | |
| 2.19 | 2.10 | 2.03 | 1.95 | 1.89 | 1.82 | 1.77 | 1.71 | 1.66 | 1.61 | 1.56 | 1.52 | 1.48 | 1.44 | 1.40 | 1.37 | 0.166 | 110 | |

CONEJET 36" TIP CHART 2 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

| mph | | 4.0 | 4.5 | 5.0 | 5.5 | 6.0 | 6.5 | 7.0 | 7.5 | 8.0 | 8.5 | 9.0 | 9.5 | 10.0 | 10.5 | 11.0 | 11.5 | 12.0 | | |
|---------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|------|------|------|------|------|------|------|------|
| TXSS4 | 30 | 0.115 | 4.76 | 4.23 | 3.81 | 3.46 | 3.18 | 2.93 | 2.72 | 2.54 | 2.38 | 2.24 | 2.12 | 2.01 | 1.91 | 1.81 | 1.73 | 1.66 | 1.59 | |
| | 40 | 0.133 | 5.50 | 4.89 | 4.40 | 4.00 | 3.67 | 3.38 | 3.14 | 2.93 | 2.75 | 2.59 | 2.44 | 2.32 | 2.20 | 2.10 | 2.00 | 1.91 | 1.83 | |
| | 50 | 0.149 | 6.15 | 5.47 | 4.92 | 4.47 | 4.10 | 3.78 | 3.51 | 3.28 | 3.07 | 2.89 | 2.73 | 2.59 | 2.46 | 2.34 | 2.24 | 2.14 | 2.05 | |
| | 60 | 0.163 | 6.74 | 5.99 | 5.39 | 4.90 | 4.49 | 4.15 | 3.85 | 3.59 | 3.37 | 3.17 | 2.99 | 2.84 | 2.69 | 2.57 | 2.45 | 2.34 | 2.25 | |
| | 50 MESH | 70 | 0.176 | 7.28 | 6.47 | 5.82 | 5.29 | 4.85 | 4.48 | 4.16 | 3.88 | 3.64 | 3.42 | 3.23 | 3.06 | 2.91 | 2.77 | 2.65 | 2.53 | 2.43 |
| | | 80 | 0.189 | 7.78 | 6.91 | 6.22 | 5.66 | 5.19 | 4.79 | 4.44 | 4.15 | 3.89 | 3.66 | 3.46 | 3.28 | 3.11 | 2.96 | 2.83 | 2.71 | 2.59 |
| | | 90 | 0.200 | 8.25 | 7.33 | 6.60 | 6.00 | 5.50 | 5.08 | 4.71 | 4.40 | 4.13 | 3.88 | 3.67 | 3.47 | 3.30 | 3.14 | 3.00 | 2.87 | 2.75 |
| | GREEN | 100 | 0.211 | 8.70 | 7.73 | 6.96 | 6.32 | 5.80 | 5.35 | 4.97 | 4.64 | 4.35 | 4.09 | 3.87 | 3.66 | 3.48 | 3.31 | 3.16 | 3.02 | 2.90 |
| | | 110 | 0.221 | 9.12 | 8.11 | 7.30 | 6.63 | 6.08 | 5.61 | 5.21 | 4.86 | 4.56 | 4.29 | 4.05 | 3.84 | 3.65 | 3.47 | 3.32 | 3.17 | 3.04 |
| | TXVS6 | 30 | 0.173 | 7.14 | 6.35 | 5.72 | 5.20 | 4.76 | 4.40 | 4.08 | 3.81 | 3.57 | 3.36 | 3.18 | 3.01 | 2.86 | 2.72 | 2.60 | 2.49 | 2.38 |
| | | 40 | 0.200 | 8.25 | 7.33 | 6.60 | 6.00 | 5.50 | 5.08 | 4.71 | 4.40 | 4.13 | 3.88 | 3.67 | 3.47 | 3.30 | 3.14 | 3.00 | 2.87 | 2.75 |
| 50 | | 0.224 | 9.22 | 8.20 | 7.38 | 6.71 | 6.15 | 5.68 | 5.27 | 4.92 | 4.61 | 4.34 | 4.10 | 3.88 | 3.69 | 3.51 | 3.35 | 3.21 | 3.07 | |
| 60 | | 0.245 | 10.10 | 8.98 | 8.08 | 7.35 | 6.74 | 6.22 | 5.77 | 5.39 | 5.05 | 4.75 | 4.49 | 4.25 | 4.04 | 3.85 | 3.67 | 3.51 | 3.37 | |
| 50 MESH | | 70 | 0.265 | 10.91 | 9.70 | 8.73 | 7.94 | 7.28 | 6.72 | 6.24 | 5.82 | 5.46 | 5.14 | 4.85 | 4.60 | 4.37 | 4.16 | 3.97 | 3.80 | 3.64 |
| | | 80 | 0.283 | 11.67 | 10.37 | 9.33 | 8.49 | 7.78 | 7.18 | 6.67 | 6.22 | 5.83 | 5.49 | 5.19 | 4.91 | 4.67 | 4.44 | 4.24 | 4.06 | 3.89 |
| | | 90 | 0.300 | 12.38 | 11.00 | 9.90 | 9.00 | 8.25 | 7.62 | 7.07 | 6.60 | 6.19 | 5.82 | 5.50 | 5.21 | 4.95 | 4.71 | 4.50 | 4.30 | 4.13 |
| RED | | 100 | 0.316 | 13.04 | 11.60 | 10.44 | 9.49 | 8.70 | 8.03 | 7.45 | 6.96 | 6.52 | 6.14 | 5.80 | 5.49 | 5.22 | 4.97 | 4.74 | 4.54 | 4.35 |
| | | 110 | 0.332 | 13.68 | 12.16 | 10.94 | 9.95 | 9.12 | 8.42 | 7.82 | 7.30 | 6.84 | 6.44 | 6.08 | 5.76 | 5.47 | 5.21 | 4.97 | 4.76 | 4.56 |
| TXVS8 | | 30 | 0.231 | 9.53 | 8.47 | 7.62 | 6.93 | 6.35 | 5.86 | 5.44 | 5.08 | 4.76 | 4.48 | 4.23 | 4.01 | 3.81 | 3.63 | 3.46 | 3.31 | 3.18 |
| | | 40 | 0.267 | 11.00 | 9.78 | 8.80 | 8.00 | 7.33 | 6.77 | 6.29 | 5.87 | 5.50 | 5.18 | 4.89 | 4.63 | 4.40 | 4.19 | 4.00 | 3.83 | 3.67 |
| | 50 | 0.298 | 12.30 | 10.93 | 9.84 | 8.94 | 8.20 | 7.57 | 7.03 | 6.56 | 6.15 | 5.79 | 5.47 | 5.18 | 4.92 | 4.69 | 4.47 | 4.28 | 4.10 | |
| | 60 | 0.327 | 13.47 | 11.98 | 10.78 | 9.80 | 8.98 | 8.29 | 7.70 | 7.19 | 6.74 | 6.34 | 5.99 | 5.67 | 5.39 | 5.13 | 4.90 | 4.69 | 4.49 | |
| | 50 MESH | 70 | 0.353 | 14.55 | 12.93 | 11.64 | 10.58 | 9.70 | 8.95 | 8.32 | 7.76 | 7.28 | 6.85 | 6.47 | 6.13 | 5.82 | 5.54 | 5.29 | 5.06 | 4.85 |
| | | 80 | 0.377 | 15.56 | 13.83 | 12.45 | 11.31 | 10.37 | 9.57 | 8.89 | 8.30 | 7.78 | 7.32 | 6.91 | 6.55 | 6.22 | 5.93 | 5.66 | 5.41 | 5.19 |
| | | 90 | 0.400 | 16.50 | 14.67 | 13.20 | 12.00 | 11.00 | 10.15 | 9.43 | 8.80 | 8.25 | 7.76 | 7.33 | 6.95 | 6.60 | 6.29 | 6.00 | 5.74 | 5.50 |
| | GRAY | 100 | 0.422 | 17.39 | 15.46 | 13.91 | 12.65 | 11.60 | 10.70 | 9.94 | 9.28 | 8.70 | 8.18 | 7.73 | 7.32 | 6.96 | 6.63 | 6.32 | 6.05 | 5.80 |
| | | 110 | 0.442 | 18.24 | 16.21 | 14.59 | 13.27 | 12.16 | 11.23 | 10.42 | 9.73 | 9.12 | 8.58 | 8.11 | 7.68 | 7.30 | 6.95 | 6.63 | 6.34 | 6.08 |

CONEJET 36" TIP CHART 2 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

| 12.5 | 13.0 | 13.5 | 14.0 | 14.5 | 15.0 | 15.5 | 16.0 | 16.5 | 17.0 | 17.5 | 18.0 | 18.5 | 19.0 | 19.5 | 20.0 | mph | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-----|---------|
| 1.52 | 1.47 | 1.41 | 1.36 | 1.31 | 1.27 | 1.23 | 1.19 | 1.15 | 1.12 | 1.09 | 1.06 | 1.03 | 1.00 | 0.98 | 0.95 | 0.115 | 30 | TXSS4 |
| 1.76 | 1.69 | 1.63 | 1.57 | 1.52 | 1.47 | 1.42 | 1.38 | 1.33 | 1.29 | 1.26 | 1.22 | 1.19 | 1.16 | 1.13 | 1.10 | 0.133 | 40 | |
| 1.97 | 1.89 | 1.82 | 1.76 | 1.70 | 1.64 | 1.59 | 1.54 | 1.49 | 1.45 | 1.41 | 1.37 | 1.33 | 1.29 | 1.26 | 1.23 | 0.149 | 50 | |
| 2.16 | 2.07 | 2.00 | 1.92 | 1.86 | 1.80 | 1.74 | 1.68 | 1.63 | 1.58 | 1.54 | 1.50 | 1.46 | 1.42 | 1.38 | 1.35 | 0.163 | 60 | 50 MESH |
| 2.33 | 2.24 | 2.16 | 2.08 | 2.01 | 1.94 | 1.88 | 1.82 | 1.76 | 1.71 | 1.66 | 1.62 | 1.57 | 1.53 | 1.49 | 1.46 | 0.176 | 70 | |
| 2.49 | 2.39 | 2.30 | 2.22 | 2.15 | 2.07 | 2.01 | 1.94 | 1.89 | 1.83 | 1.78 | 1.73 | 1.68 | 1.64 | 1.60 | 1.56 | 0.189 | 80 | |
| 2.64 | 2.54 | 2.44 | 2.36 | 2.28 | 2.20 | 2.13 | 2.06 | 2.00 | 1.94 | 1.89 | 1.83 | 1.78 | 1.74 | 1.69 | 1.65 | 0.200 | 90 | GREEN |
| 2.78 | 2.68 | 2.58 | 2.48 | 2.40 | 2.32 | 2.24 | 2.17 | 2.11 | 2.05 | 1.99 | 1.93 | 1.88 | 1.83 | 1.78 | 1.74 | 0.211 | 100 | |
| 2.92 | 2.81 | 2.70 | 2.61 | 2.52 | 2.43 | 2.35 | 2.28 | 2.21 | 2.15 | 2.08 | 2.03 | 1.97 | 1.92 | 1.87 | 1.82 | 0.221 | 110 | |
| 2.29 | 2.20 | 2.12 | 2.04 | 1.97 | 1.91 | 1.84 | 1.79 | 1.73 | 1.68 | 1.63 | 1.59 | 1.54 | 1.50 | 1.47 | 1.43 | 0.173 | 30 | TXVS6 |
| 2.64 | 2.54 | 2.44 | 2.36 | 2.28 | 2.20 | 2.13 | 2.06 | 2.00 | 1.94 | 1.89 | 1.83 | 1.78 | 1.74 | 1.69 | 1.65 | 0.200 | 40 | |
| 2.95 | 2.84 | 2.73 | 2.64 | 2.54 | 2.46 | 2.38 | 2.31 | 2.24 | 2.17 | 2.11 | 2.05 | 1.99 | 1.94 | 1.89 | 1.84 | 0.224 | 50 | |
| 3.23 | 3.11 | 2.99 | 2.89 | 2.79 | 2.69 | 2.61 | 2.53 | 2.45 | 2.38 | 2.31 | 2.25 | 2.18 | 2.13 | 2.07 | 2.02 | 0.245 | 60 | 50 MESH |
| 3.49 | 3.36 | 3.23 | 3.12 | 3.01 | 2.91 | 2.82 | 2.73 | 2.65 | 2.57 | 2.49 | 2.43 | 2.36 | 2.30 | 2.24 | 2.18 | 0.265 | 70 | |
| 3.73 | 3.59 | 3.46 | 3.33 | 3.22 | 3.11 | 3.01 | 2.92 | 2.83 | 2.75 | 2.67 | 2.59 | 2.52 | 2.46 | 2.39 | 2.33 | 0.283 | 80 | |
| 3.96 | 3.81 | 3.67 | 3.54 | 3.41 | 3.30 | 3.19 | 3.09 | 3.00 | 2.91 | 2.83 | 2.75 | 2.68 | 2.61 | 2.54 | 2.48 | 0.300 | 90 | RED |
| 4.17 | 4.01 | 3.87 | 3.73 | 3.60 | 3.48 | 3.37 | 3.26 | 3.16 | 3.07 | 2.98 | 2.90 | 2.82 | 2.75 | 2.68 | 2.61 | 0.316 | 100 | |
| 4.38 | 4.21 | 4.05 | 3.91 | 3.77 | 3.65 | 3.53 | 3.42 | 3.32 | 3.22 | 3.13 | 3.04 | 2.96 | 2.88 | 2.81 | 2.74 | 0.332 | 110 | |
| 3.05 | 2.93 | 2.82 | 2.72 | 2.63 | 2.54 | 2.46 | 2.38 | 2.31 | 2.24 | 2.18 | 2.12 | 2.06 | 2.01 | 1.95 | 1.91 | 0.231 | 30 | TXVS8 |
| 3.52 | 3.38 | 3.26 | 3.14 | 3.03 | 2.93 | 2.84 | 2.75 | 2.67 | 2.59 | 2.51 | 2.44 | 2.38 | 2.32 | 2.26 | 2.20 | 0.267 | 40 | |
| 3.94 | 3.78 | 3.64 | 3.51 | 3.39 | 3.28 | 3.17 | 3.07 | 2.98 | 2.89 | 2.81 | 2.73 | 2.66 | 2.59 | 2.52 | 2.46 | 0.298 | 50 | |
| 4.31 | 4.15 | 3.99 | 3.85 | 3.72 | 3.59 | 3.48 | 3.37 | 3.27 | 3.17 | 3.08 | 2.99 | 2.91 | 2.84 | 2.76 | 2.69 | 0.327 | 60 | 50 MESH |
| 4.66 | 4.48 | 4.31 | 4.16 | 4.01 | 3.88 | 3.76 | 3.64 | 3.53 | 3.42 | 3.33 | 3.23 | 3.15 | 3.06 | 2.98 | 2.91 | 0.353 | 70 | |
| 4.98 | 4.79 | 4.61 | 4.44 | 4.29 | 4.15 | 4.01 | 3.89 | 3.77 | 3.66 | 3.56 | 3.46 | 3.36 | 3.28 | 3.19 | 3.11 | 0.377 | 80 | |
| 5.28 | 5.08 | 4.89 | 4.71 | 4.55 | 4.40 | 4.26 | 4.13 | 4.00 | 3.88 | 3.77 | 3.67 | 3.57 | 3.47 | 3.38 | 3.30 | 0.400 | 90 | GRAY |
| 5.57 | 5.35 | 5.15 | 4.97 | 4.80 | 4.64 | 4.49 | 4.35 | 4.22 | 4.09 | 3.98 | 3.87 | 3.76 | 3.66 | 3.57 | 3.48 | 0.422 | 100 | |
| 5.84 | 5.61 | 5.40 | 5.21 | 5.03 | 4.86 | 4.71 | 4.56 | 4.42 | 4.29 | 4.17 | 4.05 | 3.94 | 3.84 | 3.74 | 3.65 | 0.442 | 110 | |

CONEJET 36" TIP CHART 2 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

| mph | | 4.0 | 4.5 | 5.0 | 5.5 | 6.0 | 6.5 | 7.0 | 7.5 | 8.0 | 8.5 | 9.0 | 9.5 | 10.0 | 10.5 | 11.0 | 11.5 | 12.0 | | |
|--------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| TXVS10 | 30 | 0.289 | 11.91 | 10.58 | 9.53 | 8.66 | 7.94 | 7.33 | 6.80 | 6.35 | 5.95 | 5.60 | 5.29 | 5.01 | 4.76 | 4.54 | 4.33 | 4.14 | 3.97 | |
| | 40 | 0.333 | 13.75 | 12.22 | 11.00 | 10.00 | 9.17 | 8.46 | 7.86 | 7.33 | 6.88 | 6.47 | 6.11 | 5.79 | 5.50 | 5.24 | 5.00 | 4.78 | 4.58 | |
| | 50 | 0.373 | 15.37 | 13.66 | 12.30 | 11.18 | 10.25 | 9.46 | 8.78 | 8.20 | 7.69 | 7.23 | 6.83 | 6.47 | 6.15 | 5.86 | 5.59 | 5.35 | 5.12 | |
| | 50 MESH | 60 | 0.408 | 16.84 | 14.97 | 13.47 | 12.25 | 11.23 | 10.36 | 9.62 | 8.98 | 8.42 | 7.92 | 7.48 | 7.09 | 6.74 | 6.42 | 6.12 | 5.86 | 5.61 |
| | | 70 | 0.441 | 18.19 | 16.17 | 14.55 | 13.23 | 12.13 | 11.19 | 10.39 | 9.70 | 9.09 | 8.56 | 8.08 | 7.66 | 7.28 | 6.93 | 6.61 | 6.33 | 6.06 |
| | | 80 | 0.471 | 19.45 | 17.28 | 15.56 | 14.14 | 12.96 | 11.97 | 11.11 | 10.37 | 9.72 | 9.15 | 8.64 | 8.19 | 7.78 | 7.41 | 7.07 | 6.76 | 6.48 |
| | BLACK | 90 | 0.500 | 20.63 | 18.33 | 16.50 | 15.00 | 13.75 | 12.69 | 11.79 | 11.00 | 10.31 | 9.71 | 9.17 | 8.68 | 8.25 | 7.86 | 7.50 | 7.17 | 6.88 |
| | | 100 | 0.527 | 21.74 | 19.33 | 17.39 | 15.81 | 14.49 | 13.38 | 12.42 | 11.60 | 10.87 | 10.23 | 9.66 | 9.15 | 8.70 | 8.28 | 7.91 | 7.56 | 7.25 |
| | | 110 | 0.553 | 22.80 | 20.27 | 18.24 | 16.58 | 15.20 | 14.03 | 13.03 | 12.16 | 11.40 | 10.73 | 10.13 | 9.60 | 9.12 | 8.69 | 8.29 | 7.93 | 7.60 |
| TXVS12 | 30 | 0.346 | 14.29 | 12.70 | 11.43 | 10.39 | 9.53 | 8.79 | 8.17 | 7.62 | 7.14 | 6.72 | 6.35 | 6.02 | 5.72 | 5.44 | 5.20 | 4.97 | 4.76 | |
| | 40 | 0.400 | 16.50 | 14.67 | 13.20 | 12.00 | 11.00 | 10.15 | 9.43 | 8.80 | 8.25 | 7.76 | 7.33 | 6.95 | 6.60 | 6.29 | 6.00 | 5.74 | 5.50 | |
| | 50 | 0.447 | 18.45 | 16.40 | 14.76 | 13.42 | 12.30 | 11.35 | 10.54 | 9.84 | 9.22 | 8.68 | 8.20 | 7.77 | 7.38 | 7.03 | 6.71 | 6.42 | 6.15 | |
| | 50 MESH | 60 | 0.490 | 20.21 | 17.96 | 16.17 | 14.70 | 13.47 | 12.44 | 11.55 | 10.78 | 10.10 | 9.51 | 8.98 | 8.51 | 8.08 | 7.70 | 7.35 | 7.03 | 6.74 |
| | | 70 | 0.529 | 21.83 | 19.40 | 17.46 | 15.87 | 14.55 | 13.43 | 12.47 | 11.64 | 10.91 | 10.27 | 9.70 | 9.19 | 8.73 | 8.32 | 7.94 | 7.59 | 7.28 |
| | | 80 | 0.566 | 23.33 | 20.74 | 18.67 | 16.97 | 15.56 | 14.36 | 13.33 | 12.45 | 11.67 | 10.98 | 10.37 | 9.83 | 9.33 | 8.89 | 8.49 | 8.12 | 7.78 |
| | BROWN | 90 | 0.600 | 24.75 | 22.00 | 19.80 | 18.00 | 16.50 | 15.23 | 14.14 | 13.20 | 12.38 | 11.65 | 11.00 | 10.42 | 9.90 | 9.43 | 9.00 | 8.61 | 8.25 |
| | | 100 | 0.632 | 26.09 | 23.19 | 20.87 | 18.97 | 17.39 | 16.05 | 14.91 | 13.91 | 13.04 | 12.28 | 11.60 | 10.98 | 10.44 | 9.94 | 9.49 | 9.07 | 8.70 |
| | | 110 | 0.663 | 27.36 | 24.32 | 21.89 | 19.90 | 18.24 | 16.84 | 15.64 | 14.59 | 13.68 | 12.88 | 12.16 | 11.52 | 10.94 | 10.42 | 9.95 | 9.52 | 9.12 |
| TXVS18 | 30 | 0.520 | 21.43 | 19.05 | 17.15 | 15.59 | 14.29 | 13.19 | 12.25 | 11.43 | 10.72 | 10.09 | 9.53 | 9.02 | 8.57 | 8.17 | 7.79 | 7.46 | 7.14 | |
| | 40 | 0.867 | 35.75 | 31.78 | 28.60 | 26.00 | 23.83 | 22.00 | 20.43 | 19.07 | 17.88 | 16.82 | 15.89 | 15.05 | 14.30 | 13.62 | 13.00 | 12.43 | 11.92 | |
| | 50 | 0.671 | 27.67 | 24.60 | 22.14 | 20.12 | 18.45 | 17.03 | 15.81 | 14.76 | 13.84 | 13.02 | 12.30 | 11.65 | 11.07 | 10.54 | 10.06 | 9.62 | 9.22 | |
| | 50 MESH | 60 | 0.735 | 30.31 | 26.94 | 24.25 | 22.05 | 20.21 | 18.65 | 17.32 | 16.17 | 15.16 | 14.26 | 13.47 | 12.76 | 12.12 | 11.55 | 11.02 | 10.54 | 10.10 |
| | | 70 | 0.794 | 32.74 | 29.10 | 26.19 | 23.81 | 21.83 | 20.15 | 18.71 | 17.46 | 16.37 | 15.41 | 14.55 | 13.79 | 13.10 | 12.47 | 11.91 | 11.39 | 10.91 |
| | | 80 | 0.822 | 33.89 | 30.12 | 27.11 | 24.65 | 22.59 | 20.86 | 19.37 | 18.07 | 16.95 | 15.95 | 15.06 | 14.27 | 13.56 | 12.91 | 12.32 | 11.79 | 11.30 |
| | ORANGE | 90 | 0.900 | 37.13 | 33.00 | 29.70 | 27.00 | 24.75 | 22.85 | 21.21 | 19.80 | 18.56 | 17.47 | 16.50 | 15.63 | 14.85 | 14.14 | 13.50 | 12.91 | 12.38 |
| | | 100 | 0.949 | 39.13 | 34.79 | 31.31 | 28.46 | 26.09 | 24.08 | 22.36 | 20.87 | 19.57 | 18.42 | 17.39 | 16.48 | 15.65 | 14.91 | 14.23 | 13.61 | 13.04 |
| | | 110 | 0.995 | 41.04 | 36.48 | 32.83 | 29.85 | 27.36 | 25.26 | 23.45 | 21.89 | 20.52 | 19.31 | 18.24 | 17.28 | 16.42 | 15.64 | 14.92 | 14.28 | 13.68 |

CONEJET 36" TIP CHART 2 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

| 12.5 | 13.0 | 13.5 | 14.0 | 14.5 | 15.0 | 15.5 | 16.0 | 16.5 | 17.0 | 17.5 | 18.0 | 18.5 | 19.0 | 19.5 | 20.0 | mph | | |
|-------|-------|-------|-------|-------|-------|-------|-------|------|------|------|------|------|------|------|------|-------|-----|---------|
| 3.81 | 3.66 | 3.53 | 3.40 | 3.28 | 3.18 | 3.07 | 2.98 | 2.89 | 2.80 | 2.72 | 2.65 | 2.57 | 2.51 | 2.44 | 2.38 | 0.289 | 30 | TXVS10 |
| 4.40 | 4.23 | 4.07 | 3.93 | 3.79 | 3.67 | 3.55 | 3.44 | 3.33 | 3.24 | 3.14 | 3.06 | 2.97 | 2.89 | 2.82 | 2.75 | 0.333 | 40 | |
| 4.92 | 4.73 | 4.55 | 4.39 | 4.24 | 4.10 | 3.97 | 3.84 | 3.73 | 3.62 | 3.51 | 3.42 | 3.32 | 3.24 | 3.15 | 3.07 | 0.373 | 50 | |
| 5.39 | 5.18 | 4.99 | 4.81 | 4.65 | 4.49 | 4.35 | 4.21 | 4.08 | 3.96 | 3.85 | 3.74 | 3.64 | 3.55 | 3.45 | 3.37 | 0.408 | 60 | 50 MESH |
| 5.82 | 5.60 | 5.39 | 5.20 | 5.02 | 4.85 | 4.69 | 4.55 | 4.41 | 4.28 | 4.16 | 4.04 | 3.93 | 3.83 | 3.73 | 3.64 | 0.441 | 70 | |
| 6.22 | 5.98 | 5.76 | 5.56 | 5.36 | 5.19 | 5.02 | 4.86 | 4.71 | 4.58 | 4.44 | 4.32 | 4.20 | 4.09 | 3.99 | 3.89 | 0.471 | 80 | |
| 6.60 | 6.35 | 6.11 | 5.89 | 5.69 | 5.50 | 5.32 | 5.16 | 5.00 | 4.85 | 4.71 | 4.58 | 4.46 | 4.34 | 4.23 | 4.13 | 0.500 | 90 | BLACK |
| 6.96 | 6.69 | 6.44 | 6.21 | 6.00 | 5.80 | 5.61 | 5.44 | 5.27 | 5.12 | 4.97 | 4.83 | 4.70 | 4.58 | 4.46 | 4.35 | 0.527 | 100 | |
| 7.30 | 7.02 | 6.76 | 6.51 | 6.29 | 6.08 | 5.88 | 5.70 | 5.53 | 5.37 | 5.21 | 5.07 | 4.93 | 4.80 | 4.68 | 4.56 | 0.553 | 110 | |
| 4.57 | 4.40 | 4.23 | 4.08 | 3.94 | 3.81 | 3.69 | 3.57 | 3.46 | 3.36 | 3.27 | 3.18 | 3.09 | 3.01 | 2.93 | 2.86 | 0.346 | 30 | TXVS12 |
| 5.28 | 5.08 | 4.89 | 4.71 | 4.55 | 4.40 | 4.26 | 4.13 | 4.00 | 3.88 | 3.77 | 3.67 | 3.57 | 3.47 | 3.38 | 3.30 | 0.400 | 40 | |
| 5.90 | 5.68 | 5.47 | 5.27 | 5.09 | 4.92 | 4.76 | 4.61 | 4.47 | 4.34 | 4.22 | 4.10 | 3.99 | 3.88 | 3.78 | 3.69 | 0.447 | 50 | |
| 6.47 | 6.22 | 5.99 | 5.77 | 5.57 | 5.39 | 5.22 | 5.05 | 4.90 | 4.75 | 4.62 | 4.49 | 4.37 | 4.25 | 4.15 | 4.04 | 0.490 | 60 | 50 MESH |
| 6.98 | 6.72 | 6.47 | 6.24 | 6.02 | 5.82 | 5.63 | 5.46 | 5.29 | 5.14 | 4.99 | 4.85 | 4.72 | 4.60 | 4.48 | 4.37 | 0.529 | 70 | |
| 7.47 | 7.18 | 6.91 | 6.67 | 6.44 | 6.22 | 6.02 | 5.83 | 5.66 | 5.49 | 5.33 | 5.19 | 5.05 | 4.91 | 4.79 | 4.67 | 0.566 | 80 | |
| 7.92 | 7.62 | 7.33 | 7.07 | 6.83 | 6.60 | 6.39 | 6.19 | 6.00 | 5.82 | 5.66 | 5.50 | 5.35 | 5.21 | 5.08 | 4.95 | 0.600 | 90 | BROWN |
| 8.35 | 8.03 | 7.73 | 7.45 | 7.20 | 6.96 | 6.73 | 6.52 | 6.32 | 6.14 | 5.96 | 5.80 | 5.64 | 5.49 | 5.35 | 5.22 | 0.632 | 100 | |
| 8.76 | 8.42 | 8.11 | 7.82 | 7.55 | 7.30 | 7.06 | 6.84 | 6.63 | 6.44 | 6.25 | 6.08 | 5.92 | 5.76 | 5.61 | 5.47 | 0.663 | 110 | |
| 6.86 | 6.60 | 6.35 | 6.12 | 5.91 | 5.72 | 5.53 | 5.36 | 5.20 | 5.04 | 4.90 | 4.76 | 4.63 | 4.51 | 4.40 | 4.29 | 0.520 | 30 | TXVS18 |
| 11.44 | 11.00 | 10.59 | 10.21 | 9.86 | 9.53 | 9.23 | 8.94 | 8.67 | 8.41 | 8.17 | 7.94 | 7.73 | 7.53 | 7.33 | 7.15 | 0.867 | 40 | |
| 8.85 | 8.51 | 8.20 | 7.91 | 7.63 | 7.38 | 7.14 | 6.92 | 6.71 | 6.51 | 6.32 | 6.15 | 5.98 | 5.83 | 5.68 | 5.53 | 0.671 | 50 | |
| 9.70 | 9.33 | 8.98 | 8.66 | 8.36 | 8.08 | 7.82 | 7.58 | 7.35 | 7.13 | 6.93 | 6.74 | 6.55 | 6.38 | 6.22 | 6.06 | 0.735 | 60 | 50 MESH |
| 10.48 | 10.07 | 9.70 | 9.35 | 9.03 | 8.73 | 8.45 | 8.19 | 7.94 | 7.70 | 7.48 | 7.28 | 7.08 | 6.89 | 6.72 | 6.55 | 0.794 | 70 | |
| 10.84 | 10.43 | 10.04 | 9.68 | 9.35 | 9.04 | 8.75 | 8.47 | 8.22 | 7.97 | 7.75 | 7.53 | 7.33 | 7.13 | 6.95 | 6.78 | 0.822 | 80 | |
| 11.88 | 11.42 | 11.00 | 10.61 | 10.24 | 9.90 | 9.58 | 9.28 | 9.00 | 8.74 | 8.49 | 8.25 | 8.03 | 7.82 | 7.62 | 7.43 | 0.900 | 90 | ORANGE |
| 12.52 | 12.04 | 11.60 | 11.18 | 10.80 | 10.44 | 10.10 | 9.78 | 9.49 | 9.21 | 8.94 | 8.70 | 8.46 | 8.24 | 8.03 | 7.83 | 0.949 | 100 | |
| 13.13 | 12.63 | 12.16 | 11.73 | 11.32 | 10.94 | 10.59 | 10.26 | 9.95 | 9.66 | 9.38 | 9.12 | 8.87 | 8.64 | 8.42 | 8.21 | 0.995 | 110 | |

CONEJET 36" TIP CHART 2 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

| mph | 4.0 | 4.5 | 5.0 | 5.5 | 6.0 | 6.5 | 7.0 | 7.5 | 8.0 | 8.5 | 9.0 | 9.5 | 10.0 | 10.5 | 11.0 | 11.5 | 12.0 | | |
|---------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| TXVS26 | 30 | 0.751 | 30.96 | 27.52 | 24.77 | 22.52 | 20.64 | 19.05 | 17.69 | 16.51 | 15.48 | 14.57 | 13.76 | 13.04 | 12.38 | 11.79 | 11.26 | 10.77 | 10.32 |
| | 40 | 0.867 | 35.75 | 31.78 | 28.60 | 26.00 | 23.83 | 22.00 | 20.43 | 19.07 | 17.88 | 16.82 | 15.89 | 15.05 | 14.30 | 13.62 | 13.00 | 12.43 | 11.92 |
| | 50 | 0.969 | 39.97 | 35.53 | 31.98 | 29.07 | 26.65 | 24.60 | 22.84 | 21.32 | 19.98 | 18.81 | 17.76 | 16.83 | 15.99 | 15.23 | 14.53 | 13.90 | 13.32 |
| 50 MESH | 60 | 1.061 | 43.78 | 38.92 | 35.03 | 31.84 | 29.19 | 26.94 | 25.02 | 23.35 | 21.89 | 20.60 | 19.46 | 18.44 | 17.51 | 16.68 | 15.92 | 15.23 | 14.59 |
| | 70 | 1.146 | 47.29 | 42.04 | 37.83 | 34.39 | 31.53 | 29.10 | 27.02 | 25.22 | 23.65 | 22.26 | 21.02 | 19.91 | 18.92 | 18.02 | 17.20 | 16.45 | 15.76 |
| | 80 | 1.187 | 48.95 | 43.51 | 39.16 | 35.60 | 32.64 | 30.12 | 27.97 | 26.11 | 24.48 | 23.04 | 21.76 | 20.61 | 19.58 | 18.65 | 17.80 | 17.03 | 16.32 |
| BLUE | 90 | 1.300 | 53.63 | 47.67 | 42.90 | 39.00 | 35.75 | 33.00 | 30.64 | 28.60 | 26.81 | 25.24 | 23.83 | 22.58 | 21.45 | 20.43 | 19.50 | 18.65 | 17.88 |
| | 100 | 1.370 | 56.53 | 50.25 | 45.22 | 41.11 | 37.68 | 34.79 | 32.30 | 30.15 | 28.26 | 26.60 | 25.12 | 23.80 | 22.61 | 21.53 | 20.55 | 19.66 | 18.84 |
| | 110 | 1.437 | 59.28 | 52.70 | 47.43 | 43.12 | 39.52 | 36.48 | 33.88 | 31.62 | 29.64 | 27.90 | 26.35 | 24.96 | 23.71 | 22.58 | 21.56 | 20.62 | 19.76 |

CONEJET 36" TIP CHART 2 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

| 12.5 | 13.0 | 13.5 | 14.0 | 14.5 | 15.0 | 15.5 | 16.0 | 16.5 | 17.0 | 17.5 | 18.0 | 18.5 | 19.0 | 19.5 | 20.0 | mph | | |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|---------|
| 9.91 | 9.53 | 9.17 | 8.85 | 8.54 | 8.26 | 7.99 | 7.74 | 7.51 | 7.28 | 7.08 | 6.88 | 6.69 | 6.52 | 6.35 | 6.19 | 0.751 | 30 | TXVS26 |
| 11.44 | 11.00 | 10.59 | 10.21 | 9.86 | 9.53 | 9.23 | 8.94 | 8.67 | 8.41 | 8.17 | 7.94 | 7.73 | 7.53 | 7.33 | 7.15 | 0.867 | 40 | |
| 12.79 | 12.30 | 11.84 | 11.42 | 11.03 | 10.66 | 10.31 | 9.99 | 9.69 | 9.40 | 9.14 | 8.88 | 8.64 | 8.41 | 8.20 | 7.99 | 0.969 | 50 | 50 MESH |
| 14.01 | 13.47 | 12.97 | 12.51 | 12.08 | 11.68 | 11.30 | 10.95 | 10.61 | 10.30 | 10.01 | 9.73 | 9.47 | 9.22 | 8.98 | 8.76 | 1.061 | 60 | |
| 15.13 | 14.55 | 14.01 | 13.51 | 13.05 | 12.61 | 12.20 | 11.82 | 11.46 | 11.13 | 10.81 | 10.51 | 10.23 | 9.96 | 9.70 | 9.46 | 1.146 | 70 | BLUE |
| 15.66 | 15.06 | 14.50 | 13.99 | 13.50 | 13.05 | 12.63 | 12.24 | 11.87 | 11.52 | 11.19 | 10.88 | 10.58 | 10.31 | 10.04 | 9.79 | 1.187 | 80 | |
| 17.16 | 16.50 | 15.89 | 15.32 | 14.79 | 14.30 | 13.84 | 13.41 | 13.00 | 12.62 | 12.26 | 11.92 | 11.59 | 11.29 | 11.00 | 10.73 | 1.300 | 90 | |
| 18.09 | 17.39 | 16.75 | 16.15 | 15.59 | 15.07 | 14.59 | 14.13 | 13.70 | 13.30 | 12.92 | 12.56 | 12.22 | 11.90 | 11.60 | 11.31 | 1.370 | 100 | |
| 18.97 | 18.24 | 17.57 | 16.94 | 16.35 | 15.81 | 15.30 | 14.82 | 14.37 | 13.95 | 13.55 | 13.17 | 12.82 | 12.48 | 12.16 | 11.86 | 1.437 | 110 | |