

CONEJET 38" TIP CHART 2 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0		
	psi gpm																			
TXSS1	30	0.029	1.13	1.00	0.90	0.82	0.75	0.69	0.64	0.60	0.56	0.53	0.50	0.47	0.45	0.43	0.41	0.39	0.38	
	40	0.033	1.30	1.16	1.04	0.95	0.87	0.80	0.74	0.69	0.65	0.61	0.58	0.55	0.52	0.50	0.47	0.45	0.43	
	50	0.037	1.46	1.29	1.17	1.06	0.97	0.90	0.83	0.78	0.73	0.69	0.65	0.61	0.58	0.55	0.53	0.51	0.49	
	60	0.041	1.60	1.42	1.28	1.16	1.06	0.98	0.91	0.85	0.80	0.75	0.71	0.67	0.64	0.61	0.58	0.55	0.53	
	100 MESH	70	0.044	1.72	1.53	1.38	1.25	1.15	1.06	0.98	0.92	0.86	0.81	0.77	0.73	0.69	0.66	0.63	0.60	0.57
		80	0.047	1.84	1.64	1.47	1.34	1.23	1.13	1.05	0.98	0.92	0.87	0.82	0.78	0.74	0.70	0.67	0.64	0.61
		90	0.050	1.95	1.74	1.56	1.42	1.30	1.20	1.12	1.04	0.98	0.92	0.87	0.82	0.78	0.74	0.71	0.68	0.65
		100	0.053	2.06	1.83	1.65	1.50	1.37	1.27	1.18	1.10	1.03	0.97	0.92	0.87	0.82	0.78	0.75	0.72	0.69
		110	0.055	2.16	1.92	1.73	1.57	1.44	1.33	1.23	1.15	1.08	1.02	0.96	0.91	0.86	0.82	0.79	0.75	0.72
TXSS2	30	0.058	2.26	2.01	1.80	1.64	1.50	1.39	1.29	1.20	1.13	1.06	1.00	0.95	0.90	0.86	0.82	0.78	0.75	
	40	0.067	2.61	2.32	2.08	1.89	1.74	1.60	1.49	1.39	1.30	1.23	1.16	1.10	1.04	0.99	0.95	0.91	0.87	
	50	0.075	2.91	2.59	2.33	2.12	1.94	1.79	1.66	1.55	1.46	1.37	1.29	1.23	1.17	1.11	1.06	1.01	0.97	
	60	0.082	3.19	2.84	2.55	2.32	2.13	1.96	1.82	1.70	1.60	1.50	1.42	1.34	1.28	1.22	1.16	1.11	1.06	
	100 MESH	70	0.088	3.45	3.06	2.76	2.51	2.30	2.12	1.97	1.84	1.72	1.62	1.53	1.45	1.38	1.31	1.25	1.20	1.15
		80	0.094	3.68	3.28	2.95	2.68	2.46	2.27	2.11	1.97	1.84	1.73	1.64	1.55	1.47	1.40	1.34	1.28	1.23
		90	0.100	3.91	3.47	3.13	2.84	2.61	2.40	2.23	2.08	1.95	1.84	1.74	1.65	1.56	1.49	1.42	1.36	1.30
		100	0.105	4.12	3.66	3.30	3.00	2.75	2.53	2.35	2.20	2.06	1.94	1.83	1.73	1.65	1.57	1.50	1.43	1.37
		110	0.111	4.32	3.84	3.46	3.14	2.88	2.66	2.47	2.30	2.16	2.03	1.92	1.82	1.73	1.65	1.57	1.50	1.44
TXVS3	30	0.087	3.38	3.01	2.71	2.46	2.26	2.08	1.93	1.80	1.69	1.59	1.50	1.42	1.35	1.29	1.23	1.18	1.13	
	40	0.100	3.91	3.47	3.13	2.84	2.61	2.40	2.23	2.08	1.95	1.84	1.74	1.65	1.56	1.49	1.42	1.36	1.30	
	50	0.112	4.37	3.88	3.50	3.18	2.91	2.69	2.50	2.33	2.18	2.06	1.94	1.84	1.75	1.66	1.59	1.52	1.46	
	60	0.122	4.79	4.25	3.83	3.48	3.19	2.95	2.73	2.55	2.39	2.25	2.13	2.02	1.91	1.82	1.74	1.66	1.60	
	50 MESH	70	0.132	5.17	4.60	4.14	3.76	3.45	3.18	2.95	2.76	2.58	2.43	2.30	2.18	2.07	1.97	1.88	1.80	1.72
		80	0.141	5.53	4.91	4.42	4.02	3.68	3.40	3.16	2.95	2.76	2.60	2.46	2.33	2.21	2.11	2.01	1.92	1.84
		90	0.150	5.86	5.21	4.69	4.26	3.91	3.61	3.35	3.13	2.93	2.76	2.61	2.47	2.34	2.23	2.13	2.04	1.95
	YELLOW	100	0.158	6.18	5.49	4.94	4.49	4.12	3.80	3.53	3.30	3.09	2.91	2.75	2.60	2.47	2.35	2.25	2.15	2.06
		110	0.166	6.48	5.76	5.18	4.71	4.32	3.99	3.70	3.46	3.24	3.05	2.88	2.73	2.59	2.47	2.36	2.25	2.16

CONEJET 38" TIP CHART 2 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
																gpm	psi	
0.36	0.35	0.33	0.32	0.31	0.30	0.29	0.28	0.27	0.27	0.26	0.25	0.24	0.24	0.23	0.23	0.029	30	TXSS1 100 MESH
0.42	0.40	0.39	0.37	0.36	0.35	0.34	0.33	0.32	0.31	0.30	0.29	0.28	0.27	0.27	0.26	0.033	40	
0.47	0.45	0.43	0.42	0.40	0.39	0.38	0.36	0.35	0.34	0.33	0.32	0.31	0.31	0.30	0.29	0.037	50	
0.51	0.49	0.47	0.46	0.44	0.43	0.41	0.40	0.39	0.38	0.36	0.35	0.34	0.34	0.33	0.32	0.041	60	
0.55	0.53	0.51	0.49	0.48	0.46	0.44	0.43	0.42	0.41	0.39	0.38	0.37	0.36	0.35	0.34	0.044	70	
0.59	0.57	0.55	0.53	0.51	0.49	0.48	0.46	0.45	0.43	0.42	0.41	0.40	0.39	0.38	0.37	0.047	80	
0.63	0.60	0.58	0.56	0.54	0.52	0.50	0.49	0.47	0.46	0.45	0.43	0.42	0.41	0.40	0.39	0.050	90	
0.66	0.63	0.61	0.59	0.57	0.55	0.53	0.51	0.50	0.48	0.47	0.46	0.45	0.43	0.42	0.41	0.053	100	
0.69	0.66	0.64	0.62	0.60	0.58	0.56	0.54	0.52	0.51	0.49	0.48	0.47	0.45	0.44	0.43	0.055	110	
0.72	0.69	0.67	0.64	0.62	0.60	0.58	0.56	0.55	0.53	0.52	0.50	0.49	0.47	0.46	0.45	0.058	30	TXSS2 100 MESH
0.83	0.80	0.77	0.74	0.72	0.69	0.67	0.65	0.63	0.61	0.60	0.58	0.56	0.55	0.53	0.52	0.067	40	
0.93	0.90	0.86	0.83	0.80	0.78	0.75	0.73	0.71	0.69	0.67	0.65	0.63	0.61	0.60	0.58	0.075	50	
1.02	0.98	0.95	0.91	0.88	0.85	0.82	0.80	0.77	0.75	0.73	0.71	0.69	0.67	0.65	0.64	0.082	60	
1.10	1.06	1.02	0.98	0.95	0.92	0.89	0.86	0.84	0.81	0.79	0.77	0.75	0.73	0.71	0.69	0.088	70	
1.18	1.13	1.09	1.05	1.02	0.98	0.95	0.92	0.89	0.87	0.84	0.82	0.80	0.78	0.76	0.74	0.094	80	
1.25	1.20	1.16	1.12	1.08	1.04	1.01	0.98	0.95	0.92	0.89	0.87	0.84	0.82	0.80	0.78	0.100	90	
1.32	1.27	1.22	1.18	1.14	1.10	1.06	1.03	1.00	0.97	0.94	0.92	0.89	0.87	0.84	0.82	0.105	100	
1.38	1.33	1.28	1.23	1.19	1.15	1.11	1.08	1.05	1.02	0.99	0.96	0.93	0.91	0.89	0.86	0.111	110	
1.08	1.04	1.00	0.97	0.93	0.90	0.87	0.85	0.82	0.80	0.77	0.75	0.73	0.71	0.69	0.68	0.087	30	TXVS3 50 MESH YELLOW
1.25	1.20	1.16	1.12	1.08	1.04	1.01	0.98	0.95	0.92	0.89	0.87	0.84	0.82	0.80	0.78	0.100	40	
1.40	1.34	1.29	1.25	1.21	1.17	1.13	1.09	1.06	1.03	1.00	0.97	0.94	0.92	0.90	0.87	0.112	50	
1.53	1.47	1.42	1.37	1.32	1.28	1.24	1.20	1.16	1.13	1.09	1.06	1.03	1.01	0.98	0.96	0.122	60	
1.65	1.59	1.53	1.48	1.43	1.38	1.33	1.29	1.25	1.22	1.18	1.15	1.12	1.09	1.06	1.03	0.132	70	
1.77	1.70	1.64	1.58	1.52	1.47	1.43	1.38	1.34	1.30	1.26	1.23	1.19	1.16	1.13	1.11	0.141	80	
1.88	1.80	1.74	1.67	1.62	1.56	1.51	1.47	1.42	1.38	1.34	1.30	1.27	1.23	1.20	1.17	0.150	90	
1.98	1.90	1.83	1.77	1.70	1.65	1.59	1.54	1.50	1.45	1.41	1.37	1.34	1.30	1.27	1.24	0.158	100	
2.07	1.99	1.92	1.85	1.79	1.73	1.67	1.62	1.57	1.52	1.48	1.44	1.40	1.36	1.33	1.30	0.166	110	

CONEJET 38" TIP CHART 2 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0		
TXSS4	30	0.115	4.51	4.01	3.61	3.28	3.01	2.78	2.58	2.41	2.26	2.12	2.01	1.90	1.80	1.72	1.64	1.57	1.50	
	40	0.133	5.21	4.63	4.17	3.79	3.47	3.21	2.98	2.78	2.61	2.45	2.32	2.19	2.08	1.98	1.89	1.81	1.74	
	50	0.149	5.83	5.18	4.66	4.24	3.88	3.58	3.33	3.11	2.91	2.74	2.59	2.45	2.33	2.22	2.12	2.03	1.94	
	60	0.163	6.38	5.67	5.11	4.64	4.25	3.93	3.65	3.40	3.19	3.00	2.84	2.69	2.55	2.43	2.32	2.22	2.13	
	50 MESH	70	0.176	6.89	6.13	5.51	5.01	4.60	4.24	3.94	3.68	3.45	3.24	3.06	2.90	2.76	2.63	2.51	2.40	2.30
		80	0.189	7.37	6.55	5.90	5.36	4.91	4.53	4.21	3.93	3.68	3.47	3.28	3.10	2.95	2.81	2.68	2.56	2.46
		90	0.200	7.82	6.95	6.25	5.68	5.21	4.81	4.47	4.17	3.91	3.68	3.47	3.29	3.13	2.98	2.84	2.72	2.61
	GREEN	100	0.211	8.24	7.32	6.59	5.99	5.49	5.07	4.71	4.39	4.12	3.88	3.66	3.47	3.30	3.14	3.00	2.87	2.75
		110	0.221	8.64	7.68	6.91	6.28	5.76	5.32	4.94	4.61	4.32	4.07	3.84	3.64	3.46	3.29	3.14	3.01	2.88
	TXVS6	30	0.173	6.77	6.02	5.41	4.92	4.51	4.17	3.87	3.61	3.38	3.19	3.01	2.85	2.71	2.58	2.46	2.35	2.26
40		0.200	7.82	6.95	6.25	5.68	5.21	4.81	4.47	4.17	3.91	3.68	3.47	3.29	3.13	2.98	2.84	2.72	2.61	
50		0.224	8.74	7.77	6.99	6.36	5.83	5.38	4.99	4.66	4.37	4.11	3.88	3.68	3.50	3.33	3.18	3.04	2.91	
60		0.245	9.57	8.51	7.66	6.96	6.38	5.89	5.47	5.11	4.79	4.50	4.25	4.03	3.83	3.65	3.48	3.33	3.19	
50 MESH		70	0.265	10.34	9.19	8.27	7.52	6.89	6.36	5.91	5.51	5.17	4.87	4.60	4.35	4.14	3.94	3.76	3.60	3.45
		80	0.283	11.05	9.83	8.84	8.04	7.37	6.80	6.32	5.90	5.53	5.20	4.91	4.65	4.42	4.21	4.02	3.84	3.68
		90	0.300	11.72	10.42	9.38	8.53	7.82	7.21	6.70	6.25	5.86	5.52	5.21	4.94	4.69	4.47	4.26	4.08	3.91
RED		100	0.316	12.36	10.98	9.89	8.99	8.24	7.60	7.06	6.59	6.18	5.82	5.49	5.20	4.94	4.71	4.49	4.30	4.12
		110	0.332	12.96	11.52	10.37	9.43	8.64	7.98	7.41	6.91	6.48	6.10	5.76	5.46	5.18	4.94	4.71	4.51	4.32
TXVS8		30	0.231	9.02	8.02	7.22	6.56	6.02	5.55	5.16	4.81	4.51	4.25	4.01	3.80	3.61	3.44	3.28	3.14	3.01
	40	0.267	10.42	9.26	8.34	7.58	6.95	6.41	5.95	5.56	5.21	4.90	4.63	4.39	4.17	3.97	3.79	3.62	3.47	
	50	0.298	11.65	10.36	9.32	8.47	7.77	7.17	6.66	6.21	5.83	5.48	5.18	4.91	4.66	4.44	4.24	4.05	3.88	
	60	0.327	12.76	11.35	10.21	9.28	8.51	7.85	7.29	6.81	6.38	6.01	5.67	5.37	5.11	4.86	4.64	4.44	4.25	
	50 MESH	70	0.353	13.79	12.25	11.03	10.03	9.19	8.48	7.88	7.35	6.89	6.49	6.13	5.80	5.51	5.25	5.01	4.80	4.60
		80	0.377	14.74	13.10	11.79	10.72	9.83	9.07	8.42	7.86	7.37	6.94	6.55	6.21	5.90	5.61	5.36	5.13	4.91
		90	0.400	15.63	13.89	12.51	11.37	10.42	9.62	8.93	8.34	7.82	7.36	6.95	6.58	6.25	5.95	5.68	5.44	5.21
	GRAY	100	0.422	16.48	14.65	13.18	11.98	10.98	10.14	9.42	8.79	8.24	7.75	7.32	6.94	6.59	6.28	5.99	5.73	5.49
		110	0.442	17.28	15.36	13.83	12.57	11.52	10.63	9.88	9.22	8.64	8.13	7.68	7.28	6.91	6.58	6.28	6.01	5.76

CONEJET 38" TIP CHART 2 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
1.44	1.39	1.34	1.29	1.24	1.20	1.16	1.13	1.09	1.06	1.03	1.00	0.98	0.95	0.93	0.90	0.115	30	TXSS4
1.67	1.60	1.54	1.49	1.44	1.39	1.34	1.30	1.26	1.23	1.19	1.16	1.13	1.10	1.07	1.04	0.133	40	
1.86	1.79	1.73	1.66	1.61	1.55	1.50	1.46	1.41	1.37	1.33	1.29	1.26	1.23	1.19	1.17	0.149	50	
2.04	1.96	1.89	1.82	1.76	1.70	1.65	1.60	1.55	1.50	1.46	1.42	1.38	1.34	1.31	1.28	0.163	60	50 MESH
2.21	2.12	2.04	1.97	1.90	1.84	1.78	1.72	1.67	1.62	1.58	1.53	1.49	1.45	1.41	1.38	0.176	70	
2.36	2.27	2.18	2.11	2.03	1.97	1.90	1.84	1.79	1.73	1.68	1.64	1.59	1.55	1.51	1.47	0.189	80	
2.50	2.40	2.32	2.23	2.16	2.08	2.02	1.95	1.89	1.84	1.79	1.74	1.69	1.65	1.60	1.56	0.200	90	GREEN
2.64	2.53	2.44	2.35	2.27	2.20	2.13	2.06	2.00	1.94	1.88	1.83	1.78	1.73	1.69	1.65	0.211	100	
2.77	2.66	2.56	2.47	2.38	2.30	2.23	2.16	2.09	2.03	1.98	1.92	1.87	1.82	1.77	1.73	0.221	110	
2.17	2.08	2.01	1.93	1.87	1.80	1.75	1.69	1.64	1.59	1.55	1.50	1.46	1.42	1.39	1.35	0.173	30	TXVS6
2.50	2.40	2.32	2.23	2.16	2.08	2.02	1.95	1.89	1.84	1.79	1.74	1.69	1.65	1.60	1.56	0.200	40	
2.80	2.69	2.59	2.50	2.41	2.33	2.26	2.18	2.12	2.06	2.00	1.94	1.89	1.84	1.79	1.75	0.224	50	
3.06	2.95	2.84	2.73	2.64	2.55	2.47	2.39	2.32	2.25	2.19	2.13	2.07	2.02	1.96	1.91	0.245	60	50 MESH
3.31	3.18	3.06	2.95	2.85	2.76	2.67	2.58	2.51	2.43	2.36	2.30	2.24	2.18	2.12	2.07	0.265	70	
3.54	3.40	3.28	3.16	3.05	2.95	2.85	2.76	2.68	2.60	2.53	2.46	2.39	2.33	2.27	2.21	0.283	80	
3.75	3.61	3.47	3.35	3.23	3.13	3.03	2.93	2.84	2.76	2.68	2.61	2.53	2.47	2.40	2.34	0.300	90	RED
3.95	3.80	3.66	3.53	3.41	3.30	3.19	3.09	3.00	2.91	2.82	2.75	2.67	2.60	2.53	2.47	0.316	100	
4.15	3.99	3.84	3.70	3.58	3.46	3.34	3.24	3.14	3.05	2.96	2.88	2.80	2.73	2.66	2.59	0.332	110	
2.89	2.78	2.67	2.58	2.49	2.41	2.33	2.26	2.19	2.12	2.06	2.01	1.95	1.90	1.85	1.80	0.231	30	TXVS8
3.33	3.21	3.09	2.98	2.87	2.78	2.69	2.61	2.53	2.45	2.38	2.32	2.25	2.19	2.14	2.08	0.267	40	
3.73	3.58	3.45	3.33	3.21	3.11	3.01	2.91	2.82	2.74	2.66	2.59	2.52	2.45	2.39	2.33	0.298	50	
4.08	3.93	3.78	3.65	3.52	3.40	3.29	3.19	3.09	3.00	2.92	2.84	2.76	2.69	2.62	2.55	0.327	60	50 MESH
4.41	4.24	4.08	3.94	3.80	3.68	3.56	3.45	3.34	3.24	3.15	3.06	2.98	2.90	2.83	2.76	0.353	70	
4.72	4.53	4.37	4.21	4.07	3.93	3.80	3.68	3.57	3.47	3.37	3.28	3.19	3.10	3.02	2.95	0.377	80	
5.00	4.81	4.63	4.47	4.31	4.17	4.03	3.91	3.79	3.68	3.57	3.47	3.38	3.29	3.21	3.13	0.400	90	GRAY
5.27	5.07	4.88	4.71	4.55	4.39	4.25	4.12	3.99	3.88	3.77	3.66	3.56	3.47	3.38	3.30	0.422	100	
5.53	5.32	5.12	4.94	4.77	4.61	4.46	4.32	4.19	4.07	3.95	3.84	3.74	3.64	3.54	3.46	0.442	110	

CONEJET 38" TIP CHART 2 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0		
TXVS10	30	0.289	11.28	10.03	9.02	8.20	7.52	6.94	6.45	6.02	5.64	5.31	5.01	4.75	4.51	4.30	4.10	3.92	3.76	
	40	0.333	13.03	11.58	10.42	9.47	8.68	8.02	7.44	6.95	6.51	6.13	5.79	5.48	5.21	4.96	4.74	4.53	4.34	
	50	0.373	14.56	12.95	11.65	10.59	9.71	8.96	8.32	7.77	7.28	6.85	6.47	6.13	5.83	5.55	5.30	5.07	4.85	
	50 MESH	60	0.408	15.95	14.18	12.76	11.60	10.64	9.82	9.12	8.51	7.98	7.51	7.09	6.72	6.38	6.08	5.80	5.55	5.32
		70	0.441	17.23	15.32	13.79	12.53	11.49	10.60	9.85	9.19	8.62	8.11	7.66	7.26	6.89	6.56	6.27	5.99	5.74
		80	0.471	18.42	16.38	14.74	13.40	12.28	11.34	10.53	9.83	9.21	8.67	8.19	7.76	7.37	7.02	6.70	6.41	6.14
	BLACK	90	0.500	19.54	17.37	15.63	14.21	13.03	12.02	11.17	10.42	9.77	9.20	8.68	8.23	7.82	7.44	7.11	6.80	6.51
		100	0.527	20.60	18.31	16.48	14.98	13.73	12.67	11.77	10.98	10.30	9.69	9.15	8.67	8.24	7.85	7.49	7.16	6.87
		110	0.553	21.60	19.20	17.28	15.71	14.40	13.29	12.34	11.52	10.80	10.17	9.60	9.10	8.64	8.23	7.86	7.51	7.20
	TXVS12	30	0.346	13.54	12.03	10.83	9.85	9.02	8.33	7.74	7.22	6.77	6.37	6.02	5.70	5.41	5.16	4.92	4.71	4.51
		40	0.400	15.63	13.89	12.51	11.37	10.42	9.62	8.93	8.34	7.82	7.36	6.95	6.58	6.25	5.95	5.68	5.44	5.21
50		0.447	17.48	15.53	13.98	12.71	11.65	10.75	9.99	9.32	8.74	8.22	7.77	7.36	6.99	6.66	6.36	6.08	5.83	
50 MESH		60	0.490	19.14	17.02	15.32	13.92	12.76	11.78	10.94	10.21	9.57	9.01	8.51	8.06	7.66	7.29	6.96	6.66	6.38
		70	0.529	20.68	18.38	16.54	15.04	13.79	12.73	11.82	11.03	10.34	9.73	9.19	8.71	8.27	7.88	7.52	7.19	6.89
		80	0.566	22.11	19.65	17.69	16.08	14.74	13.60	12.63	11.79	11.05	10.40	9.83	9.31	8.84	8.42	8.04	7.69	7.37
BROWN		90	0.600	23.45	20.84	18.76	17.05	15.63	14.43	13.40	12.51	11.72	11.03	10.42	9.87	9.38	8.93	8.53	8.16	7.82
		100	0.632	24.72	21.97	19.77	17.98	16.48	15.21	14.12	13.18	12.36	11.63	10.98	10.41	9.89	9.42	8.99	8.60	8.24
		110	0.663	25.92	23.04	20.74	18.85	17.28	15.95	14.81	13.83	12.96	12.20	11.52	10.91	10.37	9.88	9.43	9.02	8.64
TXVS18		30	0.520	20.31	18.05	16.24	14.77	13.54	12.50	11.60	10.83	10.15	9.56	9.02	8.55	8.12	7.74	7.38	7.06	6.77
		40	0.867	33.87	30.11	27.09	24.63	22.58	20.84	19.35	18.06	16.93	15.94	15.05	14.26	13.55	12.90	12.32	11.78	11.29
	50	0.671	26.21	23.30	20.97	19.07	17.48	16.13	14.98	13.98	13.11	12.34	11.65	11.04	10.49	9.99	9.53	9.12	8.74	
	50 MESH	60	0.735	28.72	25.53	22.97	20.89	19.14	17.67	16.41	15.32	14.36	13.51	12.76	12.09	11.49	10.94	10.44	9.99	9.57
		70	0.794	31.02	27.57	24.81	22.56	20.68	19.09	17.72	16.54	15.51	14.60	13.79	13.06	12.41	11.82	11.28	10.79	10.34
		80	0.822	32.11	28.54	25.69	23.35	21.40	19.76	18.35	17.12	16.05	15.11	14.27	13.52	12.84	12.23	11.68	11.17	10.70
	ORANGE	90	0.900	35.17	31.26	28.14	25.58	23.45	21.64	20.10	18.76	17.59	16.55	15.63	14.81	14.07	13.40	12.79	12.23	11.72
		100	0.949	37.07	32.95	29.66	26.96	24.72	22.81	21.18	19.77	18.54	17.45	16.48	15.61	14.83	14.12	13.48	12.90	12.36
		110	0.995	38.88	34.56	31.11	28.28	25.92	23.93	22.22	20.74	19.44	18.30	17.28	16.37	15.55	14.81	14.14	13.52	12.96

CONEJET 38" TIP CHART 2 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
3.61	3.47	3.34	3.22	3.11	3.01	2.91	2.82	2.73	2.65	2.58	2.51	2.44	2.37	2.31	2.26	0.289	30	TXVS10
4.17	4.01	3.86	3.72	3.59	3.47	3.36	3.26	3.16	3.07	2.98	2.89	2.82	2.74	2.67	2.61	0.333	40	
4.66	4.48	4.32	4.16	4.02	3.88	3.76	3.64	3.53	3.43	3.33	3.24	3.15	3.07	2.99	2.91	0.373	50	
5.11	4.91	4.73	4.56	4.40	4.25	4.12	3.99	3.87	3.75	3.65	3.55	3.45	3.36	3.27	3.19	0.408	60	50 MESH
5.51	5.30	5.11	4.92	4.75	4.60	4.45	4.31	4.18	4.05	3.94	3.83	3.73	3.63	3.53	3.45	0.441	70	
5.90	5.67	5.46	5.26	5.08	4.91	4.75	4.61	4.47	4.33	4.21	4.09	3.98	3.88	3.78	3.68	0.471	80	
6.25	6.01	5.79	5.58	5.39	5.21	5.04	4.88	4.74	4.60	4.47	4.34	4.22	4.11	4.01	3.91	0.500	90	BLACK
6.59	6.34	6.10	5.88	5.68	5.49	5.32	5.15	4.99	4.85	4.71	4.58	4.45	4.34	4.22	4.12	0.527	100	
6.91	6.65	6.40	6.17	5.96	5.76	5.57	5.40	5.24	5.08	4.94	4.80	4.67	4.55	4.43	4.32	0.553	110	
4.33	4.17	4.01	3.87	3.73	3.61	3.49	3.38	3.28	3.19	3.09	3.01	2.93	2.85	2.78	2.71	0.346	30	TXVS12
5.00	4.81	4.63	4.47	4.31	4.17	4.03	3.91	3.79	3.68	3.57	3.47	3.38	3.29	3.21	3.13	0.400	40	
5.59	5.38	5.18	4.99	4.82	4.66	4.51	4.37	4.24	4.11	3.99	3.88	3.78	3.68	3.58	3.50	0.447	50	
6.13	5.89	5.67	5.47	5.28	5.11	4.94	4.79	4.64	4.50	4.38	4.25	4.14	4.03	3.93	3.83	0.490	60	50 MESH
6.62	6.36	6.13	5.91	5.70	5.51	5.34	5.17	5.01	4.87	4.73	4.60	4.47	4.35	4.24	4.14	0.529	70	
7.07	6.80	6.55	6.32	6.10	5.90	5.70	5.53	5.36	5.20	5.05	4.91	4.78	4.65	4.53	4.42	0.566	80	
7.50	7.21	6.95	6.70	6.47	6.25	6.05	5.86	5.68	5.52	5.36	5.21	5.07	4.94	4.81	4.69	0.600	90	BROWN
7.91	7.60	7.32	7.06	6.82	6.59	6.38	6.18	5.99	5.82	5.65	5.49	5.34	5.20	5.07	4.94	0.632	100	
8.30	7.98	7.68	7.41	7.15	6.91	6.69	6.48	6.28	6.10	5.93	5.76	5.60	5.46	5.32	5.18	0.663	110	
6.50	6.25	6.02	5.80	5.60	5.41	5.24	5.08	4.92	4.78	4.64	4.51	4.39	4.27	4.17	4.06	0.520	30	TXVS18
10.84	10.42	10.04	9.68	9.34	9.03	8.74	8.47	8.21	7.97	7.74	7.53	7.32	7.13	6.95	6.77	0.867	40	
8.39	8.07	7.77	7.49	7.23	6.99	6.77	6.55	6.36	6.17	5.99	5.83	5.67	5.52	5.38	5.24	0.671	50	
9.19	8.84	8.51	8.20	7.92	7.66	7.41	7.18	6.96	6.76	6.56	6.38	6.21	6.05	5.89	5.74	0.735	60	50 MESH
9.93	9.54	9.19	8.86	8.56	8.27	8.00	7.75	7.52	7.30	7.09	6.89	6.71	6.53	6.36	6.20	0.794	70	
10.27	9.88	9.51	9.17	8.86	8.56	8.29	8.03	7.78	7.55	7.34	7.13	6.94	6.76	6.59	6.42	0.822	80	
11.25	10.82	10.42	10.05	9.70	9.38	9.08	8.79	8.53	8.28	8.04	7.82	7.60	7.40	7.21	7.03	0.900	90	ORANGE
11.86	11.41	10.98	10.59	10.23	9.89	9.57	9.27	8.99	8.72	8.47	8.24	8.02	7.80	7.60	7.41	0.949	100	
12.44	11.96	11.52	11.11	10.73	10.37	10.03	9.72	9.43	9.15	8.89	8.64	8.41	8.19	7.98	7.78	0.995	110	

CONEJET 38" TIP CHART 2 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0		
TXVS26	30	0.751	29.33	26.07	23.46	21.33	19.55	18.05	16.76	15.64	14.67	13.80	13.04	12.35	11.73	11.17	10.67	10.20	9.78
	40	0.867	33.87	30.11	27.09	24.63	22.58	20.84	19.35	18.06	16.93	15.94	15.05	14.26	13.55	12.90	12.32	11.78	11.29
	50	0.969	37.87	33.66	30.29	27.54	25.24	23.30	21.64	20.20	18.93	17.82	16.83	15.94	15.15	14.43	13.77	13.17	12.62
50 MESH	60	1.061	41.48	36.87	33.18	30.17	27.65	25.53	23.70	22.12	20.74	19.52	18.44	17.47	16.59	15.80	15.08	14.43	13.83
	70	1.146	44.80	39.83	35.84	32.58	29.87	27.57	25.60	23.90	22.40	21.08	19.91	18.86	17.92	17.07	16.29	15.58	14.93
	80	1.187	46.38	41.22	37.10	33.73	30.92	28.54	26.50	24.73	23.19	21.82	20.61	19.53	18.55	17.67	16.86	16.13	15.46
BLUE	90	1.300	50.80	45.16	40.64	36.95	33.87	31.26	29.03	27.09	25.40	23.91	22.58	21.39	20.32	19.35	18.47	17.67	16.93
	100	1.370	53.55	47.60	42.84	38.95	35.70	32.95	30.60	28.56	26.78	25.20	23.80	22.55	21.42	20.40	19.47	18.63	17.85
	110	1.437	56.16	49.92	44.93	40.85	37.44	34.56	32.09	29.95	28.08	26.43	24.96	23.65	22.47	21.40	20.42	19.54	18.72

CONEJET 38" TIP CHART 2 TIP PER ROW

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
9.39	9.02	8.69	8.38	8.09	7.82	7.57	7.33	7.11	6.90	6.70	6.52	6.34	6.17	6.02	5.87	0.751	30	TXVS26
10.84	10.42	10.04	9.68	9.34	9.03	8.74	8.47	8.21	7.97	7.74	7.53	7.32	7.13	6.95	6.77	0.867	40	
12.12	11.65	11.22	10.82	10.45	10.10	9.77	9.47	9.18	8.91	8.66	8.41	8.19	7.97	7.77	7.57	0.969	50	50 MESH
13.27	12.76	12.29	11.85	11.44	11.06	10.70	10.37	10.06	9.76	9.48	9.22	8.97	8.73	8.51	8.30	1.061	60	
14.34	13.79	13.28	12.80	12.36	11.95	11.56	11.20	10.86	10.54	10.24	9.96	9.69	9.43	9.19	8.96	1.146	70	BLUE
14.84	14.27	13.74	13.25	12.79	12.37	11.97	11.59	11.24	10.91	10.60	10.31	10.03	9.76	9.51	9.28	1.187	80	
16.26	15.63	15.05	14.52	14.01	13.55	13.11	12.70	12.32	11.95	11.61	11.29	10.98	10.70	10.42	10.16	1.300	90	
17.14	16.48	15.87	15.30	14.77	14.28	13.82	13.39	12.98	12.60	12.24	11.90	11.58	11.27	10.98	10.71	1.370	100	
17.97	17.28	16.64	16.05	15.49	14.98	14.49	14.04	13.62	13.22	12.84	12.48	12.14	11.82	11.52	11.23	1.437	110	