

**CONEJET 40" TIP CHART 2 TIP PER ROW**

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0			
	psi gpm																				
TXSS1	30	0.029	1.07	0.95	0.86	0.78	0.71	0.66	0.61	0.57	0.54	0.50	0.48	0.45	0.43	0.41	0.39	0.37	0.36		
	40	0.033	1.24	1.10	0.99	0.90	0.83	0.76	0.71	0.66	0.62	0.58	0.55	0.52	0.50	0.47	0.45	0.43	0.41		
	50	0.037	1.38	1.23	1.11	1.01	0.92	0.85	0.79	0.74	0.69	0.65	0.61	0.58	0.55	0.53	0.50	0.48	0.46		
	60	0.041	1.52	1.35	1.21	1.10	1.01	0.93	0.87	0.81	0.76	0.71	0.67	0.64	0.61	0.58	0.55	0.53	0.51		
	100 MESH	70	0.044	1.64	1.46	1.31	1.19	1.09	1.01	0.94	0.87	0.82	0.77	0.73	0.69	0.65	0.62	0.60	0.57	0.55	
		80	0.047	1.75	1.56	1.40	1.27	1.17	1.08	1.00	0.93	0.88	0.82	0.78	0.74	0.70	0.67	0.64	0.61	0.58	
		90	0.050	1.86	1.65	1.49	1.35	1.24	1.14	1.06	0.99	0.93	0.87	0.83	0.78	0.74	0.71	0.68	0.65	0.62	
		100	0.053	1.96	1.74	1.57	1.42	1.30	1.20	1.12	1.04	0.98	0.92	0.87	0.82	0.78	0.75	0.71	0.68	0.65	
		110	0.055	2.05	1.82	1.64	1.49	1.37	1.26	1.17	1.09	1.03	0.97	0.91	0.86	0.82	0.78	0.75	0.71	0.68	
TXSS2	30	0.058	2.14	1.91	1.71	1.56	1.43	1.32	1.22	1.14	1.07	1.01	0.95	0.90	0.86	0.82	0.78	0.75	0.71		
	40	0.067	2.48	2.20	1.98	1.80	1.65	1.52	1.41	1.32	1.24	1.16	1.10	1.04	0.99	0.94	0.90	0.86	0.82		
	50	0.075	2.77	2.46	2.21	2.01	1.84	1.70	1.58	1.48	1.38	1.30	1.23	1.17	1.11	1.05	1.01	0.96	0.92		
	60	0.082	3.03	2.69	2.42	2.20	2.02	1.87	1.73	1.62	1.52	1.43	1.35	1.28	1.21	1.15	1.10	1.05	1.01		
	100 MESH	70	0.088	3.27	2.91	2.62	2.38	2.18	2.01	1.87	1.75	1.64	1.54	1.46	1.38	1.31	1.25	1.19	1.14	1.09	
		80	0.094	3.50	3.11	2.80	2.55	2.33	2.15	2.00	1.87	1.75	1.65	1.56	1.47	1.40	1.33	1.27	1.22	1.17	
		90	0.100	3.71	3.30	2.97	2.70	2.48	2.28	2.12	1.98	1.86	1.75	1.65	1.56	1.49	1.41	1.35	1.29	1.24	
		100	0.105	3.91	3.48	3.13	2.85	2.61	2.41	2.24	2.09	1.96	1.84	1.74	1.65	1.57	1.49	1.42	1.36	1.30	
		110	0.111	4.10	3.65	3.28	2.98	2.74	2.53	2.35	2.19	2.05	1.93	1.82	1.73	1.64	1.56	1.49	1.43	1.37	
TXVS3	30	0.087	3.22	2.86	2.57	2.34	2.14	1.98	1.84	1.71	1.61	1.51	1.43	1.35	1.29	1.22	1.17	1.12	1.07		
	40	0.100	3.71	3.30	2.97	2.70	2.48	2.28	2.12	1.98	1.86	1.75	1.65	1.56	1.49	1.41	1.35	1.29	1.24		
	50	0.112	4.15	3.69	3.32	3.02	2.77	2.55	2.37	2.21	2.08	1.95	1.84	1.75	1.66	1.58	1.51	1.44	1.38		
	60	0.122	4.55	4.04	3.64	3.31	3.03	2.80	2.60	2.42	2.27	2.14	2.02	1.91	1.82	1.73	1.65	1.58	1.52		
	50 MESH	70	0.132	4.91	4.37	3.93	3.57	3.27	3.02	2.81	2.62	2.46	2.31	2.18	2.07	1.96	1.87	1.79	1.71	1.64	
		80	0.141	5.25	4.67	4.20	3.82	3.50	3.23	3.00	2.80	2.63	2.47	2.33	2.21	2.10	2.00	1.91	1.83	1.75	
		90	0.150	5.57	4.95	4.46	4.05	3.71	3.43	3.18	2.97	2.78	2.62	2.48	2.34	2.23	2.12	2.03	1.94	1.86	
		YELLOW	100	0.158	5.87	5.22	4.70	4.27	3.91	3.61	3.35	3.13	2.93	2.76	2.61	2.47	2.35	2.24	2.13	2.04	1.96
			110	0.166	6.16	5.47	4.93	4.48	4.10	3.79	3.52	3.28	3.08	2.90	2.74	2.59	2.46	2.35	2.24	2.14	2.05

**CONEJET 40" TIP CHART 2 TIP PER ROW**

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
																gpm	psi	
0.34	0.33	0.32	0.31	0.30	0.29	0.28	0.27	0.26	0.25	0.24	0.24	0.23	0.23	0.22	0.21	0.029	30	TXSS1  100 MESH
0.40	0.38	0.37	0.35	0.34	0.33	0.32	0.31	0.30	0.29	0.28	0.28	0.27	0.26	0.25	0.25	0.033	40	
0.44	0.43	0.41	0.40	0.38	0.37	0.36	0.35	0.34	0.33	0.32	0.31	0.30	0.29	0.28	0.28	0.037	50	
0.48	0.47	0.45	0.43	0.42	0.40	0.39	0.38	0.37	0.36	0.35	0.34	0.33	0.32	0.31	0.30	0.041	60	
0.52	0.50	0.49	0.47	0.45	0.44	0.42	0.41	0.40	0.39	0.37	0.36	0.35	0.34	0.34	0.33	0.044	70	
0.56	0.54	0.52	0.50	0.48	0.47	0.45	0.44	0.42	0.41	0.40	0.39	0.38	0.37	0.36	0.35	0.047	80	
0.59	0.57	0.55	0.53	0.51	0.50	0.48	0.46	0.45	0.44	0.42	0.41	0.40	0.39	0.38	0.37	0.050	90	
0.63	0.60	0.58	0.56	0.54	0.52	0.50	0.49	0.47	0.46	0.45	0.43	0.42	0.41	0.40	0.39	0.053	100	
0.66	0.63	0.61	0.59	0.57	0.55	0.53	0.51	0.50	0.48	0.47	0.46	0.44	0.43	0.42	0.41	0.055	110	
0.69	0.66	0.64	0.61	0.59	0.57	0.55	0.54	0.52	0.50	0.49	0.48	0.46	0.45	0.44	0.43	0.058	30	TXSS2  100 MESH
0.79	0.76	0.73	0.71	0.68	0.66	0.64	0.62	0.60	0.58	0.57	0.55	0.54	0.52	0.51	0.49	0.067	40	
0.89	0.85	0.82	0.79	0.76	0.74	0.71	0.69	0.67	0.65	0.63	0.61	0.60	0.58	0.57	0.55	0.075	50	
0.97	0.93	0.90	0.87	0.84	0.81	0.78	0.76	0.73	0.71	0.69	0.67	0.66	0.64	0.62	0.61	0.082	60	
1.05	1.01	0.97	0.94	0.90	0.87	0.84	0.82	0.79	0.77	0.75	0.73	0.71	0.69	0.67	0.65	0.088	70	
1.12	1.08	1.04	1.00	0.97	0.93	0.90	0.88	0.85	0.82	0.80	0.78	0.76	0.74	0.72	0.70	0.094	80	
1.19	1.14	1.10	1.06	1.02	0.99	0.96	0.93	0.90	0.87	0.85	0.83	0.80	0.78	0.76	0.74	0.100	90	
1.25	1.20	1.16	1.12	1.08	1.04	1.01	0.98	0.95	0.92	0.89	0.87	0.85	0.82	0.80	0.78	0.105	100	
1.31	1.26	1.22	1.17	1.13	1.09	1.06	1.03	0.99	0.97	0.94	0.91	0.89	0.86	0.84	0.82	0.111	110	
1.03	0.99	0.95	0.92	0.89	0.86	0.83	0.80	0.78	0.76	0.73	0.71	0.70	0.68	0.66	0.64	0.087	30	TXVS3  50 MESH  YELLOW
1.19	1.14	1.10	1.06	1.02	0.99	0.96	0.93	0.90	0.87	0.85	0.83	0.80	0.78	0.76	0.74	0.100	40	
1.33	1.28	1.23	1.19	1.15	1.11	1.07	1.04	1.01	0.98	0.95	0.92	0.90	0.87	0.85	0.83	0.112	50	
1.45	1.40	1.35	1.30	1.25	1.21	1.17	1.14	1.10	1.07	1.04	1.01	0.98	0.96	0.93	0.91	0.122	60	
1.57	1.51	1.46	1.40	1.35	1.31	1.27	1.23	1.19	1.16	1.12	1.09	1.06	1.03	1.01	0.98	0.132	70	
1.68	1.62	1.56	1.50	1.45	1.40	1.35	1.31	1.27	1.24	1.20	1.17	1.14	1.11	1.08	1.05	0.141	80	
1.78	1.71	1.65	1.59	1.54	1.49	1.44	1.39	1.35	1.31	1.27	1.24	1.20	1.17	1.14	1.11	0.150	90	
1.88	1.81	1.74	1.68	1.62	1.57	1.51	1.47	1.42	1.38	1.34	1.30	1.27	1.24	1.20	1.17	0.158	100	
1.97	1.89	1.82	1.76	1.70	1.64	1.59	1.54	1.49	1.45	1.41	1.37	1.33	1.30	1.26	1.23	0.166	110	

**CONEJET 40" TIP CHART 2 TIP PER ROW**

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0		
TXSS4	30	0.115	4.29	3.81	3.43	3.12	2.86	2.64	2.45	2.29	2.14	2.02	1.91	1.80	1.71	1.63	1.56	1.49	1.43	
	40	0.133	4.95	4.40	3.96	3.60	3.30	3.05	2.83	2.64	2.48	2.33	2.20	2.08	1.98	1.89	1.80	1.72	1.65	
	50	0.149	5.53	4.92	4.43	4.02	3.69	3.41	3.16	2.95	2.77	2.60	2.46	2.33	2.21	2.11	2.01	1.92	1.84	
	60	0.163	6.06	5.39	4.85	4.41	4.04	3.73	3.46	3.23	3.03	2.85	2.69	2.55	2.42	2.31	2.20	2.11	2.02	
	50 MESH	70	0.176	6.55	5.82	5.24	4.76	4.37	4.03	3.74	3.49	3.27	3.08	2.91	2.76	2.62	2.49	2.38	2.28	2.18
		80	0.189	7.00	6.22	5.60	5.09	4.67	4.31	4.00	3.73	3.50	3.29	3.11	2.95	2.80	2.67	2.55	2.43	2.33
		90	0.200	7.43	6.60	5.94	5.40	4.95	4.57	4.24	3.96	3.71	3.49	3.30	3.13	2.97	2.83	2.70	2.58	2.48
	GREEN	100	0.211	7.83	6.96	6.26	5.69	5.22	4.82	4.47	4.17	3.91	3.68	3.48	3.30	3.13	2.98	2.85	2.72	2.61
		110	0.221	8.21	7.30	6.57	5.97	5.47	5.05	4.69	4.38	4.10	3.86	3.65	3.46	3.28	3.13	2.98	2.86	2.74
	TXVS6	30	0.173	6.43	5.72	5.14	4.68	4.29	3.96	3.67	3.43	3.22	3.03	2.86	2.71	2.57	2.45	2.34	2.24	2.14
		40	0.200	7.43	6.60	5.94	5.40	4.95	4.57	4.24	3.96	3.71	3.49	3.30	3.13	2.97	2.83	2.70	2.58	2.48
50		0.224	8.30	7.38	6.64	6.04	5.53	5.11	4.74	4.43	4.15	3.91	3.69	3.50	3.32	3.16	3.02	2.89	2.77	
60		0.245	9.09	8.08	7.27	6.61	6.06	5.60	5.20	4.85	4.55	4.28	4.04	3.83	3.64	3.46	3.31	3.16	3.03	
50 MESH		70	0.265	9.82	8.73	7.86	7.14	6.55	6.04	5.61	5.24	4.91	4.62	4.37	4.14	3.93	3.74	3.57	3.42	3.27
		80	0.283	10.50	9.33	8.40	7.64	7.00	6.46	6.00	5.60	5.25	4.94	4.67	4.42	4.20	4.00	3.82	3.65	3.50
		90	0.300	11.14	9.90	8.91	8.10	7.43	6.85	6.36	5.94	5.57	5.24	4.95	4.69	4.46	4.24	4.05	3.87	3.71
RED		100	0.316	11.74	10.44	9.39	8.54	7.83	7.22	6.71	6.26	5.87	5.52	5.22	4.94	4.70	4.47	4.27	4.08	3.91
		110	0.332	12.31	10.94	9.85	8.95	8.21	7.58	7.04	6.57	6.16	5.79	5.47	5.18	4.93	4.69	4.48	4.28	4.10
TXVS8		30	0.231	8.57	7.62	6.86	6.24	5.72	5.28	4.90	4.57	4.29	4.03	3.81	3.61	3.43	3.27	3.12	2.98	2.86
		40	0.267	9.90	8.80	7.92	7.20	6.60	6.09	5.66	5.28	4.95	4.66	4.40	4.17	3.96	3.77	3.60	3.44	3.30
	50	0.298	11.07	9.84	8.85	8.05	7.38	6.81	6.32	5.90	5.53	5.21	4.92	4.66	4.43	4.22	4.02	3.85	3.69	
	60	0.327	12.12	10.78	9.70	8.82	8.08	7.46	6.93	6.47	6.06	5.71	5.39	5.11	4.85	4.62	4.41	4.22	4.04	
	50 MESH	70	0.353	13.10	11.64	10.48	9.52	8.73	8.06	7.48	6.98	6.55	6.16	5.82	5.51	5.24	4.99	4.76	4.56	4.37
		80	0.377	14.00	12.45	11.20	10.18	9.33	8.62	8.00	7.47	7.00	6.59	6.22	5.90	5.60	5.33	5.09	4.87	4.67
		90	0.400	14.85	13.20	11.88	10.80	9.90	9.14	8.49	7.92	7.43	6.99	6.60	6.25	5.94	5.66	5.40	5.17	4.95
	GRAY	100	0.422	15.65	13.91	12.52	11.38	10.44	9.63	8.94	8.35	7.83	7.37	6.96	6.59	6.26	5.96	5.69	5.44	5.22
		110	0.442	16.42	14.59	13.13	11.94	10.94	10.10	9.38	8.76	8.21	7.73	7.30	6.91	6.57	6.25	5.97	5.71	5.47

**CONEJET 40" TIP CHART 2 TIP PER ROW**

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
1.37	1.32	1.27	1.22	1.18	1.14	1.11	1.07	1.04	1.01	0.98	0.95	0.93	0.90	0.88	0.86	0.115	30	TXSS4
1.58	1.52	1.47	1.41	1.37	1.32	1.28	1.24	1.20	1.16	1.13	1.10	1.07	1.04	1.02	0.99	0.133	40	
1.77	1.70	1.64	1.58	1.53	1.48	1.43	1.38	1.34	1.30	1.26	1.23	1.20	1.17	1.14	1.11	0.149	50	
1.94	1.87	1.80	1.73	1.67	1.62	1.56	1.52	1.47	1.43	1.39	1.35	1.31	1.28	1.24	1.21	0.163	60	50 MESH
2.10	2.01	1.94	1.87	1.81	1.75	1.69	1.64	1.59	1.54	1.50	1.46	1.42	1.38	1.34	1.31	0.176	70	
2.24	2.15	2.07	2.00	1.93	1.87	1.81	1.75	1.70	1.65	1.60	1.56	1.51	1.47	1.44	1.40	0.189	80	
2.38	2.28	2.20	2.12	2.05	1.98	1.92	1.86	1.80	1.75	1.70	1.65	1.61	1.56	1.52	1.49	0.200	90	GREEN
2.50	2.41	2.32	2.24	2.16	2.09	2.02	1.96	1.90	1.84	1.79	1.74	1.69	1.65	1.61	1.57	0.211	100	
2.63	2.53	2.43	2.35	2.26	2.19	2.12	2.05	1.99	1.93	1.88	1.82	1.77	1.73	1.68	1.64	0.221	110	
2.06	1.98	1.91	1.84	1.77	1.71	1.66	1.61	1.56	1.51	1.47	1.43	1.39	1.35	1.32	1.29	0.173	30	TXVS6
2.38	2.28	2.20	2.12	2.05	1.98	1.92	1.86	1.80	1.75	1.70	1.65	1.61	1.56	1.52	1.49	0.200	40	
2.66	2.55	2.46	2.37	2.29	2.21	2.14	2.08	2.01	1.95	1.90	1.84	1.79	1.75	1.70	1.66	0.224	50	
2.91	2.80	2.69	2.60	2.51	2.42	2.35	2.27	2.20	2.14	2.08	2.02	1.97	1.91	1.87	1.82	0.245	60	50 MESH
3.14	3.02	2.91	2.81	2.71	2.62	2.53	2.46	2.38	2.31	2.25	2.18	2.12	2.07	2.01	1.96	0.265	70	
3.36	3.23	3.11	3.00	2.90	2.80	2.71	2.63	2.55	2.47	2.40	2.33	2.27	2.21	2.15	2.10	0.283	80	
3.56	3.43	3.30	3.18	3.07	2.97	2.87	2.78	2.70	2.62	2.55	2.48	2.41	2.34	2.28	2.23	0.300	90	RED
3.76	3.61	3.48	3.35	3.24	3.13	3.03	2.93	2.85	2.76	2.68	2.61	2.54	2.47	2.41	2.35	0.316	100	
3.94	3.79	3.65	3.52	3.40	3.28	3.18	3.08	2.98	2.90	2.81	2.74	2.66	2.59	2.53	2.46	0.332	110	
2.74	2.64	2.54	2.45	2.37	2.29	2.21	2.14	2.08	2.02	1.96	1.91	1.85	1.80	1.76	1.71	0.231	30	TXVS8
3.17	3.05	2.93	2.83	2.73	2.64	2.55	2.47	2.40	2.33	2.26	2.20	2.14	2.08	2.03	1.98	0.267	40	
3.54	3.41	3.28	3.16	3.05	2.95	2.86	2.77	2.68	2.60	2.53	2.46	2.39	2.33	2.27	2.21	0.298	50	
3.88	3.73	3.59	3.46	3.34	3.23	3.13	3.03	2.94	2.85	2.77	2.69	2.62	2.55	2.49	2.42	0.327	60	50 MESH
4.19	4.03	3.88	3.74	3.61	3.49	3.38	3.27	3.17	3.08	2.99	2.91	2.83	2.76	2.69	2.62	0.353	70	
4.48	4.31	4.15	4.00	3.86	3.73	3.61	3.50	3.39	3.29	3.20	3.11	3.03	2.95	2.87	2.80	0.377	80	
4.75	4.57	4.40	4.24	4.10	3.96	3.83	3.71	3.60	3.49	3.39	3.30	3.21	3.13	3.05	2.97	0.400	90	GRAY
5.01	4.82	4.64	4.47	4.32	4.17	4.04	3.91	3.79	3.68	3.58	3.48	3.38	3.30	3.21	3.13	0.422	100	
5.25	5.05	4.86	4.69	4.53	4.38	4.24	4.10	3.98	3.86	3.75	3.65	3.55	3.46	3.37	3.28	0.442	110	

**CONEJET 40" TIP CHART 2 TIP PER ROW**

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
TXVS10	30	0.289	10.72	9.53	8.57	7.79	7.14	6.60	6.12	5.72	5.36	5.04	4.76	4.51	4.29	4.08	3.90	3.73	3.57
	40	0.333	12.38	11.00	9.90	9.00	8.25	7.62	7.07	6.60	6.19	5.82	5.50	5.21	4.95	4.71	4.50	4.30	4.13
	50	0.373	13.84	12.30	11.07	10.06	9.22	8.51	7.91	7.38	6.92	6.51	6.15	5.83	5.53	5.27	5.03	4.81	4.61
	60	0.408	15.16	13.47	12.12	11.02	10.10	9.33	8.66	8.08	7.58	7.13	6.74	6.38	6.06	5.77	5.51	5.27	5.05
	70	0.441	16.37	14.55	13.10	11.91	10.91	10.07	9.35	8.73	8.19	7.70	7.28	6.89	6.55	6.24	5.95	5.69	5.46
	80	0.471	17.50	15.56	14.00	12.73	11.67	10.77	10.00	9.33	8.75	8.24	7.78	7.37	7.00	6.67	6.36	6.09	5.83
	90	0.500	18.56	16.50	14.85	13.50	12.38	11.42	10.61	9.90	9.28	8.74	8.25	7.82	7.43	7.07	6.75	6.46	6.19
	100	0.527	19.57	17.39	15.65	14.23	13.04	12.04	11.18	10.44	9.78	9.21	8.70	8.24	7.83	7.45	7.12	6.81	6.52
	110	0.553	20.52	18.24	16.42	14.92	13.68	12.63	11.73	10.94	10.26	9.66	9.12	8.64	8.21	7.82	7.46	7.14	6.84
	TXVS12	30	0.346	12.86	11.43	10.29	9.35	8.57	7.91	7.35	6.86	6.43	6.05	5.72	5.41	5.14	4.90	4.68	4.47
40		0.400	14.85	13.20	11.88	10.80	9.90	9.14	8.49	7.92	7.43	6.99	6.60	6.25	5.94	5.66	5.40	5.17	4.95
50		0.447	16.60	14.76	13.28	12.07	11.07	10.22	9.49	8.85	8.30	7.81	7.38	6.99	6.64	6.32	6.04	5.77	5.53
60		0.490	18.19	16.17	14.55	13.23	12.12	11.19	10.39	9.70	9.09	8.56	8.08	7.66	7.27	6.93	6.61	6.33	6.06
70		0.529	19.64	17.46	15.72	14.29	13.10	12.09	11.23	10.48	9.82	9.24	8.73	8.27	7.86	7.48	7.14	6.83	6.55
80		0.566	21.00	18.67	16.80	15.27	14.00	12.92	12.00	11.20	10.50	9.88	9.33	8.84	8.40	8.00	7.64	7.30	7.00
90		0.600	22.28	19.80	17.82	16.20	14.85	13.71	12.73	11.88	11.14	10.48	9.90	9.38	8.91	8.49	8.10	7.75	7.43
100		0.632	23.48	20.87	18.78	17.08	15.65	14.45	13.42	12.52	11.74	11.05	10.44	9.89	9.39	8.94	8.54	8.17	7.83
110		0.663	24.63	21.89	19.70	17.91	16.42	15.15	14.07	13.13	12.31	11.59	10.94	10.37	9.85	9.38	8.95	8.57	8.21
TXVS18		30	0.520	19.29	17.15	15.43	14.03	12.86	11.87	11.02	10.29	9.65	9.08	8.57	8.12	7.72	7.35	7.01	6.71
	40	0.867	32.18	28.60	25.74	23.40	21.45	19.80	18.39	17.16	16.09	15.14	14.30	13.55	12.87	12.26	11.70	11.19	10.73
	50	0.671	24.90	22.14	19.92	18.11	16.60	15.33	14.23	13.28	12.45	11.72	11.07	10.49	9.96	9.49	9.06	8.66	8.30
	60	0.735	27.28	24.25	21.82	19.84	18.19	16.79	15.59	14.55	13.64	12.84	12.12	11.49	10.91	10.39	9.92	9.49	9.09
	70	0.794	29.47	26.19	23.57	21.43	19.64	18.13	16.84	15.72	14.73	13.87	13.10	12.41	11.79	11.23	10.72	10.25	9.82
	80	0.822	30.50	27.11	24.40	22.18	20.33	18.77	17.43	16.27	15.25	14.35	13.56	12.84	12.20	11.62	11.09	10.61	10.17
	90	0.900	33.41	29.70	26.73	24.30	22.28	20.56	19.09	17.82	16.71	15.72	14.85	14.07	13.37	12.73	12.15	11.62	11.14
	100	0.949	35.22	31.31	28.18	25.61	23.48	21.67	20.13	18.78	17.61	16.57	15.65	14.83	14.09	13.42	12.81	12.25	11.74
	110	0.995	36.94	32.83	29.55	26.86	24.63	22.73	21.11	19.70	18.47	17.38	16.42	15.55	14.78	14.07	13.43	12.85	12.31
	BLACK	30	0.520	19.29	17.15	15.43	14.03	12.86	11.87	11.02	10.29	9.65	9.08	8.57	8.12	7.72	7.35	7.01	6.71
40		0.867	32.18	28.60	25.74	23.40	21.45	19.80	18.39	17.16	16.09	15.14	14.30	13.55	12.87	12.26	11.70	11.19	10.73
50		0.671	24.90	22.14	19.92	18.11	16.60	15.33	14.23	13.28	12.45	11.72	11.07	10.49	9.96	9.49	9.06	8.66	8.30
60		0.735	27.28	24.25	21.82	19.84	18.19	16.79	15.59	14.55	13.64	12.84	12.12	11.49	10.91	10.39	9.92	9.49	9.09
70		0.794	29.47	26.19	23.57	21.43	19.64	18.13	16.84	15.72	14.73	13.87	13.10	12.41	11.79	11.23	10.72	10.25	9.82
80		0.822	30.50	27.11	24.40	22.18	20.33	18.77	17.43	16.27	15.25	14.35	13.56	12.84	12.20	11.62	11.09	10.61	10.17
90		0.900	33.41	29.70	26.73	24.30	22.28	20.56	19.09	17.82	16.71	15.72	14.85	14.07	13.37	12.73	12.15	11.62	11.14
100		0.949	35.22	31.31	28.18	25.61	23.48	21.67	20.13	18.78	17.61	16.57	15.65	14.83	14.09	13.42	12.81	12.25	11.74
110		0.995	36.94	32.83	29.55	26.86	24.63	22.73	21.11	19.70	18.47	17.38	16.42	15.55	14.78	14.07	13.43	12.85	12.31
ORANGE		30	0.520	19.29	17.15	15.43	14.03	12.86	11.87	11.02	10.29	9.65	9.08	8.57	8.12	7.72	7.35	7.01	6.71
	40	0.867	32.18	28.60	25.74	23.40	21.45	19.80	18.39	17.16	16.09	15.14	14.30	13.55	12.87	12.26	11.70	11.19	10.73
	50	0.671	24.90	22.14	19.92	18.11	16.60	15.33	14.23	13.28	12.45	11.72	11.07	10.49	9.96	9.49	9.06	8.66	8.30
	60	0.735	27.28	24.25	21.82	19.84	18.19	16.79	15.59	14.55	13.64	12.84	12.12	11.49	10.91	10.39	9.92	9.49	9.09
	70	0.794	29.47	26.19	23.57	21.43	19.64	18.13	16.84	15.72	14.73	13.87	13.10	12.41	11.79	11.23	10.72	10.25	9.82
	80	0.822	30.50	27.11	24.40	22.18	20.33	18.77	17.43	16.27	15.25	14.35	13.56	12.84	12.20	11.62	11.09	10.61	10.17
	90	0.900	33.41	29.70	26.73	24.30	22.28	20.56	19.09	17.82	16.71	15.72	14.85	14.07	13.37	12.73	12.15	11.62	11.14
	100	0.949	35.22	31.31	28.18	25.61	23.48	21.67	20.13	18.78	17.61	16.57	15.65	14.83	14.09	13.42	12.81	12.25	11.74
	110	0.995	36.94	32.83	29.55	26.86	24.63	22.73	21.11	19.70	18.47	17.38	16.42	15.55	14.78	14.07	13.43	12.85	12.31

**CONEJET 40" TIP CHART 2 TIP PER ROW**

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
3.43	3.30	3.18	3.06	2.96	2.86	2.77	2.68	2.60	2.52	2.45	2.38	2.32	2.26	2.20	2.14	0.289	30	TXVS10
3.96	3.81	3.67	3.54	3.41	3.30	3.19	3.09	3.00	2.91	2.83	2.75	2.68	2.61	2.54	2.48	0.333	40	
4.43	4.26	4.10	3.95	3.82	3.69	3.57	3.46	3.35	3.26	3.16	3.07	2.99	2.91	2.84	2.77	0.373	50	
4.85	4.66	4.49	4.33	4.18	4.04	3.91	3.79	3.67	3.57	3.46	3.37	3.28	3.19	3.11	3.03	0.408	60	50 MESH
5.24	5.04	4.85	4.68	4.52	4.37	4.22	4.09	3.97	3.85	3.74	3.64	3.54	3.45	3.36	3.27	0.441	70	
5.60	5.38	5.19	5.00	4.83	4.67	4.52	4.38	4.24	4.12	4.00	3.89	3.78	3.68	3.59	3.50	0.471	80	
5.94	5.71	5.50	5.30	5.12	4.95	4.79	4.64	4.50	4.37	4.24	4.13	4.01	3.91	3.81	3.71	0.500	90	BLACK
6.26	6.02	5.80	5.59	5.40	5.22	5.05	4.89	4.74	4.60	4.47	4.35	4.23	4.12	4.01	3.91	0.527	100	
6.57	6.31	6.08	5.86	5.66	5.47	5.30	5.13	4.97	4.83	4.69	4.56	4.44	4.32	4.21	4.10	0.553	110	
4.12	3.96	3.81	3.67	3.55	3.43	3.32	3.22	3.12	3.03	2.94	2.86	2.78	2.71	2.64	2.57	0.346	30	TXVS12
4.75	4.57	4.40	4.24	4.10	3.96	3.83	3.71	3.60	3.49	3.39	3.30	3.21	3.13	3.05	2.97	0.400	40	
5.31	5.11	4.92	4.74	4.58	4.43	4.28	4.15	4.02	3.91	3.79	3.69	3.59	3.50	3.41	3.32	0.447	50	
5.82	5.60	5.39	5.20	5.02	4.85	4.69	4.55	4.41	4.28	4.16	4.04	3.93	3.83	3.73	3.64	0.490	60	50 MESH
6.29	6.04	5.82	5.61	5.42	5.24	5.07	4.91	4.76	4.62	4.49	4.37	4.25	4.14	4.03	3.93	0.529	70	
6.72	6.46	6.22	6.00	5.79	5.60	5.42	5.25	5.09	4.94	4.80	4.67	4.54	4.42	4.31	4.20	0.566	80	
7.13	6.85	6.60	6.36	6.14	5.94	5.75	5.57	5.40	5.24	5.09	4.95	4.82	4.69	4.57	4.46	0.600	90	BROWN
7.51	7.22	6.96	6.71	6.48	6.26	6.06	5.87	5.69	5.52	5.37	5.22	5.08	4.94	4.82	4.70	0.632	100	
7.88	7.58	7.30	7.04	6.79	6.57	6.36	6.16	5.97	5.79	5.63	5.47	5.32	5.18	5.05	4.93	0.663	110	
6.17	5.94	5.72	5.51	5.32	5.14	4.98	4.82	4.68	4.54	4.41	4.29	4.17	4.06	3.96	3.86	0.520	30	TXVS18
10.30	9.90	9.53	9.19	8.88	8.58	8.30	8.04	7.80	7.57	7.35	7.15	6.96	6.77	6.60	6.44	0.867	40	
7.97	7.66	7.38	7.12	6.87	6.64	6.43	6.23	6.04	5.86	5.69	5.53	5.38	5.24	5.11	4.98	0.671	50	
8.73	8.39	8.08	7.79	7.53	7.27	7.04	6.82	6.61	6.42	6.24	6.06	5.90	5.74	5.60	5.46	0.735	60	50 MESH
9.43	9.07	8.73	8.42	8.13	7.86	7.60	7.37	7.14	6.93	6.74	6.55	6.37	6.20	6.04	5.89	0.794	70	
9.76	9.39	9.04	8.71	8.41	8.13	7.87	7.63	7.39	7.18	6.97	6.78	6.59	6.42	6.26	6.10	0.822	80	
10.69	10.28	9.90	9.55	9.22	8.91	8.62	8.35	8.10	7.86	7.64	7.43	7.22	7.03	6.85	6.68	0.900	90	ORANGE
11.27	10.84	10.44	10.06	9.72	9.39	9.09	8.80	8.54	8.29	8.05	7.83	7.62	7.41	7.22	7.04	0.949	100	
11.82	11.37	10.94	10.55	10.19	9.85	9.53	9.23	8.95	8.69	8.44	8.21	7.99	7.78	7.58	7.39	0.995	110	

**CONEJET 40" TIP CHART 2 TIP PER ROW**

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

mph		4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	
TXVS26	30	0.751	27.86	24.77	22.29	20.26	18.58	17.15	15.92	14.86	13.93	13.11	12.38	11.73	11.15	10.61	10.13	9.69	9.29
	40	0.867	32.18	28.60	25.74	23.40	21.45	19.80	18.39	17.16	16.09	15.14	14.30	13.55	12.87	12.26	11.70	11.19	10.73
	50	0.969	35.97	31.98	28.78	26.16	23.98	22.14	20.56	19.19	17.99	16.93	15.99	15.15	14.39	13.70	13.08	12.51	11.99
50 MESH	60	1.061	39.41	35.03	31.52	28.66	26.27	24.25	22.52	21.02	19.70	18.54	17.51	16.59	15.76	15.01	14.33	13.71	13.14
	70	1.146	42.56	37.83	34.05	30.96	28.38	26.19	24.32	22.70	21.28	20.03	18.92	17.92	17.03	16.21	15.48	14.80	14.19
	80	1.187	44.06	39.16	35.25	32.04	29.37	27.11	25.18	23.50	22.03	20.73	19.58	18.55	17.62	16.78	16.02	15.32	14.69
BLUE	90	1.300	48.26	42.90	38.61	35.10	32.18	29.70	27.58	25.74	24.13	22.71	21.45	20.32	19.31	18.39	17.55	16.79	16.09
	100	1.370	50.87	45.22	40.70	37.00	33.92	31.31	29.07	27.13	25.44	23.94	22.61	21.42	20.35	19.38	18.50	17.70	16.96
	110	1.437	53.36	47.43	42.68	38.80	35.57	32.83	30.49	28.46	26.68	25.11	23.71	22.47	21.34	20.33	19.40	18.56	17.79

**CONEJET 40" TIP CHART 2 TIP PER ROW**

ALL VALUES BASED ON WATER FOR OTHER LIQUIDS SEE USEFUL FORMULAS AND CONVERSIONS

12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	mph		
8.92	8.57	8.26	7.96	7.69	7.43	7.19	6.97	6.75	6.56	6.37	6.19	6.02	5.87	5.72	5.57	0.751	30	TXVS26
10.30	9.90	9.53	9.19	8.88	8.58	8.30	8.04	7.80	7.57	7.35	7.15	6.96	6.77	6.60	6.44	0.867	40	
11.51	11.07	10.66	10.28	9.92	9.59	9.28	8.99	8.72	8.46	8.22	7.99	7.78	7.57	7.38	7.19	0.969	50	
12.61	12.12	11.68	11.26	10.87	10.51	10.17	9.85	9.55	9.27	9.01	8.76	8.52	8.30	8.08	7.88	1.061	60	50 MESH
13.62	13.10	12.61	12.16	11.74	11.35	10.98	10.64	10.32	10.01	9.73	9.46	9.20	8.96	8.73	8.51	1.146	70	
14.10	13.56	13.05	12.59	12.15	11.75	11.37	11.01	10.68	10.37	10.07	9.79	9.53	9.28	9.04	8.81	1.187	80	BLUE
15.44	14.85	14.30	13.79	13.31	12.87	12.45	12.07	11.70	11.36	11.03	10.73	10.44	10.16	9.90	9.65	1.300	90	
16.28	15.65	15.07	14.54	14.03	13.57	13.13	12.72	12.33	11.97	11.63	11.31	11.00	10.71	10.44	10.17	1.370	100	
17.07	16.42	15.81	15.24	14.72	14.23	13.77	13.34	12.93	12.55	12.20	11.86	11.54	11.23	10.94	10.67	1.437	110	